

State Highway Log

Planning Report
2017

Eastern Region



Washington State Department of Transportation
Multimodal Planning Division

January 3, 2018

Highway Log Users

Re: 2017 State Highway Log

Dear User:

The 2017 edition of the State Highway Log is available in electronic format. The electronic version is in Acrobat Reader file format. The Acrobat Reader software can be accessed from most Microsoft operating systems. If you do not have Acrobat Reader, you can download this software free of charge from the Internet at:
<http://www.adobe.com/acrobat/readstep.html>.

The State Highway Log is divided into 7 separate data files; 1 comprehensive log and 6 regional logs. Each of these 7 files, once opened, contain indexing for highways listed in the left hand margin. By clicking on a specific highway within this indexing area, the highway log will then open for that particular highway.

The Roadway Branch of the GIS & Roadway Data Office (GRDO) is committed to provide you with quality products while staying within our budget. If you have any questions about our electronic version, please contact Lou Baker at (360) 570-2361, or bakerl@wsdot.wa.gov.

Sincerely,

Mark Finch
Manager, Transportation Data, GIS & Modeling Office
Multimodal Planning Division

MBF/lb
Enclosures

INTRODUCTION

The Washington State Department of Transportation is responsible for the administration of over 7000 miles of State Highways. This involves large expenditures for planning, design, construction, and maintenance which necessitate having reliable geometric data for the entire State Highway System.

The Roadway Data Section of the Multimodal Planning Division provides roadway geometrics in several reports. These include the STATE HIGHWAY LOG, the Road Life Report, the Horizontal and Vertical Alignment Report, and the Classification Log. Portions of these and other reports can be accessed on remote terminals through the TRIPS (TRansportation Information and Planning Support) system.

The STATE HIGHWAY LOG, which is published annually from TRIPS, contains roadway data and mileage statistics for all State Highways. This information is representative of data collected through the previous year. It is designed to provide a record of current highway system information and a source for computing distances between major points. Detailed explanations of all fields are included starting on page "I-1", titled "State Highway Log Reference."

The Roadway Geometrics Section is responsible for updating and maintaining the roadway portion of the TRIPS system. The information TRIPS contains is provided by numerous WSDOT Regional, Headquarters and other sources. If you can provide us with updated information, find an error in the STATE HIGHWAY LOG or TRIPS, or have any questions regarding roadway data, please contact the GIS & Roadway Data Office at (360) 570-2361 or fax (360) 570-2400. We are continuously looking for sources to provide us with quality information.

MARK FINCH
Manager
Transportation Data, GIS & Modeling
Office
Multimodal Planning Division

TABLE OF CONTENTS

PAGE

I - 1	STATE HIGHWAY LOG REFERENCE
II - 1	STATE ROUTE LIST
III - 1	STATE ROUTE EQUATION LIST
IV - 1	STATE ROUTE COINCIDENT LIST
V - 1	MILEAGE SUMMARIES BY: DISTRICT, FUNCTIONAL CLASS, RURAL - URBAN DISTRICT, FUNCTIONAL CLASS, SURFACE TYPE DISTRICT, LEVEL OF DEVELOPMENT, RURAL - URBAN FUNCTIONAL CLASS, LEVEL OF DEVELOPMENT, RURAL - URBAN MAINTENANCE AREA, SECTION, SURFACE TYPE
1	2017 STATE HIGHWAY LOG

STATE HIGHWAY LOG REFERENCE

The following information provides an overview on how the State Highway Log Planning Report is compiled; broken out in the order they appear in the headers of each page of the publication.

Washington State’s Highways are defined by the following: State Route (SR) number, Related Roadway Type (RRT) and Related Roadway Qualifier (RRQ). These three descriptors uniquely identify each and every piece of the highway system in Washington State.

The SR is a road for which the State of Washington has some level of responsibility and is identified by a three-digit number (e.g., 004).

The RRT is a two-character abbreviation for a type of roadway. The following is a list of RRTs in the system. (Asterisk indicates RRT included in this publication).

AR*	Alternate Route	CD	Collector Distributor Dec
CO*	Couplet	CI	Collector Distributor Inc
FD	Frontage Road Dec	LX	Crossroad within Interchange
FI	Frontage Road Inc	P1 - P9	Off Ramp, Inc
FS	Ferry Ship (Boat)	Q1 - Q9	On Ramp, Inc
FT	Ferry Terminal	R1 - R9	Off Ramp, Dec
PR	Proposed Route	S1 - S9	On Ramp, Dec
RL*	Reversible Lane	HD*	Grade-Separated HOV-Dec
SP*	Spur	HI*	Grade-Separated HOV-Inc
TB	Transitional Turnback	ML*	Mainline (Implied RRT—field is blank)
TR	Temporary Route	UC	Under Construction


The RRQ is a maximum six-character field that uniquely identifies the RRT since there may be more than one of the same types of RRT for a route. The assigning of RRQ is done in one of three ways depending on the RRT.

1) The following RRTs use descriptive location names (i.e., city, street, or junction) for the RRQ and the begin SRMP of that RRT is relative to the Mainline SRMP where the RRT intersects with the Mainline.

AR	**Alternate Route	SP	Spur
CO	Couplet	TB	Transitional Turnback
PR	Proposed Route	TR	Temporary Route
RL	Reversible Lane		

** Alternate Route contains no RRQ

COUPLET EXAMPLE




**Grays Harbor County
Aberdeen
SR-101
SR-101 CO ABERDN**

EXAMPLE: 101 CO ABERDN

Where: 101 = SR Number
CO = RRT for Couplet
ABERDN = Abbreviated name of city where RRT exists

SPUR EXAMPLE




EXAMPLE: 105 SP BOONE

Where: 105	=	SR Number
SP	=	RRT for Spur
BOONE	=	Name of street where RRT exists

2) The following RRTs use the Mainline SRMP where the RRT attaches to the Mainline. The begin SRMP for that RRT will be 0.00.

CD	Collector Distributor Dec	P1 - P9	Off Ramp, Inc
CI	Collector Distributor Inc	Q1 - Q9	On Ramp, Inc
FD	Frontage Road Dec	R1 - R9	Off Ramp, Dec
FI	Frontage Road Inc	S1 - S9	On Ramp, Dec
LX	Crossroad within Interchange	HD	Grade-Separated HOV-Dec
HI	Grade-Separated HOV-Inc		

DIAMOND INTERCHANGE EXAMPLE



EXAMPLE: 005 R1 09958

Where: 005 = SR Number
R1 = RRT for decreasing MP direction off-ramp (R ramp)
09958 = Mainline SRMP at beginning of the R ramp where it leaves the mainline

3) The following RRTs use descriptive names such as a city or ship name for the RRQ. The begin SRMP is always a zero value (000.00).

FS	Ferry Ship
FT	Ferry Terminal

An SR number of 999 is used for Ferry Ships since they are not assigned to a specific route. The RRQ represents the name or abbreviated name of the ship.

An SR number of 999 is used for Ferry Terminals only if the terminal is not located on a route. The RRQ represents the name or abbreviated name of the city where the terminal is located.

STATE ROUTE MILEPOST (SRMP)

State Route Milepost (SRMP) is a linear referencing system used to assign a logical number to a given point along a route. The SRMP is carried to the hundredth of a mile (123.45). If realignment shortens or lengthens a section of an SR, the SRMP will adjust with an equation and the SRMP will not change through the rest of the route.

The SRMP identifies reference points and should **NOT** be used for computing distance.

STATE ROUTE MILEPOST BACK (B) INDICATOR

The State Route Milepost Back (B) indicator designates whether the milepost value is the 'back' duplicate of a milepost value 'ahead' on the route. Ahead values have an implied 'A' (blank).

A back SRMP occurs as a result of:

- A realignment that lengthens a section of an SR other than at the end of the route.
- Adding mileage to the beginning of an SR.

ACCUMULATED ROUTE MILE (ARM)

Accumulated Route Mileage (ARM) is an accrual of mileage from the beginning of a route to the end of the route. It accrues through coincident sections where two or more SR's share one physical alignment. The ARM is an important factor in the realignment of a State Route. It does **not** contain equations - it flows through them to give true mileage (see section on equations). The ARM is carried to the hundredth of a mile (123.45).

All length measurements are calculated using the ARM value.

LANE MILE


One lane of highway for one mile, i.e. – a section of highway one mile long with 5 lanes has the equivalent of 5 lane miles.

EQUATION (EQ)


There are 3 kinds of Equations: Back, Gap & Physical Gap

The following page contains drawings of these three types of equations


This drawing shows the lengthening of a route due to realignment, creating a back equation



This drawing shows the shortening of a route due to realignment, creating a gap equation



This drawing shows a physical gap equation, due to a separation of alignment



COINCIDENT (COINC)

This occurs when two (or more) State Routes share the same physical alignment. A Coincident location carries one Major State Route and up to three Minor Routes. The Major SR carries all the highway data. The Minor SR will only contain Region and County line breaks.

The assignment of Major or Minor is first based on functional classification of the involved routes. For example, a Principal Arterial would take precedence over a Minor Arterial and/or a Collector. A Minor Arterial would take precedence over a Collector. An Interstate takes precedence over all other routes. If more than one highway has the same functional classification, the route with the lowest SR number will take precedence. ARM accumulates through the coincident section of the Minor SR. This publication contains a listing of Coincident Routes by SR, SRMP & ARM.

FEATURE Following is a list of how some of the features are entered in the “feature” column:

Beg Bridge	Beg Eq	On Ramp
End Bridge	Uxing	Off Ramp
Enter Co	Intersectn	RR Xing
Beg Street	Misc Featr	Border Sta
End Street	Beg Ctlsec	Weigh Sta
Beg Tunnel	Flyer Stop	Leave City
End Tunnel	Prk & Ride	Toll Booth
Enter Dist	Rest Area	Ferry Term

DIRECTION TO INVENTORY

Features that get tagged with this code occur ON the main traveled way.

I = INCREASING - Milepost increases when traveling the roadway in the increasing direction. Usually odd numbered routes run south to north increasing and even numbered routes run west to east increasing. There are some exceptions to this rule.

D = DECREASING - Milepost decreases when traveling the roadway in the decreasing direction. Usually odd numbered routes run north to south decreasing and even numbered routes run east to west decreasing. There are some exceptions to this rule.

B = BOTH - The feature affects both the increasing and decreasing direction of travel.

LEFT/RIGHT INDICATOR

Features that get tagged with this code occur ALONG SIDE the main traveled way. All Left Right Indicators are assigned based on the INCREASING direction of travel, starting from the left and working to the right.

L = LEFT Represents features located along side the decreasing traveled way.

LC = LEFT CENTER Represents features located along side the median side of the decreasing traveled way.

C = CENTER Represents a feature that occurs between the increasing and decreasing traveled way.

RC = RIGHT CENTER Represents features located along side the median side of the increasing traveled way.

MEDIAN

WD Median Width

S Median Surface Type

S = Soil G = Gravel
O = Other A = Asphalt
B = Bituminous P = Portland Cement Concrete

BR Median Barrier Type

DE = Depressed CU = Curb
FB = Flex Beam JE = Jersey Type Barrier
GP = Guide Post RG = Rock Wall * Gabion
UP = Unprotected IA = Impact Attenuator
WA = Wall FE = Fence
SS = Snow Shed BE = Bridge End Guard Rails
GR = Guard Rail CA = Cable

INCRES/UNDI (INCREASING/UNDIVIDED)

Will be used for divided multilane in the direction of inventory, and for the entire roadway for two lane or undivided highways.

LFT SHD W = Width of inside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

RDY W = Width of roadway in increasing direction of the roadway.

S = Roadway Surface Type

RHT SHD W = Width of outside shoulder in increasing direction of the roadway.

S = Shoulder Surface Type

SPC USE LNS WID - Width of Special Use Lane

Special Use Lane Types - (Appears in Description Field)

Climbing Two Way Turn High Occupancy Vehicle
Bicycle Reversible Slow Vehicle Turnout
Chain Up Transit Truck Climbing Shoulder
Holding Weaving/Speed Change

TOT RDY WIDTH - Total roadway width includes decreasing roadway, increasing roadway and special use lane widths. This total does not include shoulder and median widths.

CLASSIFICATIONS

MTCE Maintenance

A = Maintenance Area Number
SE = Maintenance Section Number

CITY NBR City Number assigned to a city by the Census.

STFC State Functional Classification

R1 = Rural-Principal Arterial	U1 = Urban-Principal Arterial
R2 = Rural-Minor Arterial	U2 = Urban-Minor Arterial
R3 = Rural-Collector	U3 = Urban-Collector
R4 = Rural-Unclassified	U4 = Urban-Unclassified
R5 = Rural-Interstate	U5 = Urban-Interstate

Urban Area - An area designated by WSDOT in cooperation with the Transportation Improvement Board and Region transportation planning organizations, subject to the approval of the FHWA.

Legal Speed

D = Official speed limit as designated for decreasing direction of the roadway.
IB = Official speed limit as designated for increasing or both directions of the roadway.

TR Terrain - The contour of the roadway as it relates to the frequency and steepness of hills and the effect on truck speed.

L = Level - Trucks maintain speed.
R = Rolling - Trucks slow down frequently.
M = Mountainous - Trucks slow to a crawl frequently.

PK Parking Zone - Type of parking that is permitted on a State Route (cities only).

B = Both sides parking permitted
L = Left side parking only permitted
P = Parking prohibited on both sides
R = Right side parking only permitted
X = Prohibited during peak hours

ST Street Name Alias - The local name of a street assigned to a State Route as the State Route passes through a city.

* = A street name alias is assigned to a State Route (The street name will appear in the description field).

\$ Designates when the previous feature is no longer valid.

INTERSECTION DETAIL

SRMP	State Route Milepost at intersection.
B	“Back” milepost indicator.
ARM	Accumulated route mile at intersection.

TURN LANES

Entering an intersection in the increasing direction of travel would be “near approach.”

Entering an intersection in the decreasing direction of travel would be “far approach.”

LGT WD	Length (in miles) and width (in feet) will appear in each category of turn and acceleration lanes.
L NEAR	Left turn lane in near approach of intersection.
R NEAR	Right turn lane in near approach of intersection.
L FAR	Left turn lane in far approach of intersection.
R FAR	Right turn lane in far approach of intersection.

ACCELERATION LANES


LEFT	Left acceleration lane in near approach of intersection.
L CNTR	Acceleration lane in near approach of intersection.
R CNTR	Acceleration lane in far approach of intersection.
RIGHT	Right acceleration lane in far approach of intersection.

Vehicles traveling in the decreasing direction of the roadway use Left and Left Center acceleration lanes.


Vehicles traveling in the increasing direction of the roadway use Right and Right Center acceleration lanes.

If you have any questions regarding the State Highway Log or the roadway data, or you can provide us with updated information, please contact the Roadway Data Office at (360) 570-2361 or fax (360) 570-2400. We are continuously looking for sources to provide us with quality information.

The following pages contain sketches to better explain how the State Highway Log Planning Report is compiled.



Roadway Measurements with and without curbs - Asphalt Surface
 Refer to SR 203 SRMP 5.32 - 6.19



City Street

SR 12 Decreasing


SR 12 Increasing

End Two Way Turn 12'
C 36A C
433.72


Begin Two Way Turn 12'
C 24A C
433.16

C 36A C
433.09

Two Way Turn (Curb to Curb) Asphalt Surface
Refer to SR 12 SRMP 433.09 - 433.72




Two Way Turn (with Shoulders) Asphalt Surface
 Refer to SR 530 SRMP 17.04 - 17.30



Intersection Channelization (Turn/Accel Lanes)
Examples of Turn/Acceleration Lanes Located at the Bottom of
State Highway Log Pages

SR 5 Decreasing




227.75

227.73

227.08

SR 5 Increasing

Divided Highway Measurements (Asphalt Surface w/Paved Median)
Refer to SR 5 SRMP 227.08 - 227.75



Divided Highway Measurements (Asphalt Surface w/Soil Median)
 Refer to SR 90 SRMP 149.78 - 150.07

**SRMP 7.64
End
Physical Gap**

**SRMP 7.62
Begin
Physical Gap**

BRIDGE 432/008N

BRIDGE 432/008S

Physical Gap = 0.01 mile

Equation: 7.63 = 7.64

SR 432 →
Increasing

↑
SR 432 Increasing

Physical Gap (Roadway Discontinuity)


Refer to SR 432 SRMP 7.62 - Vicinity



Coincident Route



Refer to SR 5 SRMP 68.41 - 88.33 and SR 12 46.62 - 66.54

N Not to Scale



Contract # 015388
Open to traffic: 7/19/99


Equation: 46.15 = 46.18
(Shorten Route 0.03 miles)

-  Old Alignment
-  New Alignment

Realignment - Shorten Route
Refer to SR 20 SRMP 45.97 - Vicinity







Not to Scale



Contract # 014330
Open to traffic: 7/11/94

Equation: 44.30B = 44.25
(Lengthen Route 0.05 miles)

-  Old Alignment & Mileage (SR 24)
-  Old Alignment & Mileage (SR 243)
-  New Alignment & Mileage (SR 24)
-  New Alignment & Mileage (SR 243)

Realignment - Lengthen Route

Refer to SR 24 SRMP 44.08 - Vicinity

Eastern Region State Route List

State Route	RRT/RRQ Identifier	Begin SRMP B	End SRMP B	Length
002		207.78	283.22	75.43
002		286.87	334.51	47.61
002	COBROWNE	287.45	288.08	0.63
002	CODIVISN	289.19	290.72	1.53
002	CONEWPRT	334.38	334.87	0.49
020		297.23	342.08	44.82
020		354.33	436.91	82.45
021		0.00	91.78	91.73
021		92.43	106.65	14.22
021		106.66	160.10	53.44
021		162.66	191.34	28.68
023		0.00	66.01	66.00
025		0.00	121.23	121.17
026		60.80	133.53	72.81
026	SPCOLFAX	133.44	133.51	0.07
027		0.00 B	2.27 B	2.27
027		0.00	87.70	87.60
028		79.04	131.18	52.14
031		0.00	26.79	26.79
041		0.00	0.41	0.41
090		191.89	299.82	107.34
127		10.00	27.05	17.05
174		23.38	40.66	17.28
194		0.00	21.01	21.01
195		0.00 B	95.99	93.37
195	SPGNESSE	0.06	0.60	0.54
206		0.00	15.39	15.30
211		0.00	15.19	15.18
231		0.00	28.11	28.01
231		31.08	75.16	44.08
260		24.73	39.49	14.77
261		15.20	29.39	14.17
261		35.83	62.83	26.92
263		0.00	9.24	9.24
270		0.00	9.89	9.89
270	COPULLMN	2.67	2.90	0.23
271		0.00	8.48	8.48
272		0.00	16.52	16.52
272		16.78	19.23	2.45
274		0.00	1.92	1.92
278		0.00	5.50	5.50
290		0.07	18.38	18.31
291		0.00	33.09	33.09
292		0.00	5.91	5.91
395		65.70	96.13	30.43
395		164.50	167.40	2.90
395		167.44	270.26	102.82
395	SPNSC	162.03	167.45	5.42
902		0.00	12.36	12.36
904		0.00	16.96	16.96

Eastern Region SRMP Equation List

State Route	RRT/RRQ Identifier	SRMP	B	ARM	Equation
002		207.78		199.71	207.81B=207.78
002		221.00		212.92	220.99 =221.00
002		286.87		278.73	286.81 =286.87
002		289.19	B	281.05	BEGIN BACK
002		289.19		281.09	289.23B=289.19
002		321.66		313.49	321.59 =321.66
020		305.24		304.59	305.21 =305.24
020		363.61		362.86	363.51 =363.61
020		421.42		420.64	421.39 =421.42
021		56.37		56.32	056.32 =056.37
023		27.72	B	27.72	BEGIN BACK
023		27.72		27.76	027.76B=027.72
023		44.29		44.28	044.24 =044.29
025		83.36		83.34	083.34 =083.36
025		89.68		89.62	089.64 =089.68
026		61.78	B	61.78	BEGIN BACK
026		61.78		61.86	061.86B=061.78
027		0.00	B	0.00	BEGIN BACK
027		0.00		2.40	002.40B=000.00
027		8.86		11.20	008.80 =008.86
027		14.81		17.10	014.76 =014.81
027		23.99	B	26.28	BEGIN BACK
027		23.99		26.33	024.04B=023.99
027		34.28		36.60	034.26 =034.28
027		47.06	B	49.38	BEGIN BACK
027		47.06		49.42	047.10B=047.06
027		48.05		50.37	048.01 =048.05
027		48.25		50.55	048.23 =048.25
090		218.60		216.31	218.03 =218.60
090		282.59		280.29	282.58 =282.59
090		289.62		287.31	289.61 =289.62
195		0.00	B	0.00	BEGIN BACK
195		0.00		0.31	000.31B=000.00
195		19.77		20.07	019.76 =019.77
195		20.15	B	20.45	BEGIN BACK
195		20.15		20.51	020.21B=020.15
195		25.81		23.96	023.60 =025.81
195		37.20		35.34	037.19 =037.20
195		70.43		68.34	070.20 =070.43
195		80.96		78.37	080.46 =080.96
195		89.80		87.18	089.77 =089.80
206		0.87		0.81	000.81 =000.87
206		11.09		11.00	011.06 =011.09
211		0.99		0.98	000.98 =000.99
231		0.32		0.27	000.27 =000.32
231		4.99		4.93	004.98 =004.99
231		9.27		9.20	009.26 =009.27
231		12.11		12.03	012.10 =012.11
231		15.76		15.66	015.74 =015.76
231		31.08		30.89	030.99 =031.08
260		35.01	B	33.49	BEGIN BACK
260		35.01		33.50	035.02B=035.01
261		20.68		20.64	020.66 =020.68

Eastern Region SRMP Equation List

State Route	RRT/RRQ Identifier	SRMP	B	ARM	Equation
261		48.53		48.41	048.45 =048.53
272		16.78		16.77	016.77 =016.78
395		156.74		163.24	156.68 =156.74
395		159.06	B	165.56	BEGIN BACK
395		159.06		165.60	159.10B=159.06
395		164.50		169.27	162.73 =164.50
395		167.44		172.18	167.41 =167.44
395		169.30	B	174.04	BEGIN BACK
395		169.30		174.06	169.32B=169.30
395		215.63		220.37	215.61 =215.63

Eastern Region Coincident Route List

State Route	RRT/RRQ Identifier	SRMP	B	MA	BEG	MI	END	Coinc		Coinc SRMP	B	Coincident Description
								State Route	RRT/RRQ Identifier			
002		220.88		212.81	MA	BEG		021		92.43		1ST COINCIDENT RT
002		221.54		213.46	MA	END		021		91.78		1ST COINCIDENT RT
002		261.09		253.01	MA	BEG		231		28.11		1ST COINCIDENT RT
002		263.97		255.89	MA	END		231		31.08		1ST COINCIDENT RT
002		283.22		275.14	MI	BEG		090		277.73		1ST COINCIDENT RT
002		286.87		278.73	MI	END		090		281.32		1ST COINCIDENT RT
002		286.88		278.74	MA	BEG		395		156.75		1ST COINCIDENT RT
002		292.86		284.76	MA	END		395		164.50		1ST COINCIDENT RT
020		302.65		302.03	MA	BEG		021		160.10		1ST COINCIDENT RT
020		305.24		304.59	MA	END		021		162.66		1ST COINCIDENT RT
020		342.08		341.43	MI	BEG		395		241.89		1ST COINCIDENT RT
020		354.33		353.68	MI	END		395		229.64		1ST COINCIDENT RT
021		91.78		91.73	MI	BEG		002		221.54		1ST COINCIDENT RT
021		92.43		92.38	MI	END		002		220.88		1ST COINCIDENT RT
021		160.10		160.05	MI	BEG		020		302.65		1ST COINCIDENT RT
021		162.66		162.61	MI	END		020		305.24		1ST COINCIDENT RT
027		2.27	B	2.27	MI	BEG		270		2.40		1ST COINCIDENT RT
027		0.00		2.40	MI	END		270		2.27		1ST COINCIDENT RT
027		15.08		17.37	MA	BEG		272		16.78		1ST COINCIDENT RT
027		15.33		17.62	MA	END		272		16.52		1ST COINCIDENT RT
090		220.77		218.48	MA	BEG		395		96.13		1ST COINCIDENT RT
090		277.73		275.44	MA	BEG		002		283.22		2ND COINCIDENT RT
090		281.32		279.03	MA	END		395		156.74		1ST COINCIDENT RT
090		281.32		279.03	MA	END		002		286.87		2ND COINCIDENT RT
231		28.11		28.01	MI	BEG		002		261.09		1ST COINCIDENT RT
231		31.08		30.89	MI	END		002		263.97		1ST COINCIDENT RT
260		33.06		31.54	MA	BEG		261		29.39		1ST COINCIDENT RT
260		39.49		37.98	MA	END		261		35.83		1ST COINCIDENT RT
261		29.39		29.35	MI	BEG		260		33.06		1ST COINCIDENT RT
261		35.83		35.79	MI	END		260		39.49		1ST COINCIDENT RT
270		2.27		2.27	MA	BEG		027		0.00		1ST COINCIDENT RT
270		2.40		2.40	MA	END		027		2.27	B	1ST COINCIDENT RT
272		16.52		16.52	MI	BEG		027		15.33		1ST COINCIDENT RT
272		16.78		16.77	MI	END		027		15.08		1ST COINCIDENT RT
395		96.13		102.69	MI	BEG		090		220.77		1ST COINCIDENT RT
395		156.74		163.24	MI	END		090		281.32		1ST COINCIDENT RT
395		156.75		163.25	MI	BEG		002		286.88		1ST COINCIDENT RT
395		164.50		169.27	MI	END		002		292.86		1ST COINCIDENT RT
395		229.64		234.38	MA	BEG		020		354.33		1ST COINCIDENT RT
395		241.89		246.63	MA	END		020		342.08		1ST COINCIDENT RT

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV
 SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	PRIN ARTERIAL	415.80	979.60	8.45	25.60	62.22	257.17	70.67	282.77	486.47	1,262.37
6	MINR ARTERIAL	355.57	711.14	4.83	12.16	9.09	18.78	13.92	30.94	369.49	742.08
6	COLLECTOR	603.43	1,207.43	.58	1.16	.43	.86	1.01	2.02	604.44	1,209.45
6	UNCLASSIFIED										
6	INTERSTATE	80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
DISTRICT SUBTOTAL		1,454.94	3,218.73	13.86	38.92	98.94	419.65	112.80	458.57	1,567.74	3,677.30
STATE PRIN ARTERIAL		415.80	979.60	8.45	25.60	62.22	257.17	70.67	282.77	486.47	1,262.37
STATE MINR ARTERIAL		355.57	711.14	4.83	12.16	9.09	18.78	13.92	30.94	369.49	742.08
STATE COLLECTOR		603.43	1,207.43	.58	1.16	.43	.86	1.01	2.02	604.44	1,209.45
STATE UNCLASSIFIED											
STATE INTERSTATE		80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
STATE TOTAL		1,454.94	3,218.73	13.86	38.92	98.94	419.65	112.80	458.57	1,567.74	3,677.30

T R I P S S Y S T E M

STATE HIGHWAY SPECIAL USE LANE/RAMP MILES

BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	PRIN ARTERIAL		38.06		2.94		61.91		64.85		102.91
6	MINR ARTERIAL		6.47		6.10		10.08		16.18		22.65
6	COLLECTOR		7.11				.67		.67		7.78
6	UNCLASSIFIED										
6	INTERSTATE		22.89				51.42		51.42		74.31
DISTRICT SUBTOTAL			74.53		9.04		124.08		133.12		207.65
STATE	PRIN ARTERIAL		38.06		2.94		61.91		64.85		102.91
STATE	MINR ARTERIAL		6.47		6.10		10.08		16.18		22.65
STATE	COLLECTOR		7.11				.67		.67		7.78
STATE	UNCLASSIFIED										
STATE	INTERSTATE		22.89				51.42		51.42		74.31
STATE TOTAL			74.53		9.04		124.08		133.12		207.65

T R I P S S Y S T E M

STATE HIGHWAY TOTAL LANE/RAMP MILES

BY DISTRICT, FUNCTION CLASS, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	PRIN ARTERIAL	415.80	1,017.66	8.45	28.54	62.22	319.08	70.67	347.62	486.47	1,365.28
6	MINR ARTERIAL	355.57	717.61	4.83	18.26	9.09	28.86	13.92	47.12	369.49	764.73
6	COLLECTOR	603.43	1,214.54	.58	1.16	.43	1.53	1.01	2.69	604.44	1,217.23
6	UNCLASSIFIED										
6	INTERSTATE	80.14	343.45			27.20	194.26	27.20	194.26	107.34	537.71
DISTRICT SUBTOTAL		1,454.94	3,293.26	13.86	47.96	98.94	543.73	112.80	591.69	1,567.74	3,884.95
STATE PRIN ARTERIAL		415.80	1,017.66	8.45	28.54	62.22	319.08	70.67	347.62	486.47	1,365.28
STATE MINR ARTERIAL		355.57	717.61	4.83	18.26	9.09	28.86	13.92	47.12	369.49	764.73
STATE COLLECTOR		603.43	1,214.54	.58	1.16	.43	1.53	1.01	2.69	604.44	1,217.23
STATE UNCLASSIFIED											
STATE INTERSTATE		80.14	343.45			27.20	194.26	27.20	194.26	107.34	537.71
STATE TOTAL		1,454.94	3,293.26	13.86	47.96	98.94	543.73	112.80	591.69	1,567.74	3,884.95

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 6
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV
 SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	R1					181.54	375.59	180.24	478.84	54.02	125.17	415.80	979.60
6	R2					325.04	650.08	30.04	60.08	.49	.98	355.57	711.14
6	R3					575.85	1,151.92	26.71	53.77	.87	1.74	603.43	1,207.43
6	R4												
6	R5							79.87	319.54	.27	1.02	80.14	320.56
6	U1							57.24	221.21	13.43	61.56	70.67	282.77
6	U2					1.08	2.38	12.69	28.20	.15	.36	13.92	30.94
6	U3					.06	.12	.95	1.90			1.01	2.02
6	U4												
6	U5							11.09	48.69	16.11	94.15	27.20	142.84
DIST RURAL SUBTOTAL						1,082.43	2,177.59	316.86	912.23	55.65	128.91	1,454.94	3,218.73
DIST URBAN SUBTOTAL						1.14	2.50	81.97	300.00	29.69	156.07	112.80	458.57
DISTRICT TOTAL						1,083.57	2,180.09	398.83	1,212.23	85.34	284.98	1,567.74	3,677.30

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 6
 ALL RAMPS, COLLECTORS I/D
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	R1						2.01		31.58		1.69		35.28
6	R2						.56		5.91				6.47
6	R3						2.32		4.76		.12		7.20
6	R4												
6	R5								22.83		.06		22.89
6	U1								49.19		18.21		67.40
6	U2						.32		15.42		.52		16.26
6	U3								.67				.67
6	U4												
6	U5								33.49		17.99		51.48
DIST RURAL SUBTOTAL							4.89		65.08		1.87		71.84
DIST URBAN SUBTOTAL							.32		98.77		36.72		135.81
DISTRICT TOTAL							5.21		163.85		38.59		207.65

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY TOTAL LANE/RAMP MILES
 BY DISTRICT, FUNCTION CLASS, AND SURFACE TYPE

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	FUNCT CLASS	HIGHWAY LANE		HIGHWAY LANE		HIGHWAY LANE		HIGHWAY LANE		HIGHWAY LANE		TOTAL HIGHWAY MILES	TOTAL LANE MILES
		MILES OTHER	MILES OTHER	MILES GRAVEL	MILES GRAVEL	MILES BITUM	MILES BITUM	MILES ASPHALT	MILES ASPHALT	MILES CONCRETE	MILES CONCRETE		
6	R1					181.54	377.60	180.24	510.42	54.02	126.86	415.80	1,014.88
6	R2					325.04	650.64	30.04	65.99	.49	.98	355.57	717.61
6	R3					575.85	1,154.24	26.71	58.53	.87	1.86	603.43	1,214.63
6	R4												
6	R5							79.87	342.37	.27	1.08	80.14	343.45
6	U1							57.24	270.40	13.43	79.77	70.67	350.17
6	U2					1.08	2.70	12.69	43.62	.15	.88	13.92	47.20
6	U3					.06	.12	.95	2.57			1.01	2.69
6	U4												
6	U5							11.09	82.18	16.11	112.14	27.20	194.32
DIST RURAL SUBTOTAL						1,082.43	2,182.48	316.86	977.31	55.65	130.78	1,454.94	3,290.57
DIST URBAN SUBTOTAL						1.14	2.82	81.97	398.77	29.69	192.79	112.80	594.38
DISTRICT TOTAL						1,083.57	2,185.30	398.83	1,376.08	85.34	323.57	1,567.74	3,884.95

T R I P S S Y S T E M

STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

DIST	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	DS	305.07	916.52	5.44	18.09	71.73	330.48	77.17	348.57	382.24	1,265.09
6	3R	561.09	1,124.08	.69	1.38	12.79	48.30	13.48	49.68	574.57	1,173.76
6	MO	588.78	1,178.13	7.73	19.45	14.42	40.87	22.15	60.32	610.93	1,238.45
DISTRICT SUBTOTAL		1,454.94	3,218.73	13.86	38.92	98.94	419.65	112.80	458.57	1,567.74	3,677.30
STATE	DS	305.07	916.52	5.44	18.09	71.73	330.48	77.17	348.57	382.24	1,265.09
STATE	3R	561.09	1,124.08	.69	1.38	12.79	48.30	13.48	49.68	574.57	1,173.76
STATE	MO	588.78	1,178.13	7.73	19.45	14.42	40.87	22.15	60.32	610.93	1,238.45
STATE TOTAL		1,454.94	3,218.73	13.86	38.92	98.94	419.65	112.80	458.57	1,567.74	3,677.30

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	DS		60.95		1.66		110.79		112.45		173.40
6	3R		10.37				7.86		7.86		18.23
6	MO		3.21		7.38		5.43		12.81		16.02
DISTRICT SUBTOTAL			74.53		9.04		124.08		133.12		207.65
STATE	DS		60.95		1.66		110.79		112.45		173.40
STATE	3R		10.37				7.86		7.86		18.23
STATE	MO		3.21		7.38		5.43		12.81		16.02
STATE TOTAL			74.53		9.04		124.08		133.12		207.65

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY TOTAL LANE/RAMP MILES

BY DISTRICT, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

DIST	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
6	DS	305.07	977.47	5.44	19.75	71.73	441.27	77.17	461.02	382.24	1,438.49
6	3R	561.09	1,134.45	.69	1.38	12.79	56.16	13.48	57.54	574.57	1,191.99
6	MO	588.78	1,181.34	7.73	26.83	14.42	46.30	22.15	73.13	610.93	1,254.47
DISTRICT SUBTOTAL		1,454.94	3,293.26	13.86	47.96	98.94	543.73	112.80	591.69	1,567.74	3,884.95
STATE	DS	305.07	977.47	5.44	19.75	71.73	441.27	77.17	461.02	382.24	1,438.49
STATE	3R	561.09	1,134.45	.69	1.38	12.79	56.16	13.48	57.54	574.57	1,191.99
STATE	MO	588.78	1,181.34	7.73	26.83	14.42	46.30	22.15	73.13	610.93	1,254.47
STATE TOTAL		1,454.94	3,293.26	13.86	47.96	98.94	543.73	112.80	591.69	1,567.74	3,884.95

T R I P S S Y S T E M

DISTRICT 6 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV

SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	224.93	595.96	5.44	18.09	44.53	187.64	49.97	205.73	274.90	801.69
PRIN ARTERIAL	3R	190.87	383.64			11.47	45.34	11.47	45.34	202.34	428.98
PRIN ARTERIAL	MO			3.01	7.51	6.22	24.19	9.23	31.70	9.23	31.70
PRIN ARTERL SUBTOTAL		415.80	979.60	8.45	25.60	62.22	257.17	70.67	282.77	486.47	1,262.37
MINOR ARTERIAL	DS										
MINOR ARTERIAL	3R	254.47	508.94	.11	.22	1.32	2.96	1.43	3.18	255.90	512.12
MINOR ARTERIAL	MO	101.10	202.20	4.72	11.94	7.77	15.82	12.49	27.76	113.59	229.96
MINOR ARTERL SBTOTAL		355.57	711.14	4.83	12.16	9.09	18.78	13.92	30.94	369.49	742.08
COLLECTOR	DS										
COLLECTOR	3R	115.75	231.50	.58	1.16			.58	1.16	116.33	232.66
COLLECTOR	MO	487.68	975.93			.43	.86	.43	.86	488.11	976.79
COLLECTOR SUBTOTAL		603.43	1,207.43	.58	1.16	.43	.86	1.01	2.02	604.44	1,209.45
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		80.14	320.56			27.20	142.84	27.20	142.84	107.34	463.40
DISTRICT	DS	305.07	916.52	5.44	18.09	71.73	330.48	77.17	348.57	382.24	1,265.09
DISTRICT	3R	561.09	1,124.08	.69	1.38	12.79	48.30	13.48	49.68	574.57	1,173.76
DISTRICT	MO	588.78	1,178.13	7.73	19.45	14.42	40.87	22.15	60.32	610.93	1,238.45
DISTRICT TOTAL		1,454.94	3,218.73	13.86	38.92	98.94	419.65	112.80	458.57	1,567.74	3,677.30

T R I P S S Y S T E M

DISTRICT 6 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS		34.00		1.66		51.24		52.90		86.90
PRIN ARTERIAL	3R		4.06				7.39		7.39		11.45
PRIN ARTERIAL	MO				1.28		3.28		4.56		4.56
PRIN ARTERL SUBTOTAL			38.06		2.94		61.91		64.85		102.91
MINOR ARTERIAL	DS						7.81		7.81		7.81
MINOR ARTERIAL	3R		4.69				.41		.41		5.10
MINOR ARTERIAL	MO		1.78		6.10		1.80		7.90		9.68
MINOR ARTERL SBTOTAL			6.47		6.10		10.02		16.12		22.59
COLLECTOR	DS		4.00				.32		.32		4.32
COLLECTOR	3R		1.68				.06		.06		1.74
COLLECTOR	MO		1.43				.35		.35		1.78
COLLECTOR SUBTOTAL			7.11				.73		.73		7.84
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS		22.89				51.42		51.42		74.31
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL			22.89				51.42		51.42		74.31
DISTRICT	DS		60.89		1.66		110.79		112.45		173.34
DISTRICT	3R		10.43				7.86		7.86		18.29
DISTRICT	MO		3.21		7.38		5.43		12.81		16.02
DISTRICT TOTAL			74.53		9.04		124.08		133.12		207.65

T R I P S S Y S T E M

DISTRICT 6 STATE HIGHWAY TOTAL LANE/RAMP MILES

BY FUNCTION CLASS, LEVEL OF DEVELOPMENT, AND RURAL, URBAN, OR URBANIZED LOCATION

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

FUNCT CLASS	LEVEL OF DEVEL	RURAL HIGHWAY MILES	RURAL LANE MILES	URBAN HIGHWAY MILES	URBAN LANE MILES	URBANIZED HIGHWAY MILES	URBANIZED LANE MILES	TOT URBAN HIGHWAY MILES	TOT URBAN LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
PRIN ARTERIAL	DS	224.93	629.96	5.44	19.75	44.53	238.88	49.97	258.63	274.90	888.59
PRIN ARTERIAL	3R	190.87	387.70			11.47	52.73	11.47	52.73	202.34	440.43
PRIN ARTERIAL	MO			3.01	8.79	6.22	27.47	9.23	36.26	9.23	36.26
PRIN ARTERL SUBTOTAL		415.80	1,017.66	8.45	28.54	62.22	319.08	70.67	347.62	486.47	1,365.28
MINOR ARTERIAL	DS						7.81		7.81		7.81
MINOR ARTERIAL	3R	254.47	513.63	.11	.22	1.32	3.37	1.43	3.59	255.90	517.22
MINOR ARTERIAL	MO	101.10	203.98	4.72	18.04	7.77	17.62	12.49	35.66	113.59	239.64
MINOR ARTERL SBTOTAL		355.57	717.61	4.83	18.26	9.09	28.80	13.92	47.06	369.49	764.67
COLLECTOR	DS		4.00				.32		.32		4.32
COLLECTOR	3R	115.75	233.18	.58	1.16		.06	.58	1.22	116.33	234.40
COLLECTOR	MO	487.68	977.36			.43	1.21	.43	1.21	488.11	978.57
COLLECTOR SUBTOTAL		603.43	1,214.54	.58	1.16	.43	1.59	1.01	2.75	604.44	1,217.29
UNCLASSIFIED	DS										
UNCLASSIFIED	3R										
UNCLASSIFIED	MO										
UNCLASSIFIED SBTOTAL											
INTERSTATE	DS	80.14	343.45			27.20	194.26	27.20	194.26	107.34	537.71
INTERSTATE	3R										
INTERSTATE	MO										
INTERSTATE SUBTOTAL		80.14	343.45			27.20	194.26	27.20	194.26	107.34	537.71
DISTRICT	DS	305.07	977.41	5.44	19.75	71.73	441.27	77.17	461.02	382.24	1,438.43
DISTRICT	3R	561.09	1,134.51	.69	1.38	12.79	56.16	13.48	57.54	574.57	1,192.05
DISTRICT	MO	588.78	1,181.34	7.73	26.83	14.42	46.30	22.15	73.13	610.93	1,254.47
DISTRICT TOTAL		1,454.94	3,293.26	13.86	47.96	98.94	543.73	112.80	591.69	1,567.74	3,884.95

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 6 STATE HIGHWAY MILES AND GENERAL PURPOSE LANE MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 6
 MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV
 SPECIAL USE LANES: (NON RAMP)-HOV, CLIMBING

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01					12.86	25.72	60.34	193.47	19.49	97.63	92.69	316.82
1	02					97.10	206.93	101.98	321.17	15.49	85.07	214.57	613.17
AREA SUBTOTAL						109.96	232.65	162.32	514.64	34.98	182.70	307.26	929.99
2	01					198.35	396.92	45.02	113.53	.82	2.64	244.19	513.09
2	02					130.29	260.58	31.36	65.89	18.31	36.62	179.96	363.09
AREA SUBTOTAL						328.64	657.50	76.38	179.42	19.13	39.26	424.15	876.18
3	01					176.83	353.66	19.62	39.24	.18	.36	196.63	393.26
3	02					102.19	204.38	66.42	321.26	30.27	61.10	198.88	586.74
AREA SUBTOTAL						279.02	558.04	86.04	360.50	30.45	61.46	395.51	980.00
4	01					116.41	232.82	71.50	152.49	.41	.82	188.32	386.13
4	02					249.54	499.08	2.59	5.18	.37	.74	252.50	505.00
AREA SUBTOTAL						365.95	731.90	74.09	157.67	.78	1.56	440.82	891.13
DISTRICT TOTAL						1,083.57	2,180.09	398.83	1,212.23	85.34	284.98	1,567.74	3,677.30

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 DISTRICT 6 STATE HIGHWAY SPECIAL USE LANE/RAMP MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 6
 ALL RAMPS, COLLECTORS I/D
 SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

MAINTENANCE AREA	SECTION	HIGHWAY MILES OTHER	LANE MILES OTHER	HIGHWAY MILES GRAVEL	LANE MILES GRAVEL	HIGHWAY MILES BITUM	LANE MILES BITUM	HIGHWAY MILES ASPHALT	LANE MILES ASPHALT	HIGHWAY MILES CONCRETE	LANE MILES CONCRETE	TOTAL HIGHWAY MILES	TOTAL LANE MILES
1	01								52.02		12.91		64.93
1	02					3.96			55.72		23.71		83.39
AREA SUBTOTAL						3.96			107.74		36.62		148.32
2	01						.45		12.85		.26		13.56
2	02						.10		5.43		.26		5.79
AREA SUBTOTAL							.55		18.28		.52		19.35
3	01						.18		.80				.98
3	02								27.78		1.46		29.24
AREA SUBTOTAL							.18		28.58		1.46		30.22
4	01						.33		6.64				6.97
4	02						.19		2.60				2.79
AREA SUBTOTAL							.52		9.24				9.76
DISTRICT TOTAL							5.21		163.84		38.60		207.65

STATE OF WASHINGTON - DEPARTMENT OF TRANSPORTATION
 T R I P S S Y S T E M
 STATE HIGHWAY TOTAL LANE/RAMP MILES
 BY MAINTENANCE AREA AND SECTION AND SURFACE TYPE

SELECTION: DISTRICT 6

MAINLINE, SPURS, COUPLETS, ALTERNATE, REVERSIBLE, GRADE SEPARATED HOV, ALL RAMPS, COLLECTORS I/D

SPEC USE LN: HOV, CHAIN UP, HOLDING, SLOW VEH, TWO WAY TURN, WEAVING/SPEED CHANGE, BICYCLE, TRANSIT, TRUCK CLIMBING, TURN/ACCEL

MAINTENANCE AREA SECTION	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	HIGHWAY MILES	LANE MILES	TOTAL HIGHWAY MILES	TOTAL LANE MILES
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
STATE TOTAL					1,083.57	2,185.30	398.83	1,376.07	85.34	323.58	1,567.74	3,884.95

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY LINCOLN DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																				
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																				
		: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																			
		: :		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
207.78	199.71		BEG ROUTE			MAIN ROUTE				1	1						4B	24B	4B			24	3	01		R1				R		
			EQUATION			SR 5/EVERETT TO IDAHO																										
			CTLSEC			207.81B=207.78																										
207.79	199.72									1	1						4B	24B	4B			24	3	01		R1		60	R			
207.80	199.73		INTRSECTN	L		MAXWELL RD	CO		N																							
			INTRSECTN	R		CHILDERS RD	CO		N																							
208.11	200.04		MP MARKER	R		208																										
208.86	200.79		INTRSECTN	B		NEILSEN RD	CO		N																							
209.00	200.93		MP MARKER	R		209																										
209.85	201.78		INTRSECTN	B		FOX RD	CO		Y																							
209.98	201.91		ENTER CITY			ALMIRA				1	1						4B	24B	4B			24	3	01	0025	R1		60	R	B		
210.00	201.93		MP MARKER	R		210																										
210.17	202.10		BEG BRIDGE	B		CORBETT DRAW	ST			1	1						\$\$C	26B	\$\$C			26	3	01	0025	R1		60	R	P		
			BRDG NUM			002/502																										
210.19	202.12		END BRIDGE	B		CORBETT DRAW				1	1						4B	24B	4B			24	3	01	0025	R1		60	R	B		
210.32	202.25		INTRSECTN	L		E MAIN ST	CT		Y																							
210.43	202.36		WYE CONN	L		E MAIN ST	CT		Y																							
210.55	202.48		BEG BRIDGE	B		CORBETT DRAW	ST			1	1						\$\$C	24B	\$\$C			24	3	01	0025	R1		60	R	B		
			BRDG NUM			002/503																										
210.57	202.50		END BRIDGE	B		CORBETT DRAW				1	1						4B	24B	4B			24	3	01	0025	R1		60	R	B		
210.58	202.51		LEAVE CITY			ALMIRA				1	1						4B	24B	4B			24	3	01	\$\$\$\$	R1		60	R	\$		
			INTRSECTN	R		KINER RD	CT		N																							
210.99	202.92		MP MARKER	R		211																										
211.04	202.97		INTRSECTN	R		AUGUST E RD	PV		N																							
211.10	203.03		INTRSECTN	R		COUNTRY RD	CO		N																							
211.99	203.92		MP MARKER	R		212																										
212.15	204.08		INTRSECTN	B		CORBETT DRAW RD	CO		N																							
213.00	204.93		MP MARKER	R		213																										
213.27	205.20		INTRSECTN	R		ANDERSEN RD	CO		N																							
214.00	205.93		MP MARKER	R		214																										
214.72	206.65									1	1						4B	22B	4B			22	3	01		R1		60	R			
214.75	206.68									1	1						4B	24B	4B			24	3	01		R1		60	R			
214.76	206.69									1	1						3B	24B	3B			24	3	01		R1		60	R			
214.86	206.79		RR XING	B		NUM 66082T STRUCTURE				1	1						\$\$W	32B	\$\$W			32	3	01		R1		60	R			
			BEG BRIDGE	B		BN RR	ST																									
			BRDG NUM			002/505																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
209.85		201.78	.03	11						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY LINCOLN

DOT DISTRICT 6

		:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																				
		: :LEFT/RIGHT INDICATOR		-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																						
		: :		-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S				
												WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
214.88	206.81		END BRIDGE	B		BN RR				1	1							3B	24B	3B			24	3	01		R1		60	R				
214.99	206.92		MP MARKER	R		215																												
215.58	207.51		INTRSECTN	B		BODEAU RD	CO		N																									
215.99	207.92		MP MARKER	R		216																												
216.73	208.66		INTRSECTN	L		SHEFFELS RD	CO		N																									
			INTRSECTN	R		GOVAN RD	CO		N																									
217.00	208.93		MP MARKER	R		217																												
217.78	209.71		INTRSECTN	L		BANDY RD	CO		N																									
218.00	209.93		MP MARKER	R		218																												
218.83	210.76		INTRSECTN	B		SCHEIBNER RD	CO		N																									
218.98	210.91		INTRSECTN	R		WILBUR AIRPORT RD	CO		N																									
219.00	210.93		MP MARKER	R		219																												
220.00	211.93		MP MARKER	R		220																												
220.02	211.95		INTRSECTN	R		WILBUR AIRPORT RD	CO		N																									
220.33	212.26		INTRSECTN	R		DONNA RD	CO		N																									
220.84	212.77									1	1							3A	24A	3A			24	3	01		R1		60	R				
220.85	212.78		WYE CONN	L		SR 21	ST		Y																									
220.88	212.81		INTRSECTN	L		SR 21	ST		Y	1	1							4B	22B	4B			22	3	01		R1		60	R				
220.90	212.83		WYE CONN	L		SR 21	ST		Y																									
221.00	212.92		EQUATION			220.99 =221.00																												
			MP MARKER	R		221																												
221.19	213.11		ENTER CITY			WILBUR				1	1							4A	22A	4A			22	3	01	1440	R1		30	R	P	*		
221.24	213.16		MISC FEATR	R		SGN ENT WILBUR																												
221.34	213.26		BEG ST	I		MAIN AVE				1	1							4A	22A	4A			22	3	01	1440	R1		30	R	P	*		
			INTRSECTN	L		PORTLAND ST	CT		Y																									
221.42	213.34		INTRSECTN	L		RICHMOND ST	CT		Y	1	1							6A	22A	6A			22	3	01	1440	R1		30	R	P	*		
221.48	213.40		INTRSECTN	L		RAYMOND ST	CT		Y	1	1							\$\$C	42A	8A			42	3	01	1440	R1		30	R	B	*		
221.54	213.46		INTRSECTN	L		WEST ST	CT		Y	1	1							C	73A	\$\$C			73	3	01	1440	R1		30	R	B	*		
			INTRSECTN	R		SR 21	ST		Y																									
221.60	213.52		INTRSECTN	B		LINCOLN ST	CT		Y																									
221.65	213.57		INTRSECTN	B		ALDER ST	CT		Y																									
221.71	213.63		INTRSECTN	B		BROADWAY ST	CT		Y																									
221.76	213.68		INTRSECTN	B		DIVISION ST	CT		Y																									
221.81	213.73		INTRSECTN	B		KNOX ST	CT		Y																									
221.86	213.78		INTRSECTN	B		ANNE ST	CT		Y																									
221.93	213.85		INTRSECTN	B		BRACE ST	CT		Y	1	1							6A	22A	6A			22	3	01	1440	R1		30	R	P	*		
221.95	213.87		BEG BRIDGE	B		GOOSE CREEK	ST		1	1								\$\$C	24A	\$\$C			24	3	01	1440	R1		30	R	P	*		
						BRDG NUM 002/508																												
221.96	213.88		END BRIDGE	B		GOOSE CREEK				1	1							4A	24A	8A			24	3	01	1440	R1		30	R	P	*		
221.97	213.89		END ST	I		MAIN AVE				1	1							4A	24A	8A			24	3	01	1440	R1		30	R	P	\$		
			INTRSECTN	R		BELL ST	CT		Y																									
222.05	213.97									1	1								5A	24A	5A			24	3	01	1440	R1		30	R	P		
222.21	214.13		LEAVE CITY			WILBUR				1	1							5B	24B	5B			24	3	01	\$\$\$\$	R1		30	R	\$			

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																																					
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																																									
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					LEGAL																																		
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					MTCE					CITY					ST					SPEED					T					P					S				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T																								
231.16		223.08	INTRSECTN	L		REDWINE CANYON RD	CO		N	1	1						7B	24B	7B			24	3	01		R1		60	R																									
232.00		223.92	MP MARKER	R		232																																																
232.19		224.11	INTRSECTN	R		CHIPSITE RD	CO		N																																													
232.31		224.23	INTRSECTN	L		MILES CRESTON RD	CO		N																																													
232.41		224.33	INTRSECTN	R		PVT RD	PV		N																																													
232.48		224.40								1	1						4B	24B	4B			24	3	01		R1		60	R																									
233.01		224.93	MP MARKER	R		233																																																
234.01		225.93	MP MARKER	R		234																																																
235.01		226.93	MP MARKER	R		235																																																
235.97		227.89	MP MARKER	R		236																																																
237.01		228.93	MP MARKER	R		237																																																
237.71		229.63	INTRSECTN	B		TELFORD RD	CO		N																																													
237.99		229.91	ENT/EXIT	R		REST AREA	ST		Y																																													
238.01		229.93	MP MARKER	R		238																																																
238.11		230.03	ENT/EXIT	R		REST AREA	ST		Y																																													
239.00		230.92	MP MARKER	R		239																																																
240.00		231.92	MP MARKER	R		240																																																
240.77		232.69								1	1						7B	24B	7B			24	3	01		R1		60	R																									
241.00		232.92	MP MARKER	R		241																																																
242.00		233.92	MP MARKER	R		242																																																
242.15		234.07	INTRSECTN	R		FICTENBERG RD	CO		N																																													
242.21		234.13	INTRSECTN	L		SAM KNACK RD	CO		N																																													
242.99		234.91	MP MARKER	R		243																																																
243.70		235.62	INTRSECTN	R		FICTENBERG RD	CO		N																																													
243.99		235.91	MP MARKER	R		244																																																
244.47		236.39	INTRSECTN	L		STERETT RD	CO		N																																													
244.99		236.91	MP MARKER	R		245																																																
245.41		237.33	INTRSECTN	R		ROCKLYN RD	CO		Y																																													
245.98		237.90	MP MARKER	R		246																																																
246.41		238.33	INTRSECTN	L		SEVEN MILE RD	CO		N																																													
246.96		238.88	ENT/EXIT	L		TRANSFER STATION	CO		N																																													
247.00		238.92	MP MARKER	R		247																																																
247.41		239.33	INTRSECTN	L		FITZPATRICK RD	CO		N																																													
247.95		239.87	INTRSECTN	R		MT VIEW CEMETERY RD	CO		N																																													
248.01		239.93	MP MARKER	R		248																																																
248.98		240.90	MP MARKER	R		249																																																

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
238.11		230.03				.03	12				
246.96		238.88						.10	11		

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY LINCOLN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																						
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																									
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																									
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY		MTCE		CITY		ST		LEGAL		T P S															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T								
251.81	243.73		RR XING BEG BRIDGE	B		NUM 66023R STRUCTURE BN RR BRDG NUM 002/516				1	1														R1													
251.86	243.78		END BRIDGE	B		BN RR				1	1														R1													
251.99	243.91		MP MARKER	R		252																																
252.99	244.91		MP MARKER	R		253																																
253.59	245.51		INTRSECTN	B		OEHLWEIN RD	CO			N																												
253.97	245.89		MP MARKER	R		254																																
255.00	246.92		MP MARKER	R		255																																
255.58	247.50		INTRSECTN	R		ZIEMER RD	CO			N																												
			INTRSECTN	L		ZIEMER RD	CO			N																												
256.00	247.92		MP MARKER	R		256																																
256.58	248.50		INTRSECTN	B		JANETT RD	CO			N																												
257.00	248.92		MP MARKER	R		257																																
257.60	249.52		INTRSECTN	B		BENNETT RD	CO			N																												
258.00	249.92		MP MARKER	R		258																																
258.60	250.52		INTRSECTN	L		VIRGIL RD	CO			N																												
259.00	250.92		MP MARKER	R		259																																
260.00	251.92		MP MARKER	R		260																																
260.53	252.45		INTRSECTN	R		ALEXANDER RD	CO			N																												
261.01	252.93		MP MARKER	R		261																																
261.09	253.01		INTRSECTN	L		SPRINKLE RD	CO			Y																												
			INTRSECTN	R		SR 231	ST			Y																												
261.92	253.84		ENT/EXIT	L		WEIGH STATION	ST			Y																												
261.98	253.90		WEIGH STA	L		NUMBER 60																																
262.03	253.95		ENT/EXIT	L		WEIGH STATION	ST			Y																												
262.04	253.96		MP MARKER	R		262																																
262.13	254.05		INTRSECTN	B		SUNSET HWY RD	CO			N																												
262.91	254.83		INTRSECTN	R		SUNSET HWY RD	CO			N																												
			INTRSECTN	L		RIFFE RD	CO			N																												
263.00	254.92		MP MARKER	R		263																																
263.44	255.36		ENTER CITY MISC FEATR	R		REARDAN SGN ENT REARDAN				1	1														1060	R1												
263.45	255.37									1	1														1060	R1												
263.72	255.64		BEG SU LN	C		TWO WAY TURN	12A			1	1													1060	R1													
																									1060	R1												
																									1060	R1												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
		LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
261.09	253.01	.04	12			.05	12				
261.92	253.84	.03	12					.10	12		
262.03	253.95							.05	12		

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY LINCOLN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC							LEGAL													
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	USE	TOT						T P S											
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
263.72	255.64		BEG ST	I		BROADWAY AVE				1	1						10A	36A		C	12	48	3	01	1060	R1		30	R	B	*	
			INTRSECTN	B		MAPLE ST	CT		Y																							
263.77	255.69		INTRSECTN	B		OAK ST	CT		Y	1	1						\$C	59A		C	12	71	3	01	1060	R1		30	R	B	*	
263.83	255.75		INTRSECTN	B		LAKE ST	CT		Y																							
263.90	255.82		INTRSECTN	B		LAUREL ST	CT		Y																							
263.97	255.89		INTRSECTN	R		ASPEN ST	CT		Y																							
			INTRSECTN	L		SR 231	ST		Y																							
264.03	255.95		INTRSECTN	B		BIRCH ST	CT		Y																							
264.10	256.02		END SU LN	C		TWO WAY TURN				1	1						7A	48A		C \$\$\$	48	3	01	1060	R1		30	R	B	*		
			INTRSECTN	B		CEDAR ST	CT		Y																							
264.18	256.10		INTRSECTN	B		CENTRAL ST	CT		Y	1	1						7A	24A	7A			24	3	01	1060	R1		30	R	B	*	
264.25	256.17		INTRSECTN	B		ELM ST	CT		Y	1	1						7A	24A	10A			24	3	01	1060	R1		30	R	B	*	
264.33	256.25		INTRSECTN	R		FERN ST	CT		Y																							
264.39	256.31		END ST	I		BROADWAY AVE				1	1						7A	24A	10A			24	3	01	1060	R1		30	R	B	\$	
			INTRSECTN	R		GREEN ST	CT		Y																							
			MISC FEATR	L		SGN ENT REARDAN																										
264.42	256.34		LEAVE CITY			REARDAN				1	1						7A	24A	10A			24	3	01	\$\$\$R1		60	R	\$			
264.43	256.35		INTRSECTN	R		BROMMER RD	CO		N																							
264.44	256.36									1	1						7A	24A	7A			24	3	01		R1	60	R				
264.66	256.58		INTRSECTN	L		BISSON RD	CO		N																							
264.69	256.61		INTRSECTN	R		KRUPKE RD	CO		N																							
264.99	256.91		MP MARKER	R		265																										
265.76	257.68		INTRSECTN	L		TRAMM RD	CO		N																							
			INTRSECTN	R		WAUKON RD	CO		N																							
265.98	257.90		MP MARKER	R		266																										
266.14	258.06		BEG BRIDGE	B		STEVENS CREEK	ST			1	1						\$C	36A	\$C			36	3	01		R1	60	R				
						BRDG NUM 002/524																										
266.15	258.07		END BRIDGE	B		STEVENS CREEK				1	1						7A	24A	7A			24	3	01		R1	60	R				
266.69	258.61		INTRSECTN	R		ALEXANDER RD	CO		N																							
266.76	258.68		INTRSECTN	L		SPOKANE COUNTY RD	CO		N																							
266.84	258.76		MISC FEATR	L		SGN ENT LINCOLN COUNTY																										
266.85	258.77		INTRSECTN	R		CARSTENS RD	CO		N																							
266.86	258.78		END CTLSEC			CONTROL SECTION 2202																										
			LEAVE CO			LINCOLN																										

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
263.72	255.64	.03	12						
264.10	256.02			.03	12				

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----															
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT			USE TOT														
		: :		-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY														
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S
266.86	258.78	ENTER CO		SPOKANE				1	1						7A	24A	7A			24	1	01		R1		60	R
		BEG CTLSEC		CONTROL SECTION 3206																							
		MISC FEATR	R	SGN ENT SPOKANE COUNTY																							
266.96	258.88	MP MARKER	R	267																							
267.21	259.13	BEG BRIDGE	B	STEVENS CREEK	ST			1	1						\$\$C	36A	\$\$C			36	1	01		R1		60	R
		BRDG NUM 002/601																									
267.22	259.14	END BRIDGE	B	STEVENS CREEK				1	1						7A	24A	7A			24	1	01		R1		60	R
267.36	259.28	BEG BRIDGE	B	STEVENS CREEK	ST			1	1						\$\$C	36A	\$\$C			36	1	01		R1		60	R
		BRDG NUM 002/602																									
267.37	259.29	END BRIDGE	B	STEVENS CREEK				1	1						7A	24A	7A			24	1	01		R1		60	R
268.01	259.93	MP MARKER	R	268																							
268.07	259.99	INTRSECTN	R	STROUP RD	CO				N																		
		INTRSECTN	L	SUMMER RD	CO				N																		
268.59	260.51	INTRSECTN	R	SUNSET RD	CO				N																		
268.97	260.89	MP MARKER	R	269																							
269.16	261.08	INTRSECTN	B	COULEE-HITE RD	CO				Y																		
269.98	261.90	MP MARKER	R	270																							
270.76	262.68														8A	24A	8A			24	1	01		R1		60	R
270.90	262.82	RR XING	B	NUM 66345E STRUCTURE				1	1						\$\$W	40P	\$\$W			40	1	01		R1		60	R
		BEG BRIDGE	B	BN RR	ST																						
		BRDG NUM 002/604																									
270.92	262.84	END BRIDGE	B	BN RR				1	1						8A	24A	8A			24	1	01		R1		60	R
270.99	262.91	MP MARKER	R	271																							
271.02	262.94														7A	24A	7A			24	1	01		R1		60	R
271.17	263.09	INTRSECTN	L	WOOD RD	CO				Y																		
		INTRSECTN	R	ESPANOLA RD	CO				Y																		
271.99	263.91	MP MARKER	R	272																							
272.04	263.96	MISC FEATR	R	SGN ENT DEEP CR COMMUNTY																							
272.16	264.08	INTRSECTN	L	RITCHEY RD	CO				N																		
272.23	264.15	INTRSECTN	L	CENTRAL RD	CO				Y																		
272.28	264.20	INTRSECTN	R	RITCHEY RD	CO				N																		
272.36	264.28	MISC FEATR	L	SGN ENT DEEP CR COMMUNTY																							
272.41	264.33	BEG BRIDGE	B	DEEP CREEK	ST			1	1						\$\$C	26A	\$\$C			26	1	01		R1		60	R
		BRDG NUM 002/606																									
272.44	264.36	END BRIDGE	B	DEEP CREEK				1	1						7A	24A	7A			24	1	01		R1		60	R
272.56	264.48	INTRSECTN	L	DEEP CREEK RD	CO				N																		
272.61	264.53	BEG SU LN	R	CLIMBING		11A		1	1						8A	24A	4A	11		35	1	01		R1		60	R

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
271.17	263.09	.04	11	.04	11				

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS----													
				D	LR	DESCRIPTION	-BRIDGE	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S											
							-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T				
278.56		270.48	BEG SU LN	C		TWO WAY TURN										9A	48A	9A	14	62	1	01	0010	U1	45	L	B			
			ENT FROM	R		BUSINESS	PV																							
278.62		270.54	INTRSECTN	L		CENTRE ST	CT																							
278.72		270.64	INTRSECTN	R		LYONS RD	CT																							
278.98		270.90	INTRSECTN	R		HAYDEN RD	CT																							
278.99		270.91	MP MARKER	B		279																								
279.05		270.97	ENT/EXIT	R		BUSINESS	PV																							
279.07		270.99	END SU LN	C		TWO WAY TURN																								
279.17		271.09	EXIT TO	R		BUSINESS	PV																							
279.19		271.11	ENT FROM	R		BUSINESS	PV																							
279.22		271.14																												
279.23		271.15	INTRSECTN	B		HAYFORD RD	CT	SG	Y																					
279.33		271.25	ENT/EXIT	R		BUSINESS	PV																							
279.36		271.28	BEG SU LN	C		TWO WAY TURN																								
			ENT/EXIT	L		BUSINESS	PV																							
279.47		271.39	ENT/EXIT	L		BUSINESS	PV																							
279.48		271.40	INTRSECTN	R		HAZELWOOD RD	CT																							
279.50		271.42																												
279.72		271.64	LEAVE CITY			AIRWAY HEIGHTS																								
			ENTER CITY			SPOKANE																								
279.73		271.65	INTRSECTN	B		DEER HEIGHTS RD	CT		Y																					
279.74		271.66	WYE CONN	L		DEER HEIGHTS RD	CT		Y																					
			MISC FEATR	R		SGN ENT SPOKANE																								
			MISC FEATR	L		SGN ENT AIRWAY HEIGHTS																								
279.92		271.84	INTRSECTN	R		LUCAS DR	CT		N																					
280.00		271.92	MP MARKER	B		280																								
280.13		272.05	END SU LN	C		TWO WAY TURN																								
280.18		272.10	MISC FEATR	L		BUS PULLOUT																								
280.20		272.12	WYE CONN	R		FLINT RD	CT		Y																					

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
278.62		270.54								.04 11
279.05		270.97			.01 11					
279.23		271.15	.11	24	.07 12	.06 12				
279.33		271.25			.06 12					
279.36		271.28	.05	12		.05 12				
279.47		271.39				.04 12				
279.73		271.65			.09 12					
279.74		271.66				.08 12				
280.20		272.12			.10 12					

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----											
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC											
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	LFT	RHT	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T
				: :LEFT/RIGHT INDICATOR				-UXING-									USE											
				: :				-XROAD-			MEDIAN-						TOT											
								LNS			WD/S BR			SHD RDY SHD			WID											
280.22		272.14	INTRSECTN	B		FLINT RD	CT	SG	Y	2	2					9A	48A	9A		48	1	01	1220	U1	55	L	P	
280.24		272.16	WYE CONN	B		FLINT RD	CT		Y																			
280.28		272.20	MISC FEATR	R		BUS PULLOUT																						
280.33		272.25	EXIT TO	R		BUSINESS	PV		Y																			
280.37		272.29	BEG SU LN	C		TWO WAY TURN	23A			2	2					9A	48A	9A	23	71	1	01	1220	U1	55	L	P	
280.42		272.34	ENT FROM	R		BUSINESS	PV		Y																			
281.00		272.92	MP MARKER	B		281																						
281.22		273.14	END SU LN	C		TWO WAY TURN	23A			2	2					9A	48A	9A	\$\$\$	48	1	01	1220	U1	55	L	P	
			INTRSECTN	R		SPOTTED RD	CT		Y																			
281.31		273.23	BEG SU LN	C		TWO WAY TURN	22A			2	2					9A	48A	9A	22	70	1	01	1220	U1	55	L	P	
281.44		273.36	CHG SU LN	C		TWO WAY TURN	14A			2	2					9A	48A	9A	14	62	1	01	1220	U1	55	L	P	
281.48		273.40	END SU LN	C		TWO WAY TURN	14A			2	2	8A	24A	14A	UP	\$\$\$	24A	9A	\$\$\$	48	1	01	1220	U1	55	L	P	
281.50		273.42	INTRSECTN	L		RUSSELL RD	CT	Y	2	2	4A	24A	7A	UP			24A	7A		48	1	01	1220	U1	55	R	P	
281.64		273.56	INTRSECTN	L		SUNSET FRONTAGE RD	CT		N																			
281.70		273.62	ON RAMP	L		SUNSET RD	ST	Y	2	2	4A	24A	7A	CA			24A	7A		48	1	01	1220	U1	55	R	P	
281.73		273.65								2	2	5A	24A	4A	21S	CA	4A	24A	9A		48	1	01	1220	U1	55	R	P
281.75		273.67	OFF RAMP	R		AIRPORT WAY	ST		Y																			
281.85		273.77	MISC FEATR	L		GORE (S128170)																						
281.86		273.78	MISC FEATR	R		GORE (P128175)																						
281.89		273.81								2	2	9A	24A	4A	41S	CA	4A	24A	9A		48	1	01	1220	U1	55	R	P
282.00		273.92	MP MARKER	B		282				2	2	9A	24A	4A	41S	BE	4A	24A	9A		48	1	01	1220	U1	55	R	P
282.03		273.95	BEG BRIDGE I			AIRPORT RD	ST			2	2	\$\$C	38P	\$\$C	41O	\$\$	\$\$C	38P	\$\$C		76	1	01	1220	U1	55	R	P
			BEG BRIDGE D			BRDG NUM 002/614S																						
			BEG BRIDGE D			AIRPORT RD	ST																					
			BEG BRIDGE D			BRDG NUM 002/614N																						
282.06		273.98	END BRIDGE I			AIRPORT RD				2	2	9A	24A	4A	41S	BE	4A	24A	10A		48	1	01	1220	U1	55	R	P
			END BRIDGE D			AIRPORT RD																						
282.09		274.01								2	2	9A	24A	4A	41S	CA	4A	24A	10A		48	1	01	1220	U1	55	R	P
282.13		274.05								2	2	9A	24A	4A	41S	BE	4A	24A	10A		48	1	01	1220	U1	55	R	P
282.16		274.08	BEG BRIDGE I			E AIRPORT DR	ST			2	2	\$\$C	38P	\$\$C	41O	\$\$	\$\$C	38P	\$\$C		76	1	01	1220	U1	55	R	P
			BEG BRIDGE D			BRDG NUM 002/615S																						
			BEG BRIDGE D			E AIRPORT DR	ST																					
			BEG BRIDGE D			BRDG NUM 002/615N																						
282.18		274.10	END BRIDGE I			E AIRPORT DR				2	2	9A	24A	4A	41S	BE	4A	24A	9A		48	1	01	1220	U1	55	R	P
			END BRIDGE D			E AIRPORT DR																						

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM		L	R	L	R	LEFT--	L-CNTR	R-CNTR	RIGHT-		
				LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
280.22		272.14		.06	12								
280.24		272.16									.09	12	
281.22		273.14				.03	12			.05	12		

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL											
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					CITY											
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					MTCE											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	ST	FC	SPEED	T	P	S	
288.36		280.22	INTRSECTN	B		NORA AVE	CT		Y	4							C	52A	C		52	1	02	1220	U1		30	R	P	*	
288.44		280.30	INTRSECTN	B		INDIANA AVE	CT	SG	Y																						
288.47		280.33	MISC FEATR	R		BUS PULLOUT																									
288.51		280.37	INTRSECTN	B		BALDWIN AVE	CT		Y																						
288.59		280.45	INTRSECTN	B		ERMINA AVE	CT		Y																						
288.66		280.52	INTRSECTN	B		MONTGOMERY AVE	CT	SG	Y																						
288.74		280.60	INTRSECTN	L		CARLISLE AVE	CT		Y																						
288.84		280.70	INTRSECTN	B		JACKSON AVE	CT		Y																						
288.87		280.73	MISC FEATR	R		BUS PULLOUT																									
288.92		280.78								3							C	40A	C		40	1	02	1220	U1		30	R	P	*	
288.97		280.83	INTRSECTN	B		NORTH FOOTHILLS DR	CT	SG	Y																						
289.12		280.98	INTRSECTN	R		CLEVELAND AVE	CT		Y																						
289.16		281.02								3							C	34A	C		34	1	02	1220	U1		30	R	P	*	
289.19B		281.05	BEG EQ			BEGIN BACK																									
289.19		281.09	END ST	I		RUBY ST				3	3	C	34A		11P	CU	\$	34A	C		68	1	02	1220	U1		30	R	P	*	
			EQUATION			289.23B=289.19																									
			BEG ST	I		DIVISION ST																									
			INTRSECTN	B		EUCLID AVE	CT		Y																						
			INTRSECTN	L		SR 2 CODIVISN (COUPLET)	ST		Y																						
			MISC FEATR	D		COUPLET - CODIVISN																									
289.25		281.15	INTRSECTN	R		DALTON AVE	CT		Y																						
289.27		281.17	MISC FEATR	L		BUS PULLOUT																									
289.29		281.19	INTRSECTN	R		LIBERTY AVE	CT		Y																						
			ENT/EXIT	L		BUSINESS	PV		Y																						
289.32		281.22	INTRSECTN	L		GRAY CT	CT		Y																						
289.34		281.24	INTRSECTN	R		BRIDGEPORT AVE	CT	SG	Y																						
289.36		281.26	MISC FEATR	R		BUS PULLOUT																									
289.40		281.30	INTRSECTN	L		COURTLAND AVE	CT		Y																						
289.41		281.31	INTRSECTN	R		COURTLAND AVE	CT		Y																						
289.43		281.33	INTRSECTN	L		GLASS AVE	CT		Y																						
289.44		281.34	INTRSECTN	R		GLASS AVE	CT		Y																						

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
288.97		280.83			.05	14				
289.19		281.09	.04	11		.04	11			
289.29		281.19	.04	11						
289.32		281.22	.02	11						
289.34		281.24			.03	11				
289.43		281.33	.02	11						
289.44		281.34			.02	11				

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																		
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S			
289.50		281.40	INTRSECTN	B		GORDON AVE	CT	Y	3	3		C	34A		11P	CU			34A	C		68	1	02	1220	U1		30	R	P	*
289.55		281.45	INTRSECTN	R		KIERNAN AVE	CT																								
289.61		281.51	INTRSECTN	B		PROVIDENCE AVE	CT																								
289.66		281.56	INTRSECTN	L		GARLAND AVE	CT	SG	Y																						
			INTRSECTN	R		EMPIRE AVE	CT	SG	Y																						
289.70		281.60	INTRSECTN	R		GARLAND AVE	CT		Y																						
289.71		281.61	MISC FEATR	L		BUS PULLOUT																									
289.72		281.62	MISC FEATR	R		BUS PULLOUT																									
289.75		281.65	INTRSECTN	R		WALTON AVE	CT		Y																						
289.79		281.69	TRAF RCDR	B		R021 0																									
289.81		281.71	INTRSECTN	B		LACROSSE AVE	CT		Y																						
289.87		281.77	INTRSECTN	R		ROCKWELL AVE	CT		Y																						
289.89		281.79	INTRSECTN	L		ROCKWELL AVE	CT		Y																						
289.92		281.82	INTRSECTN	R		RICH AVE	CT		Y																						
289.96		281.86	INTRSECTN	L		LONGFELLOW AVE	CT		Y																						
289.98		281.88	INTRSECTN	R		LONGFELLOW AVE	CT	SG	Y																						
290.04		281.94	INTRSECTN	R		HEROY AVE	CT		Y																						
			ENT/EXIT	L		SHOPPING CENTER	PV		Y																						
290.08		281.98	INTRSECTN	R		PRINCETON AVE	CT	Y	3	4		C	34A		11P	CU			46A	C		80	1	02	1220	U1		30	R	P	*
			ENT/EXIT	L		SHOPPING CENTER	PV		Y																						

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
289.50	281.40	.02	11						
289.55	281.45			.03	11				
289.66	281.56	.05	11	.04	11				
289.75	281.65			.02	11				
289.81	281.71	.02	11	.03	11				
289.89	281.79	.02	11						
289.96	281.86	.03	11						
289.98	281.88			.02	11				
290.04	281.94	.01	10	.02	12				
290.08	281.98	.03	11						

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																														
				:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC		-----CLASSIFICATIONS----																		
				: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE		CITY	ST	LEGAL		T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
290.11		282.01								3	4	C	34A		11P	CU				46P	C			80	1	02	1220	U1		30	R	P	*	
290.12		282.02	MISC FEATR	L		BUS PULLOUT																												
290.14		282.04	INTRSECTN	R		HOFFMAN AVE	CT		Y	3	3	C	34A		11P	CU				34P	C			68	1	02	1220	U1		30	R	P	*	
290.17		282.07								3	3	C	34P		11P	CU					34P	C			68	1	02	1220	U1		30	R	P	*
290.18		282.08	INTRSECTN	B		WELLESLEY AVE	CT	SG	Y																									
290.21		282.11								3	4	C	34P		11P	CU					46A	C			80	1	02	1220	U1		30	R	P	*
290.28		282.18								3	4	C	34A		11P	CU					46A	C			80	1	02	1220	U1		30	R	P	*
290.30		282.20	INTRSECTN	L		WABASH AVE	CT		Y																									
290.38		282.28								3	3	C	34A		11P	CU					34A	C			68	1	02	1220	U1		30	R	P	*
290.43		282.33	INTRSECTN	B		QUEEN AVE	CT	SG	Y																									
290.49		282.39	INTRSECTN	R		CROWN AVE	CT		Y																									
290.56		282.46	INTRSECTN	R		EVERETT AVE	CT		Y																									
290.62		282.52	INTRSECTN	R		SANSON AVE	CT		Y																									
290.65		282.55	MISC FEATR	L		BUS PULLOUT																												
290.68		282.58	INTRSECTN	R		ROWAN AVE	CT	SG	Y																									
290.74		282.64	INTRSECTN	L		NEBRASKA AVE	CT		Y	3	3	C	34A		11P	CU					34A	C			68	1	02	1220	U1		35	R	P	*
290.80		282.70	INTRSECTN	L		JOSEPH AVE	CT		Y																									
290.82		282.72	MISC FEATR	R		BUS PULLOUT																												
290.88		282.78	INTRSECTN	L		COLUMBIA AVE	CT		Y																									
290.93		282.83	INTRSECTN	B		CENTRAL AVE	CT	SG	Y																									

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
290.18		282.08	.08	11	.04	12	.08	11		
290.30		282.20	.04	11						
290.43		282.33	.11	11	.05	12	.10	11		
290.56		282.46					.04	11		
290.62		282.52					.02	11		
290.68		282.58					.02	11		
290.74		282.64	.02	11						
290.80		282.70	.02	11						
290.88		282.78	.05	11						
290.93		282.83	.03	11		.04	11			

SR 002 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S									
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		T	P	S							
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY							D		R	K	T							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
290.94		282.84								3	3	C	34A		11P	CU			34A	C		68	1	02	1220	U1		35	R	P	*		
291.06		282.96	INTRSECTN	B		DALKE AVE	CT		Y																								
291.12		283.02								3	3	C	34A		11P	CU			34P	C		68	1	02	1220	U1		35	R	P	*		
291.15		283.05								3	3	C	34P		11P	CU			34P	C		68	1	02	1220	U1		35	R	P	*		
291.18		283.08	INTRSECTN	R		FRANCIS AVE	CT	SG	Y																								
			INTRSECTN	L		SR 291	ST	SG	Y																								
291.21		283.11								3	3	C	34P		11P	CU			34A	C		68	1	02	1220	U1		35	R	P	*		
291.25		283.15								3	3	\$	\$\$\$		\$\$\$	\$			C	80A	C		80	1	02	1220	U1		35	R	P	*	
291.27		283.17	BEG SU LN	C		TWO WAY TURN		15A		3	3								C	65A	C	15	80	1	02	1220	U1		35	R	P	*	
291.30		283.20	END SU LN	C		TWO WAY TURN		15A		3	3	C	34A		11P	CU			\$	34A	C	\$\$\$	68	1	02	1220	U1		35	R	P	*	
291.31		283.21	INTRSECTN	L		HOUSTON AVE	CT		Y																								
291.33		283.23	BEG SU LN	C		TWO WAY TURN		15A		3	3	\$	\$\$\$		\$\$\$	\$			C	70A	C	15	85	1	02	1220	U1		35	R	P	*	
291.39		283.29	END SU LN	C		TWO WAY TURN		15A		3	3								C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*	
291.43		283.33	INTRSECTN	B		LYONS AVE	CT	SG	Y																								
291.47		283.37	BEG SU LN	C		TWO WAY TURN		15A		3	3								C	70A	C	15	85	1	02	1220	U1		35	R	P	*	
291.53		283.43	INTRSECTN	R		WEDGEWOOD AVE	CT		Y																								
291.55		283.45	INTRSECTN	L		WEDGEWOOD AVE	CT		Y																								
291.57		283.47	END SU LN	C		TWO WAY TURN		15A		3	3								C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*	
			ENT/EXIT	R		BUSINESS	PV		Y																								
291.60		283.50	BEG SU LN	C		TWO WAY TURN		15A		3	3								C	70A	C	15	85	1	02	1220	U1		35	R	P	*	
291.67		283.57	END SU LN	C		TWO WAY TURN		15A		3	3								C	85A	C	\$\$\$	85	1	02	1220	U1		35	R	P	*	
			INTRSECTN	L		RHOADES AVE	CT		Y																								
291.69		283.59	INTRSECTN	R		WEILE AVE	CT		Y																								
291.75		283.65	ENT/EXIT	L		BUSINESS	PV		Y																								
291.76		283.66	ENT/EXIT	R		BUSINESS	PV		Y																								
291.86		283.76	INTRSECTN	B		COZZA DR	CT	SG	Y	3	3								C	85A	C		85	1	02	1220	U1		45	R	P	*	
291.94		283.84	BEG SU LN	C		TWO WAY TURN		15A		3	3								C	70A	C	15	85	1	02	1220	U1		45	R	P	*	
292.02		283.92	ENT FROM	L		BUSINESS	PV		Y																								

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
291.06		282.96		.06	11						
291.18		283.08		.06	11	.05	12	.06	11	.06	12
291.31		283.21		.01	11						
291.43		283.33		.02	11						
291.57		283.47				.02	11				
291.69		283.59				.02	11				
291.75		283.65		.02	11						
291.76		283.66				.02	11				
291.86		283.76		.05	11						
292.02		283.92						.01	11		

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----										
				D	LR	DESCRIPTION	-BRIDGE	NBR	DECREAS/DIV	INCRS/UNDI	SPC	TOT	MTCE	CITY	ST	LEGAL	T	P	S								
							-UXING-	LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	A	SE	NBR	FC	D	IB	R	K	T	
292.04	283.94		EXIT TO	L		BUSINESS	PV	Y	3	3					C 70A	C	15	85	1	02	1220	U1	45	R	P	*	
292.12	284.02		END SU LN	C		TWO WAY TURN	15A		3	3					C 85A	C	\$\$\$	85	1	02	1220	U1	45	R	P	*	
292.17	284.07		INTRSECTN	R		LINCOLN RD	CT	SG	Y																		
			INTRSECTN	L		CASCADE WAY	CT	SG	Y																		
292.24	284.14		BEG SU LN	C		TWO WAY TURN	15A		3	3					C 70A	C	15	85	1	02	1220	U1	45	R	P	*	
292.56	284.46		END SU LN	C		TWO WAY TURN	15A		3	3					C 85A	C	\$\$\$	85	1	02	1220	U1	45	R	P	*	
292.67	284.57		INTRSECTN	L		PRICE RD	CT	SG	Y																		
			INTRSECTN	R		MAGNESIUM RD	CT	SG	Y																		
292.72	284.62		BEG SU LN	C		TWO WAY TURN	15A		3	3					C 70A	C	15	85	1	02	1220	U1	45	R	P	*	
292.77	284.67		END SU LN	C		TWO WAY TURN	15A		3	3					C 85A	C	\$\$\$	85	1	02	1220	U1	45	R	P	*	
292.80	284.70		EXIT TO	R		BUSINESS	PV	Y	2	3					C 85A	C		85	1	02	1220	U1	45	R	P	*	
292.81	284.71								2	3					C 72A	C		72	1	02	1220	U1	45	R	P	*	
292.82	284.72		ENT FROM	R		BUSINESS	PV	Y	2	2					C 72A	C		72	1	02	1220	U1	45	R	P	*	
292.86	284.76		END ST	I		DIVISION ST			2	2	10A	24A	16A	CU	\$ 24A	C		48	1	02	1220	U1	45	R	P	*	
			BEG ST	I		NEWPORT HWY																					
			INTRSECTN	L		SR 395	ST	SG	Y																		
292.94	284.84		EXIT TO	R		BUSINESS	PV	Y																			
292.95	284.85		INTRSECTN	L		COUNTRY HOMES BLVD	CT	Y	2	2	\$\$C	33A	14A	CU	42A	C		75	1	02	1220	U1	45	R	B	*	
			ENT FROM	R		BUSINESS	PV	Y																			
293.01	284.91		ENT/EXIT	L		BUSINESS	PV	Y																			
293.05	284.95		ENT/EXIT	R		BUSINESS	PV	Y																			
293.08	284.98		ENT/EXIT	L		BUSINESS	PV	Y																			
293.10	285.00		INTRSECTN	R		HOERNER RD	CT	Y																			

INTERSECTION DETAIL

SRMP	B	ARM	-----TURN LANES-----				-----ACCELERATION LANES-----									
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-						
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
292.04	283.94								.02	11						
292.17	284.07		.03	11			.04	11								
292.67	284.57		.08	11			.04	11								
292.80	284.70					.04	12									
292.86	284.76		.04	24												
292.94	284.84				.03	12	.02	12								
293.01	284.91		.06	12						.03	12					
293.05	284.95							.12	12							
293.08	284.98		.02	12												
293.10	285.00				.03	12			.03	12						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT USE TOT																					
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY																		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
294.18		286.08								2	2	C	32A		14P	CU	24A	8A			56	1	02		U1	45	R				
294.30		286.20	INTRSECTN	B		PVT RD									PV																
294.35		286.25	BEG SU LN	C		TWO WAY TURN	14A			2	2	\$	\$\$\$		\$\$\$	\$	8A	48A	8A	14	62	1	02		U1	45	R				
294.42		286.32								2	2						8A	48A	8A	14	62	1	02		U1	55	R				
294.59		286.49	END SU LN	C		TWO WAY TURN	14A			2	2						8A	62A	8A	\$\$\$	62	1	02		U1	55	R				
294.63		286.53	INTRSECTN	L		WINCHESTER AVE									CO	Y															
294.64		286.54	BEG SU LN	C		TWO WAY TURN	14A			2	2						8A	48A	8A	14	62	1	02		U1	55	R				
295.01		286.91	MP MARKER	R		295																									
295.19		287.09	END SU LN	C		TWO WAY TURN	14A			2	2						8A	62A	8A	\$\$\$	62	1	02		U1	55	R				
295.24		287.14	INTRSECTN	L		PITTSBURG RD									CO	Y															
295.25		287.15	BEG SU LN	C		TWO WAY TURN	14A			2	2						8A	48A	8A	14	62	1	02		U1	55	R				
295.55		287.45	END SU LN	C		TWO WAY TURN	14A			2	2						8A	62A	8A	\$\$\$	62	1	02		U1	55	R				
295.62		287.52	WYE CONN	B		FARWELL RD									CO	Y															
295.64		287.54	INTRSECTN	B		FARWELL RD									CO	SG	Y														
295.65		287.55	WYE CONN	R		FARWELL RD									CO	Y															
295.74		287.64								2	2	8A	24A		14A	JE	\$\$\$	24A	8A		48	1	02		U1	55	R				
295.89		287.79	UXING	B		SHADY SLOPE RD BRDG NUM 002/649				2	2	8A	24A		18A	JE		24A	8A		48	1	02		U1	55	R				
295.92		287.82								2	2	8A	23A		18A	JE		23A	8A		46	1	02		U1	55	R				
295.94		287.84	UXING	B		SR 395 NSC SB BRDG NUM 395/442W									ST																
295.96		287.86	UXING	B		SR 395 NSC NB BRDG NUM 395/442E									ST																
295.97		287.87	UXING	B		N-N RAMP BRDG NUM 395/442N-N									ST																
296.00		287.90	UXING	B		W-S RAMP BRDG NUM 002/651W-S									ST																
			MP MARKER	R		296																									
296.07		287.97								2	2	8A	23A		10A	JE		23A	8A		46	1	02		U1	55	R				
296.18		288.08								2	2	8A	24A		10A	JE		23A	8A		47	1	02		U1	55	R				
296.22		288.12	MISC FEATR	R		GORE (Q129681)																									
296.27		288.17	MISC FEATR	L		GORE (R129681)																									
296.39		288.29	BEG BRIDGE	B		DEADMAN CREEK									ST																

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
294.30		286.20	.03	13						
294.63		286.53	.03	14		.03	13			
295.24		287.14	.03	14						
295.62		287.52			.11	14				
295.64		287.54	.05	14		.05	14			

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----													
		:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT														
		: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY														
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
296.39	288.29			BRDG NUM 002/652C				2	2	8A	24A		10A	JE				23A	8A			47	1	02			U1	55	R
296.40	288.30	END BRIDGE	B	DEADMAN CREEK																									
296.60	288.50							2	2	8A	23A		10A	JE				23A	8A			46	1	02			U1	55	R
296.66	288.56							2	2	8A	24A		14A	JE				24A	8A			48	1	02			U1	55	R
296.81	288.71	OFF RAMP	L	SR 395 NSC SB	ST		Y																						
		ON RAMP	R	SR 395 NSC NB	ST		Y																						
296.91	288.81							2	2	\$\$\$	\$\$\$		\$\$\$\$	\$\$	8A	63A	8A					63	1	02			U1	55	R
296.98	288.88	MP MARKER	R	297																									
297.00	288.90	BEG SU LN	C	TWO WAY TURN	18A			2	2						\$\$C	64A	\$\$C	18				82	1	02			U1	45	R
		INTRSECTN	L	DEER RD		CO	Y																						
297.16	289.06	END SU LN	C	TWO WAY TURN	18A			2	2						C	82A	C	\$\$\$				82	1	02			U1	45	R
297.23	289.13	WYE CONN	R	SR 206		ST	Y																						
297.25	289.15	BEG SU LN	L	BICYCLE	04A			2	2						C	78A	C	4				82	1	02			U1	45	R
		INTRSECTN	L	HIGHLAND RD		CO	SG	Y																					
		INTRSECTN	R	SR 206		ST	SG	Y																					
297.36	289.26	BEG SU LN	C	TWO WAY TURN	15A			2	2						C	63A	C	19				82	1	02			U1	45	R
297.58	289.48	INTRSECTN	R	WALKER AVE		CO	Y																						
297.68	289.58	END SU LN	C	TWO WAY TURN	15A			2	2						C	78A	C	4				82	1	02			U1	45	R
297.75	289.65	INTRSECTN	B	LANE PARK RD		CO	Y																						
297.83	289.73	ENT/EXIT	R	BUSINESS		PV	Y																						
297.86	289.76	BEG SU LN	C	TWO WAY TURN	15A			2	2						C	63A	C	19				82	1	02			U1	45	R
298.01	289.91	BEG SU LN	R	BICYCLE	04A			2	2						C	59A	C	23				82	1	02			U1	45	R
		MP MARKER	R	298																									
		INTRSECTN	L	MOODY RD		CO	Y																						
298.13	290.03	END SU LN	C	TWO WAY TURN	15A			2	2						C	74A	C	8				82	1	02			U1	45	R
298.28	290.18	END SU LN	L	BICYCLE	04A			2	2						C	72A	10A	\$\$\$				72	1	02			U1	45	R
		END SU LN	R	BICYCLE	04A																								
		INTRSECTN	B	DAY-MT SPOKANE RD		CO	SG	Y																					
298.42	290.32							2	2						10A	48A	10A					48	1	02			U1	45	R
298.43	290.33	BEG SU LN	C	TWO WAY TURN	15A			2	2						10A	48A	10A	15				63	1	02			U1	45	R
298.56	290.46	END SU LN	C	TWO WAY TURN	15A			2	2						10A	63A	10A	\$\$\$				63	1	02			U1	45	R
298.61	290.51							2	2	10A	24A		15A	UP	\$\$\$	24A	10A					48	1	02			U1	45	R

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
297.00	288.90	.04	15						
297.23	289.13		.04	11					
297.25	289.15	.05	12		.05	24		.04	11
297.75	289.65	.03	12		.03	12			
297.83	289.73						.03	12	
298.28	290.18	.07	11	.05	10	.05	14		

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																					
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																									
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																								
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T							
298.62		290.52								2	2	10A	24A	4A	20S	DE	4A	24A	10A		48	1	02		U1	60	45	R									
298.79		290.69	INTRSECTN	R		GREEN BLUFF RD	CO		Y																												
			INTRSECTN	C		MEDIAN XROAD	ST		Y																												
298.90		290.80								2	2	10A	24A	4A	20S	DE	4A	24A	10A		48	1	02		U1	60	60	R									
298.95		290.85								2	2	10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		U1	60	60	R									
299.00		290.90	MP MARKER	B		299																															
299.05		290.95	INTRSECTN	C		MEDIAN XROAD	ST		Y																												
			INTRSECTN	B		CARNEY RD	CO		Y																												
299.65		291.55	BEG BRIDGE	B		LITTLE DEEP CREEK	ST																														
						BRDG NUM 002/653C																															
299.66		291.56	END BRIDGE	B		LITTLE DEEP CREEK																															
299.86		291.76	INTRSECTN	C		MEDIAN XROAD	ST		Y																												
			INTRSECTN	B		COLBERT RD	CO		Y																												
300.02		291.92	MP MARKER	B		300																															
300.11		292.01								2	2	10A	24A	4A	60S	GR	4A	24A	10A		48	1	02		R1	60	60	R									
300.13		292.03	UXING	B		BN RR	ST																														
						BRDG NUM 002/655																															
			RR XING	B		NUM 59080M STRUCTURE				2	2	10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		R1	60	60	R									
300.15		292.05																																			
300.90		292.80	INTRSECTN	B		WOOLARD RD	CO		Y																												
			INTRSECTN	C		MEDIAN XROAD	ST		Y																												
301.02		292.92	MP MARKER	B		301																															
301.40		293.30	TRAF RCDR	B		P28 0																															
301.41		293.31	INTRSECTN	L		NORWOOD RD	CO		Y																												
			INTRSECTN	C		MEDIAN XROAD	ST		Y																												
302.00		293.90	MP MARKER	B		302																															
302.30		294.20	INTRSECTN	L		N GLEN DR	CO		Y																												
			INTRSECTN	R		ELK-CHATTAROY RD	CO		Y																												
			INTRSECTN	C		MEDIAN XROAD	ST		Y																												
302.32		294.22	WYE CONN	R		ELK-CHATTAROY RD	CO		Y																												
302.46		294.36	ENT FROM	L		WEIGH STATION	ST		Y																												

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
298.79		290.69			.11	12	.03	12		
299.05		290.95	.06	12			.03	12		
299.86		291.76	.09	12	.10	12	.04	12		
300.90		292.80	.05	12			.04	12		
301.41		293.31	.03	12						
302.30		294.20	.04	12	.21	12	.03	12		
302.46		294.36					.05	12		

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																			
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY																			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S			
302.51		294.41	EXIT TO	R		WEIGH STATION	ST	Y	2	2		10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		R1	60	R					
302.57		294.47	WEIGH STA	L		NUMBER 66																										
302.62		294.52	WEIGH STA	R		NUMBER 0																										
302.64		294.54	EXIT TO	L		WEIGH STATION	ST	Y																								
302.89		294.79	ENT FROM	R		WEIGH STATION	ST	Y																								
303.03		294.93	MP MARKER	B		303																										
303.45		295.35	INTRSECTN	B		JIM HILL RD	CO	Y																								
			INTRSECTN	C		MEDIAN XROAD	ST	Y																								
304.00		295.90	MP MARKER	B		304																										
304.42		296.32	MISC FEATR	R		SGN ENT CHATTEROY																										
304.49		296.39	INTRSECTN	B		CHATTAROY RD	CO	Y																								
			INTRSECTN	C		MEDIAN XROAD	ST	Y																								
304.63		296.53	BEG BRIDGE	D		LITTLE SPOKANE RIVER	ST		2	2		\$W	31P	\$W	60S	BE	4A	24A	10A		55	1	02		R1	60	R					
						BRDG NUM 002/658N																										
304.64		296.54	BEG BRIDGE	I		LITTLE SPOKANE RIVER	ST		2	2		W	31P	W	450	\$	\$W	38P	\$W		69	1	02		R1	60	R					
						BRDG NUM 002/658S																										
304.66		296.56	END BRIDGE	D		LITTLE SPOKANE RIVER			2	2		10A	24A	4A	60S	BE	W	38P	W		62	1	02		R1	60	R					
304.67		296.57	END BRIDGE	I		LITTLE SPOKANE RIVER			2	2		10A	24A	4A	60S	BE	4A	24A	10A		48	1	02		R1	60	R					
304.68		296.58							2	2		10A	24A	4A	60S	DE	4A	24A	10A		48	1	02		R1	60	R					
304.77		296.67	MISC FEATR	L		SGN ENT CHATTAROY																										
304.97		296.87	INTRSECTN	R		RIVER ESTATES RD	CO	Y																								
			INTRSECTN	L		SCHLOMER RD	CO	Y																								
			INTRSECTN	C		MEDIAN XROAD	ST	Y																								
305.02		296.92	MP MARKER	B		305																										
305.50		297.40	INTRSECTN	B		DENISON-CHATTAROY RD	CO	Y																								
			INTRSECTN	C		MEDIAN XROAD	ST	Y																								
305.96		297.86							1	2		10A	12A	4A	30S	DE	4A	24A	10A		36	1	02		R1	60	R					
306.00		297.90	MP MARKER	B		306																										
306.05		297.95							1	2		\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$	10A	48A	10A		48	1	02		R1	60	R					
306.17		298.07	INTRSECTN	B		WESTWOOD RD	CO	Y																								
306.25		298.15							1	2							10A	36A	10A		36	1	02		R1	60	R					
306.32		298.22							1	1							8A	24A	8A		24	1	02		R1	60	R					

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	
302.64		294.54										
303.45		295.35		.03	12						.02	12
304.49		296.39		.11	12	.03	12					
304.97		296.87		.04	12							
305.50		297.40		.12	12						.08	12
306.17		298.07		.05	12	.02	12					

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC							LEGAL													
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	RDY	SHD	USE	TOT						SPEED									
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST						T P S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
306.51		298.41	INTRSECTN	R		CALISPEL RD	CO		N	1	1						8A	24A	8A		24	1	02		R1		60	R				
306.74		298.64	ENT/EXIT	L		BEAR LAKE CO PARK	CO		N																							
307.00		298.90	MP MARKER	R		307																										
307.32		299.22	INTRSECTN	L		FINDLEY RD	CO		N																							
307.99		299.89	INTRSECTN	L		WESTMORELAND RD	CO		N																							
308.00		299.90	MP MARKER	R		308																										
308.23		300.13	INTRSECTN	R		APEX RD	CO		N																							
308.38		300.28	BEG SU LN	R		CLIMBING		12A			1	1					8A	24A	4A	12	36	1	02		R1		60	R				
309.00		300.90	MP MARKER	R		309																										
309.40		301.30	END SU LN	R		CLIMBING		12A			1	1					8A	24A	8A	\$\$\$	24	1	02		R1		60	R				
			INTRSECTN	B		LAUREL RD	CO		N																							
309.60		301.50									1	1					8A	24A	8A		24	1	02		R1		40	R				
309.72		301.62	MISC FEATR	R		SGN ENT RIVERSIDE COMM																										
309.75		301.65	BEG SU LN	C		TWO WAY TURN		13A			1	1					8A	24A	8A	13	37	1	02		R1		40	R				
310.00		301.90	MP MARKER	R		310																										
310.04		301.94									1	1					7A	24A	7A	13	37	1	02		R1		40	R				
310.10		302.00	END SU LN	C		TWO WAY TURN		13A			1	1					7A	24A	7A	\$\$\$	24	1	02		R1		40	R				
310.16		302.06	INTRSECTN	B		DEER PARK-MILAN RD	CO		SG	Y																						
310.22		302.12	BEG SU LN	C		TWO WAY TURN		13A			1	1					7A	24A	7A	13	37	1	02		R1		40	R				
310.35		302.25	END SU LN	C		TWO WAY TURN		13A			1	1					7A	24A	7A	\$\$\$	24	1	02		R1		40	R				
310.51		302.41	ENT/EXIT	R		MOBILE HOME PARK	PV		Y																							
310.57		302.47	MISC FEATR	L		SGN ENT RIVERSIDE COMM																										
310.60		302.50									1	1					7A	24A	7A		24	1	02		R1		60	R				
310.91		302.81	INTRSECTN	L		BAILEY RD	CO		N																							
310.97		302.87	MP MARKER	R		311																										
311.25		303.15	BEG SU LN	L		CLIMBING		12A			1	1					3A	24A	7A	12	36	1	02		R1		60	R				
311.34		303.24	INTRSECTN	L		WEST BRANCH RD	CO		N																							
311.99		303.89	END SU LN	L		CLIMBING		12A			1	1					\$\$\$	48A	\$\$\$	\$\$\$	48	1	02		R1		60	R				
			BEG BRIDGE	B		W LITTLE SPOKANE RIVER	ST																									
						BRDG NUM 002/662																										
312.01		303.91	END BRIDGE	B		W LITTLE SPOKANE RIVER					1	1					7A	24A	3A		24	1	02		R1		60	R				
			MP MARKER	R		312																										
312.02		303.92	BEG SU LN	R		CLIMBING		12A			1	1					7A	24A	3A	12	36	1	02		R1		60	R				

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
306.74		298.64		.03	12						
307.99		299.89		.03	11						
309.40		301.30		.03	12		.03	12			
310.16		302.06		.04	13	.02	12	.03	13	.05	12
310.51		302.41				.02	12				

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S									
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT						SPEED	T	P	S										
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-		SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
312.02		303.92	INTRSECTN	R		ELOIKA RD	CO		N	1	1						7A	24A	3A	12	36	1	02		R1		60	R				
312.06		303.96	INTRSECTN	L		ELOIKA RD	CO		N																							
312.40		304.30	END SU LN	R		CLIMBING		12A									7A	24A	3A	\$\$\$	24	1	02		R1		60	R				
312.67		304.57	BEG SU LN	C		TWO WAY TURN		12A									7A	24A	3A	12	36	1	02		R1		60	R				
			INTRSECTN	L		ELOIKA LAKE RD	CO		Y																							
313.00		304.90	MP MARKER	R		313																										
313.36		305.26	END SU LN	C		TWO WAY TURN		12A									7A	24A	3A	\$\$\$	24	1	02		R1		60	R				
313.42		305.32	INTRSECTN	R		ELK TO HWY RD	CO		AF	Y																						
			INTRSECTN	L		BRIDGES RD	CO		AF	Y																						
313.49		305.39	BEG SU LN	C		TWO WAY TURN		12A									7A	24A	3A	12	36	1	02		R1		60	R				
313.80		305.70															7A	24A	7A	12	36	1	02		R1		60	R				
313.83		305.73	END SU LN	C		TWO WAY TURN		12A									7A	24A	7A	\$\$\$	24	1	02		R1		60	R				
314.00		305.90	MP MARKER	R		314																										
314.42		306.32	INTRSECTN	B		OREGON RD	CO		N																							
314.92		306.82															8A	26A	8A		26	1	02		R1		60	R				
314.94		306.84															8B	26B	8B		26	1	02		R1		60	R				
315.00		306.90	MP MARKER	B		315																										
315.04		306.94								1	2	8B	17B	3B	18S	DE	4B	24B	10B		41	1	02		R1		60	R				
315.25		307.15								1	2	10B	17B	4B	77S	DE	4B	24B	10B		41	1	02		R1		60	R				
315.31		307.21								2	2	10B	24B	4B	77S	DE	4B	24B	10B		48	1	02		R1		60	R				
315.47		307.37	END CTLSEC			CONTROL SECTION 3208																										
			LEAVE CO			SPOKANE																										

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
312.67	304.57	.05	12					.07	12
313.42	305.32	.03	12	.03	12	.04	12	.02	12
314.42	306.32	.03	11			.03	11		

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY PEND OREILLE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																					
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
315.47	307.37		ENTER CO BEG CTLSEC			PEND OREILLE CONTROL SECTION 2601				2	2	10B	24B	4B	78S	DE	4B	24B	10B		48	1	02		R1		60	R						
315.71	307.61		INTRSECTN INTRSECTN	R C		ALLEN RD MEDIAN XROAD	CO ST		Y Y																									
316.00	307.90		MP MARKER	B		316																												
316.45	308.35		INTRSECTN INTRSECTN INTRSECTN	L R C		NICHOLSON RD KIRKPATRICK RD MEDIAN XROAD	CO CO ST		Y Y Y																									
316.76	308.66		MP MARKER	B		317				2	2	10B	24B	4B	180S	DE	4B	24B	10B		48	1	02		R1		60	R						
317.00	308.90		MED XING	C		OFFICIAL																												
317.01	308.91		MP MARKER	B		317																												
317.38	309.28		MP MARKER	B		318				2	2	10B	24B	4B	42S	DE	4B	24B	10B		48	1	02		R1		60	R						
317.66	309.56		INTRSECTN INTRSECTN	L C		FERTILE VALLEY RD MEDIAN XROAD	CO ST		Y Y																									
317.99	309.89		MP MARKER	B		318																												
318.19	310.09		ENT/EXIT INTRSECTN	L C		PEND OREILLE COUNTY PARK MEDIAN XROAD	CO ST		Y Y																									
319.00	310.90		MP MARKER	B		319																												
319.79	311.69		MP MARKER	B		320				2	2	10B	24B	4B	160S	DE	4B	24B	10B		48	1	02		R1		60	R						
319.91	311.81		ENT/EXIT INTRSECTN	L C		MERICAL TRAIL (GATED) MEDIAN XROAD	CO ST		Y Y																									
319.97	311.87		MP MARKER	B		320																												
320.03	311.93		MP MARKER	B		321				2	2	10B	24B	4B	42S	DE	4B	24B	10B		48	1	02		R1		60	R						
320.96	312.86		MP MARKER	B		321																												
321.03	312.93		INTRSECTN INTRSECTN	L C		DIAMOND-CARLTON RD MEDIAN XROAD	CO ST		N N																									
321.24	313.14		WYE CONN	L		SR 211	ST		Y																									
321.29	313.19		INTRSECTN INTRSECTN	L C		SR 211 MEDIAN XROAD	ST ST		Y Y																									
321.39	313.29		MP MARKER	B		322				2	1	10B	24B	4B	42S	DE	4B	14B	10B		38	1	02		R1		60	R						
321.47	313.37		MP MARKER	B		322				1	1	10B	14B	4B	42S	DE	4B	14B	10B		28	1	02		R1		60	R						
321.66	313.49		EQUATION			321.59 =321.66				1	1	\$\$\$	\$\$\$	\$\$\$	\$\$\$\$	\$\$	10B	28B	10B		28	1	02		R1		60	R						
321.76	313.59		MP MARKER	B		322				1	1						8B	24B	8B		24	1	02		R1		60	R						
321.83	313.66		MP MARKER	B		322				1	1						8A	24B	8A		24	1	02		R1		60	R						
321.99	313.82		MP MARKER	R		322																												
322.67	314.50		INTRSECTN	L		NORTHSHORE DIAMOND LK RD	CO		Y																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
321.24	313.14							.07	14		
321.29	313.19			.02	10						
322.67	314.50			.03	12						

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY PEND OREILLE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																														
				:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----																		
				: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T				
323.00		314.83	MP MARKER	R		323				1	1						8A	24B	8A		24	1	02		R1					60	R			
323.13		314.96	INTRSECTN	R		SCOTIA RD	CO		Y																									
324.00		315.83	MP MARKER	R		324																												
324.30		316.13	INTRSECTN	R		CLEARVIEW CT	PV		N																									
324.43		316.26	INTRSECTN	R		CAMDEN RD	CO		N																									
324.87		316.70	BEG SU LN	C		TWO WAY TURN		12B		1	1						8A	24B	8A	12	36	1	02		R1						60	R		
			INTRSECTN	L		LAKESIDE DR	CO		N																									
324.90		316.73	MISC FEATR	R		SGN ENT DIAMOND LAKE																												
324.94		316.77	INTRSECTN	L		LAKESIDE DR	CO		N																									
325.00		316.83	MP MARKER	R		325																												
325.52		317.35	INTRSECTN	L		ELU BEACH RD	CO		Y																									
325.63		317.46	INTRSECTN	L		SOUTH SHORE RD	CO		Y																									
325.70		317.53	MISC FEATR	L		SGN ENT DIAMOND LAKE																												
326.00		317.83	MP MARKER	R		326																												
326.23		318.06	END SU LN	C		TWO WAY TURN		12B		1	1						8A	24B	8A	\$\$\$	24	1	02		R1							60	R	
326.33		318.16	INTRSECTN	R		GREEN RD	CO		Y																									
			INTRSECTN	L		FARRS LN	CO		Y																									
326.99		318.82	MP MARKER	R		327																												
327.29		319.12	INTRSECTN	L		DIAMOND DR	CO		N																									
327.98		319.81	INTRSECTN	L		COYOTE TRAIL RD	CO		Y																									
328.00		319.83	MP MARKER	R		328																												
328.19		320.02	INTRSECTN	R		TELEPHONE RD	CO		N																									
328.60		320.43	INTRSECTN	L		SOUTH SHORE RD	CO		Y	1	1						8A	24A	8A		24	1	02		R1							60	R	
329.00		320.83	MP MARKER	R		329																												
330.00		321.83	MP MARKER	R		330																												
330.23		322.06	INTRSECTN	B		GRAY RD	CO		N																									
331.00		322.83	MP MARKER	R		331																												
331.22		323.05	INTRSECTN	R		SCOTIA RD E	CO		Y																									
332.00		323.83	MP MARKER	R		332																												
332.50		324.33																																
332.76		324.59	ENTER CITY			NEWPORT				1	1						8A	24A	8A		24	1	02		R1							45	R	
			INTRSECTN	L		CEMETERY RD	CO		Y								8A	24A	8A		24	1	02	0860	R1							45	R B	
332.80		324.63	MISC FEATR	R		SGN ENT NEWPORT																												

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
324.43		316.26				.02	12				
324.87		316.70		.03	12						
326.33		318.16		.04	12						
327.98		319.81		.03	12						
331.22		323.05				.03	12				

SR 002 MAINLINE U.S. ROUTE - USSH COUNTY PEND OREILLE DOT DISTRICT 6

										-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY										-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR										-UXING-		NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	USE	TOT														
: :										-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
332.81		324.64															8A	24A	8A		24	1	02	0860	R1		45	R	B						
332.98		324.81	INTRSECTN	L		7TH ST	CT			N																									
332.99		324.82	MP MARKER	R		333																													
333.30		325.13															8A	24A	8A		24	1	02	0860	R1		35	R	B						
333.45		325.28	INTRSECTN	L		CALISPEL AVE	CT			Y																									
333.52		325.35	INTRSECTN	L		FEA AVE	CT			Y																									
333.59		325.42	INTRSECTN	L		CASS AVE	CT			Y	1	1					8A	24A	8A		24	1	02	0860	R1		35	R	P						
333.66		325.49	INTRSECTN	L		SCOTT AVE	CT			Y																									
333.74		325.57	INTRSECTN	L		WARREN AVE	CT			Y																									
333.77		325.60	INTRSECTN	L		5TH ST	CT			Y																									
333.82		325.65	INTRSECTN	L		SPOKANE AVE	CT			Y	1	1					5A	24A	8A		24	1	02	0860	R1		25	R	P						
333.88		325.71									1	1					\$\$\$	42A	\$\$\$		42	1	02	0860	R1		25	R	P						
333.89		325.72	BEG ST	I		4TH ST					\$	2									42	1	02	0860	R1		25	R	P	*					
			INTRSECTN	L		4TH ST	CT			Y																									
			INTRSECTN	L		SR 2 CONEWPRT (COUPLT)	ST			Y																									
			MISC FEATR	D		COUPLT - CONEWPRT																													
333.90		325.73	BEG SU LN	R		BICYCLE						2									C	42A	C	8	50	1	02	0860	R1		25	R	P	*	
333.91		325.74	WYE CONN	L		SR 2 CONEWPRT	ST			Y																									
333.96		325.79	END ST	I		4TH ST																													
			BEG ST	I		UNION AVE																													
			INTRSECTN	R		UNION AVE	CT			Y																									
334.04		325.87	INTRSECTN	L		3RD ST	CT			Y																									
334.11		325.94	INTRSECTN	B		2ND ST	CT			Y																									
334.18		326.01	INTRSECTN	L		1ST ST	CT			Y																									
334.24		326.07	END SU LN	R		BICYCLE						2																							
			INTRSECTN	B		PINE ST	CT			Y																									
334.31		326.14	INTRSECTN	L		SPRUCE ST	CT			Y																									
334.37		326.20	WYE CONN	L		SR 2 CONEWPRT	ST			Y																									
334.38		326.21	END ST	I		UNION AVE						2	2																						
			BEG ST	I		WALNUT ST																													
			INTRSECTN	L		SR 2 CONEWPRT (COUPLT)	ST			Y																									
			MISC FEATR	D		COUPLT - CONEWPRT																													
334.39		326.22	RR XING	B		NUM 399590D GRADE						2	2																						
334.40		326.23	BEG SU LN	C		TWO WAY TURN																													
334.45		326.28	INTRSECTN	L		NEWPORT AVE	CT			Y																									

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
333.45	325.28	.03	12						
333.96	325.79			.02	10				.03 10
334.37	326.20	.05	14						

SR 002 MAINLINE

U.S. ROUTE - USSH

COUNTY PEND OREILLE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																
: :				-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S	
334.46		326.29										2	2				C	50A	C	10	60	1	02	0860	R1	25	R	B	*
334.47		326.30	END SU LN	C		TWO WAY TURN						2	2				C	60A	C	\$\$\$	60	1	02	0860	R1	25	R	B	*
334.50		326.33	MISC FEATR	R		SGN ENT OLD TOWN																							
334.51		326.34	END ST	I		WALNUT ST																							
			INTRSECTN	L		N STATE AVE						CT	SG	Y															
			INTRSECTN	R		SR 41						ST	SG	Y															
			MISC FEATR	I		IDAHO HWY 2 AHEAD																							
			END CTLSEC			CONTROL SECTION 2601																							
			END ROUTE																										

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
334.51		326.34		.03	12						

SR 002 COUplet DIVISN U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS----														
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC													
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT													
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY													
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S
289.19	0.00	BEG ROUTE		DIVISN				3							C 36A	C		36	1	02	1220	U1	30	L	P	*
				SR 2/EUCLID AVE TO SR 2																						
		ENTER CITY		SPOKANE																						
		BEG CTLSEC		CONTROL SECTION 3208																						
		BEG ST	I	DIVISION ST																						
		INTRSECTN	R	EUCLID AVE			CT		Y																	
		INTRSECTN	L	SR 2			ST		Y																	
289.20	0.01	TRAF RCDR	I	R103 0																						
289.32	0.13	INTRSECTN	R	WAVERLY PL			CT		Y																	
289.35	0.16							3							C 44A	C		44	1	02	1220	U1	30	L	P	*
289.36	0.17	INTRSECTN	R	CLEVELAND AVE			CT		Y																	
289.37	0.18							4							C 60A	C		60	1	02	1220	U1	30	L	P	*
289.43	0.24	INTRSECTN	R	BUCKEYE AVE			CT	SG	Y																	
		INTRSECTN	L	NORTH FOOTHILLS DR			CT	SG	Y																	
289.52	0.33	INTRSECTN	R	YORK AVE			CT		Y																	
289.53	0.34	MISC FEATR	R	BUS PULLOUT																						
289.56	0.37	INTRSECTN	L	JACKSON AVE			CT		Y																	
289.59	0.40	INTRSECTN	R	JACKSON AVE			CT		Y																	
289.67	0.48	INTRSECTN	B	CARLISLE AVE			CT		Y																	
289.72	0.53	INTRSECTN	R	MONTGOMERY AVE			CT		Y																	
289.74	0.55	INTRSECTN	L	MONTGOMERY AVE			CT	SG	Y																	
289.79	0.60	INTRSECTN	R	MANSFIELD AVE			CT		Y																	
289.82	0.63	INTRSECTN	L	ERMINA AVE			CT		Y																	
289.85	0.66	INTRSECTN	R	KNOX AVE			CT		Y																	
289.89	0.70	INTRSECTN	L	BALDWIN AVE			CT		Y																	
289.91	0.72	INTRSECTN	R	SHANNON AVE			CT		Y																	
289.97	0.78	INTRSECTN	B	INDIANA AVE			CT	SG	Y																	
290.01	0.82	MISC FEATR	R	BUS PULLOUT																						
290.04	0.85	INTRSECTN	B	NORA AVE			CT		Y																	
290.12	0.93	INTRSECTN	B	AUGUSTA AVE			CT		Y																	
290.19	1.00	INTRSECTN	B	MISSION AVE			CT	SG	Y																	
290.27	1.08	INTRSECTN	B	SINTO AVE			CT		Y																	
290.34	1.15	INTRSECTN	B	SHARP AVE			CT	SG	Y																	
290.42	1.23	INTRSECTN	L	BOONE AVE			CT		Y																	
290.45	1.26	INTRSECTN	R	BOONE AVE			CT		Y																	
290.46	1.27	MISC FEATR	R	BUS PULLOUT																						
290.50	1.31	INTRSECTN	L	DESMET AVE			CT		Y																	
290.58	1.39	INTRSECTN	B	CATALDO AVE			CT		Y																	
290.66	1.47							3							C 44A	C		44	1	02	1220	U1	30	L	P	*
290.70	1.51	WYE CONN	R	NORTH RIVER DR			CT		Y																	

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
290.70	1.51		.04	14					

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY FERRY

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S							
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	K	T					
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		CITY		ST	D		IB	R	K	T				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
302.65	302.03		INTRSECTN	L		CLARK AVE S	CT	Y	1	1							4A	22A	4A		22	4	02	1075	R2		25	R	P	*	
302.70	302.08																4A	22A	4A		22	4	02	1075	R2		35	R	P	*	
302.85	302.23		INTRSECTN	R		HESSIE BLVD	CT	Y																							
302.86	302.24		INTRSECTN	L		HESSIE BLVD	CT	N																							
302.87	302.25		MISC FEATR	B		PED XING																									
302.99	302.37		MP MARKER	R		303																									
303.05	302.43		ENT/EXIT	R		HIGH SCHOOL	PV	N																							
303.33	302.71		MISC FEATR	L		SGN ENT REPUBLIC																									
303.34	302.72		LEAVE CITY			REPUBLIC			1	1							4B	22B	4B		22	4	02	\$\$\$\$	R2		35	R	\$	\$	
			END ST	I		CLARK AVE																									
303.47	302.85								1	1							4B	22B	4B		22	4	02		R2		45	R			
304.00	303.38		MP MARKER	R		304			1	1							4B	22B	4B		22	4	02		R2		55	R			
304.60	303.98		TRAF RCDR	B		S820 7																									
304.79	304.17		INTRSECTN	R		FAIRGROUND RD	CO	N																							
304.99	304.37		INTRSECTN	R		FAIRGROUND RD	CO	N	1	1							3B	22B	3B		22	4	02		R2		55	R			
305.00	304.38		MP MARKER	R		305																									
305.10	304.48								1	1							8B	22B	8B		22	4	02		R2		55	R			
305.24	304.59		EQUATION			305.21 =305.24			1	1							8B	22B	4B		22	4	02		R2		55	M			
			INTRSECTN	L		SR 21	ST	Y																							
305.30	304.65		INTRSECTN	L		SMITH DR	CO	N																							
305.48	304.83								1	1							2B	22B	2B		22	4	02		R2		55	M			
305.63	304.98		INTRSECTN	R		CREAMERY RD	CO	N																							
305.99	305.34		MP MARKER	R		306																									
306.25	305.60		INTRSECTN	L		HADLEY RD	CO	N																							
306.56	305.91								1	1							2B	22B	2B		22	4	02		R2		55	R			
307.03	306.38		MP MARKER	R		307																									
307.77	307.12		INTRSECTN	L		YENTER RD	CO	N																							
308.02	307.37		MP MARKER	R		308																									
308.94	308.29		BEG SU LN	L		CHAIN UP			12A		1	1					\$\$\$	22B	2B	12	34	4	02		R2		55	R			
308.96	308.31		BEG SU LN	R		CHAIN UP			12A		1	1						22B	\$\$\$	24	46	4	02		R2		55	R			
308.99	308.34		MP MARKER	R		309																									
309.02	308.37		END SU LN	L		CHAIN UP			12A		1	1					2B	22B		12	34	4	02		R2		55	R			
309.08	308.43		END SU LN	R		CHAIN UP			12A		1	1					2B	22B	2B	\$\$\$	22	4	02		R2		55	R			
309.33	308.68		BEG BRIDGE	B		O'BRIEN CREEK	ST				1	1					\$\$C	32B	\$\$C		32	4	02		R2		55	R			
						BRDG NUM 020/710																									
309.34	308.69		END BRIDGE	B		O'BRIEN CREEK			1	1							5B	22B	5B		22	4	02		R2		55	R			

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	
302.65	302.03			.01	13							
305.24	304.59			.03	12		.04	12			.06	12

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY FERRY

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS-----														
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC				LEGAL		T	P	S											
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		TOT				R	K	T											
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		CITY	ST	SPEED	D	IB	R	K	T						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
309.55		308.90															5B	22B	5B			22	4	02		R2		55	R			
309.60		308.95	INTRSECTN	R		HALL CREEK RD	CO		N																							
309.99		309.34	MP MARKER	R		310																										
310.00		309.35	BEG BRIDGE	B		N FORK O'BRIEN CREEK	ST		1	1							\$\$C	32B	\$\$C			32	4	02		R2		55	R			
						BRDG NUM 020/713.25																										
310.01		309.36	END BRIDGE	B		N FORK O'BRIEN CREEK			1	1							5B	22B	5B			22	4	02		R2		55	R			
310.10		309.45	BEG BRIDGE	B		N FORK O'BRIEN CREEK	ST		1	1							\$\$C	32B	\$\$C			32	4	02		R2		55	R			
						BRDG NUM 020/714.25																										
310.11		309.46	END BRIDGE	B		N FORK O'BRIEN CREEK			1	1							5B	22B	5B			22	4	02		R2		55	R			
310.14		309.49							1	1							2B	22B	2B			22	4	02		R2		55	R			
310.99		310.34	MP MARKER	R		311																										
311.71		311.06	INTRSECTN	R		O'BRIEN CREEK RD	CO		N																							
311.95		311.30	INTRSECTN	L		WALKER HILL RD	CO		N	1	1						2B	24B	2B			24	4	02		R2		55	R			
311.99		311.34	MP MARKER	R		312																										
312.10		311.45							1	1							2B	24B	2B			24	4	02		R2		55	M			
312.99		312.34	MP MARKER	R		313																										
313.09		312.44							1	1							2B	24B	2B			24	4	02		R2		50	M			
313.49		312.84	BEG SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	\$\$\$	13		37	4	02		R2		50	M			
313.55		312.90	END SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
313.99		313.34	MP MARKER	R		314																										
314.06		313.41	BEG SU LN	R		SLOW VEHICLE		11A		1	1						2B	24B	\$\$\$	11		35	4	02		R2		50	M			
314.15		313.50	MISC FEATR	R		SGN ENT COLVILLE NAT FOR																										
314.18		313.53	END SU LN	R		SLOW VEHICLE		11A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
314.86		314.21	BEG SU LN	R		SLOW VEHICLE		12A		1	1						2B	24B	\$\$\$	12		36	4	02		R2		50	M			
314.93		314.28	END SU LN	R		SLOW VEHICLE		12A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
			INTRSECTN	L		KARAMIP RD-FS RD #2040	FS		N																							
314.98		314.33	MP MARKER	R		315																										
315.25		314.60	BEG SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	\$\$\$	13		37	4	02		R2		50	M			
315.34		314.69	END SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
315.75		315.10	BEG SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	\$\$\$	13		37	4	02		R2		50	M			
315.88		315.23	END SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
315.89		315.24	INTRSECTN	R		FS RD #600	FS		N																							
315.97		315.32	MP MARKER	R		316																										
316.73		316.08	BEG SU LN	R		SLOW VEHICLE		14A		1	1						2B	24B	\$\$\$	14		38	4	02		R2		50	M			
316.88		316.23	END SU LN	R		SLOW VEHICLE		14A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
316.96		316.31	MP MARKER	R		317																										
317.74		317.09	BEG SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	\$\$\$	13		37	4	02		R2		50	M			
317.81		317.16	END SU LN	R		SLOW VEHICLE		13A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
317.96		317.31	MP MARKER	R		318																										
318.12		317.47	BEG SU LN	R		SLOW VEHICLE		11A		1	1						2B	24B	\$\$\$	11		35	4	02		R2		50	M			
318.18		317.53	END SU LN	R		SLOW VEHICLE		11A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			
318.70		318.05	BEG SU LN	R		SLOW VEHICLE		11A		1	1						2B	24B	\$\$\$	11		35	4	02		R2		50	M			
318.85		318.20	END SU LN	R		SLOW VEHICLE		11A		1	1						2B	24B	2B	\$\$\$		24	4	02		R2		50	M			

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																			
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																						
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S							
342.36	341.71		ENTER CO			STEVENS																													
354.33	353.68		ENTER CITY			COLVILLE				1	1						C	44A		C		44	4	01	0250	R2		25	L	B	*				
			BEG CTLSEC			CONTROL SECTION 3334																													
			BEG ST	I		3RD AVE																													
			INTRSECTN	B		SR 395																													
			END COINCI			SR 395																													
						MP229.64																													
354.40	353.75		INTRSECTN	B		OAK ST																													
354.47	353.82		INTRSECTN	B		ELM ST																													
354.53	353.88		INTRSECTN	B		MAPLE ST																													
354.60	353.95		INTRSECTN	B		WALNUT ST																													
354.65	354.00		INTRSECTN	B		CEDAR ST											8A	35A		C		35	4	01	0250	R2		25	R	P	*				
354.74	354.09		INTRSECTN	B		HOFFSTETTER ST																													
354.87	354.22		INTRSECTN	R		ALDER ST											\$S	C	50A		C		50	4	01	0250	R2		25	R	P	*			
354.95	354.30																																		
354.97	354.32		INTRSECTN	R		PINE AVE																													
			INTRSECTN	L		MADISON ST																													
354.98	354.33		MISC FEATR	L		SGN ENT COLVILLE																													
355.00	354.35																																		
355.01	354.36		BEG SU LN	C		TWO WAY TURN																													
355.12	354.47		LEAVE CITY			COLVILLE																													
355.13	354.48																																		
355.28	354.63		END SU LN	C		TWO WAY TURN																													
			INTRSECTN	R		SILKE RD																													
355.34	354.69		BEG SU LN	C		TWO WAY TURN																													
355.42	354.77		END SU LN	C		TWO WAY TURN																													
355.44	354.79		BEG SU LN	C		TWO WAY TURN																													
			INTRSECTN	L		ALADDIN RD																													
355.45	354.80		END ST	I		3RD AVE																													
			ENTER CITY			COLVILLE																													
355.53	354.88		INTRSECTN	L		LAUNDRY RD																													
355.56	354.91		END SU LN	C		TWO WAY TURN																													
			ENT/EXIT	R		COLVILLE AIRPORT																													
355.60	354.95		BEG SU LN	C		TWO WAY TURN																													

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
354.33	353.68				.03	12				
354.97	354.32		.03	11	.03	11				
355.28	354.63				.03	11				
355.44	354.79		.03	11						
355.56	354.91				.03	11				

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S									
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	K	T							
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY							D		I	B	R	K	T					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
355.61		354.96															5A	41A	C	11	52	4	01	0250	R2			35	R	P			
355.67		355.02															3A	41A	8A	11	52	4	01	0250	R2			35	R	P			
355.68		355.03	END SU LN	C		TWO WAY TURN									11A		3A	24A	8A	\$\$\$	24	4	01	0250	R2			35	R	P			
			ENT/EXIT	R		COLVILLE HIGH SCHOOL	CT		Y																								
355.79		355.14	INTRSECTN	L		DEGRIEF RD	CT		Y	1	1						4A	22A	4A		22	4	01	0250	R2			35	R	P			
			INTRSECTN	R		EVERGREEN RD	CT		Y																								
355.83		355.18															4B	22B	4B		22	4	01	0250	R2			35	R	P			
355.86		355.21	LEAVE CITY			COLVILLE				1	1						4B	22B	4B		22	4	01	\$\$\$\$	R2			35	R	\$			
355.95		355.30								1	1						4B	22B	4B		22	4	01		R2			55	R				
356.01		355.36	TRAF RCDR	B		R124 0																											
356.95		356.30								1	1						4B	22B	18B		22	4	01		R2			55	R				
357.00		356.35	MP MARKER	R		357																											
			INTRSECTN	L		KNAPP RD	CO		N																								
357.07		356.42								1	1						4B	22B	4B		22	4	01		R2			55	R				
357.76		357.11	INTRSECTN	L		DOMINION VIEW RD	CO		N																								
357.97		357.32	MP MARKER	R		358																											
358.02		357.37	INTRSECTN	R		TIGER DRIVE RD	CO		N																								
358.21		357.56	INTRSECTN	L		PROUTY CORNER LOOP RD	CO		N																								
358.55		357.90	INTRSECTN	R		TIGER DRIVE RD	CO		N																								
358.69		358.04	INTRSECTN	L		MUMAU RD	CO		N																								
358.96		358.31	MP MARKER	R		359																											
359.13		358.48	INTRSECTN	R		DOLOMITE RD	CO		N																								
359.29		358.64	INTRSECTN	R		GRAHAM RD	CO		N																								
359.43		358.78	INTRSECTN	L		GARVEY RD	CO		N																								
359.94		359.29	MP MARKER	R		360																											
360.21		359.56	INTRSECTN	R		ARTMAN-GIBSON RD	CO		N																								
360.94		360.29	MP MARKER	R		361																											
361.66		361.01	INTRSECTN	L		HARDENBROOK RD	CO		N																								
362.00		361.35	MP MARKER	R		362																											
363.06		362.41	MP MARKER	R		363																											
363.11		362.46	INTRSECTN	L		DEUBEL RD	CO		N																								
363.61		362.86	EQUATION			363.51 =363.61				1	1						3B	24A	3B		24	4	01		R2			55	R				
			INTRSECTN	R		KITT-NARCISSE RD	CO		N																								
363.90		363.15	INTRSECTN	L		SEIGEL HILL RD	CO		N																								
364.00		363.25	MP MARKER	R		364																											
364.28		363.53	INTRSECTN	R		BIBLE RD	CO		N																								
364.87		364.12	INTRSECTN	R		STARVATION LAKE RD	CO		N																								

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
355.68		355.03			.10	12			.04	12

SR 020 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																					
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL														
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	S			
436.67		435.89															4B	22B	4B			22	1	02	0860	R2			25	R	B		
436.75		435.97															4B	22B	6B			22	1	02	0860	R2			25	R	B		
436.77		435.99	INTRSECTN		B	WARREN AVE	CT		Y																								
436.78		436.00	BEG ST		I	WALNUT ST											2B	28B	4B			28	1	02	0860	R2			25	R	P	*	
436.84		436.06	INTRSECTN		B	SPOKANE AVE	CT		Y	1	1						\$\$C	40B	\$\$C			40	1	02	0860	R2			25	R	P	*	
436.91		436.13	END ST		I	WALNUT ST																											
			INTRSECTN		L	WASHINGTON AVE	CT		SS	Y																							
			INTRSECTN		B	SR 2 CONEWPRT (COUPLT)	ST		SS	Y																							
			END CTLSEC			CONTROL SECTION 2631																											
			END ROUTE																														

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
436.91		436.13				.05	14				

SR 021 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL											
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					T											
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					P											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
91.38	91.33		BEG ST	I		BRUCE AVE SW				1	1						1B	20B	1B			20	3	01	1440	R3	30	R	P	*	
			INTRSECTN	R		PRINCE ST	CT		N																						
91.63	91.58		RR XING	B		NUM 66076P GRADE																									
91.66	91.61		END ST	I		BRUCE AVE SW				1	1						1A	20A	1A			20	3	01	1440	R3	30	R	P	*	
			BEG ST	I		WEST ST SW																									
			INTRSECTN	R		FRONT AVE SW	CT		Y																						
91.72	91.67		BEG BRIDGE	B		GOOSE CREEK	ST			1	1						\$\$C	26P	\$\$C			26	3	01	1440	R3	30	R	P	*	
			BRDG NUM 021/229																												
91.73	91.68		END BRIDGE	B		GOOSE CREEK				1	1						1A	20A	1A			20	3	01	1440	R3	30	R	P	*	
91.78	91.73		LEAVE CITY			WILBUR				\$	\$						\$\$\$	\$\$\$	\$\$\$			\$\$\$	\$	\$\$	\$\$\$\$	\$\$	\$\$	\$	\$	\$	
			END ST	I		WEST ST SW																									
			BEG COINCI			SR 002																									
			END CTLSEC			CONTROL SECTION 2231																									
			INTRSECTN	B		SR 2	ST	SS	Y																						
92.43	92.38		BEG CTLSEC			CONTROL SECTION 2208				1	1						5B	25B	8B			25	3	01		R3	60	R			
			INTRSECTN	B		SR 2	ST	SS	Y																						
			END COINCI			SR 002																									
			MP220.88																												
92.45	92.40		WYE CONN	B		SR 2	ST	Y	1	1							4B	24B	4B			24	3	01		R3	60	R			
92.57	92.52		INTRSECTN	R		COLE ST RD	CO		N																						
92.58	92.53		WYE CONN	R		COLE ST RD	CO		N																						
92.95	92.90		INTRSECTN	L		SR 174	ST	SS	N	1	1						4B	22B	5B			22	3	01		R3	55	R			
93.00	92.95		MP MARKER	R		93																									
93.09	93.04		INTRSECTN	B		WILLIAMS RD	CO		N																						
94.00	93.95		MP MARKER	R		94																									
94.11	94.06		INTRSECTN	B		ALDERSON RD	CO		N																						
94.88	94.83									1	1						2B	22B	2B			22	3	01		R3	55	R			
95.00	94.95		MP MARKER	R		95																									
95.55	95.50		INTRSECTN	L		JURGENSEN RD	CO		N																						
96.00	95.95		MP MARKER	R		96																									
97.00	96.95		MP MARKER	R		97																									
97.14	97.09		INTRSECTN	B		KRAUSE RD	CO		N																						
98.01	97.96		MP MARKER	R		98																									
98.92	98.87		INTRSECTN	R		EFTER RD	CO		N																						
98.99	98.94		MP MARKER	R		99																									
99.24	99.19									1	1						2B	22B	2B			22	3	01		R3	30	R			
99.38	99.33									1	1						2B	22B	2B			22	3	01		R3	30	M			
100.00	99.95		MP MARKER	R		100																									

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
92.95	92.90					.02	11				

SR 021 MAINLINE

STATE ROUTE - SRSH

COUNTY FERRY

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																			
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S												
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	K	T										
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY							D		I	B	R	K	T								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
153.27		153.22				BRDG NUM 021/324.25				1	1						2B	22B	2B		22	4	02		R3		55	R								
153.28		153.23	END BRIDGE	B		SCATTER CREEK																														
153.31		153.26								1	1						1B	21B	1B		21	4	02		R3		55	R								
153.36		153.31	INTRSECTN	L		SCATTER CREEK RD	CO		N																											
154.02		153.97	MP MARKER	R		154																														
154.55		154.50	INTRSECTN	R		MCMANN CREEK RD	CO		N																											
155.00		154.95	MP MARKER	R		155																														
155.06		155.01	BEG BRIDGE	B		GOLDEN HARVEST CREEK	ST																													
						BRDG NUM 021/325.25																														
155.07		155.02	END BRIDGE	B		GOLDEN HARVEST CREEK																														
156.00		155.95	MP MARKER	R		156																														
156.36		156.31								1	1						6B	21B	6B		21	4	02		R3		55	R								
157.00		156.95	MP MARKER	R		157																														
157.81		157.76								1	1						2B	21B	2B		21	4	02		R3		55	R								
158.00		157.95	MP MARKER	R		158																														
158.32		158.27	INTRSECTN	R		ADAMS RD	CO		N																											
159.00		158.95	MP MARKER	R		159																														
159.01		158.96	ENT/EXIT	L		D.O.T. MAINTENANCE SHOP	ST		N	1	1						1B	21B	1B		21	4	02		R3		55	R								
159.55		159.50	INTRSECTN	L		PENDRY RD	CO		N																											
159.61		159.56	BEG BRIDGE	B		GRANITE CREEK	ST			1	1						\$\$C	31B	\$\$C		31	4	02		R3		55	R								
						BRDG NUM 021/326																														
159.62		159.57	END BRIDGE	B		GRANITE CREEK				1	1						2B	21B	2B		21	4	02		R3		55	R								
159.68		159.63	INTRSECTN	R		HESSIE BLVD	CO		N																											
159.88		159.83	MISC FEATR	R		SGN ENT REPUBLIC																														
159.89		159.84	ENTER CITY			REPUBLIC				1	1						2B	21B	2B		21	4	02	1075	R3		55	R	P							
160.00		159.95	MP MARKER	R		160																														
160.06		160.01								1	1						3B	22B	3B		22	4	02	1075	R3		35	R	P							
160.07		160.02	INTRSECTN	L		15TH ST	CT		N																											
160.09		160.04	WYE CONN	L		SR 20	ST		Y																											
160.10		160.05	LEAVE CITY			REPUBLIC				\$	\$						\$\$\$	\$\$\$	\$\$\$		\$\$\$	\$	\$\$	\$\$\$\$	\$\$		\$\$	\$	\$							
			BEG COINCI			SR 020																														
			END CTLSEC			CONTROL SECTION 1001																														
			INTRSECTN	B		SR 20	ST		Y																											
162.66		162.61	BEG CTLSEC			CONTROL SECTION 1030				1	1						3A	22A	3A		22	4	02		R3		55	R								
			INTRSECTN	B		SR 20	ST	SS	Y																											
			END COINCI			SR 020																														
						MP305.24																														
162.68		162.63	INTRSECTN	R		SMITH DR	CO		N																											
162.73		162.68								1	1						3B	22B	3B		22	4	02		R3		55	R								
162.81		162.76	INTRSECTN	L		PINE GROVE ST	CO		N																											
162.98		162.93	INTRSECTN	R		SMITH DR	CO		N																											
163.02		162.97	MP MARKER	R		163																														
163.53		163.48	INTRSECTN	R		OLD KETTLE FALLS RD	CO		Y																											

INTERSECTION DETAIL

-----TURN LANES-----

-----ACCELERATION LANES-----

SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
163.53		163.48				.04	12			

SR 021 MAINLINE

STATE ROUTE - SRSH

COUNTY FERRY

DOT DISTRICT 6

		:DIRECTION TO INVENTORY		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																					
		: :LEFT/RIGHT INDICATOR		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RDY	SHD	RHT	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S							
											W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
163.56		163.51								1	1									3B	22B	3B			22	4	02			R3	55	R			
163.75		163.70								1	1									4B	22B	4B			22	4	02			R3	55	R			
163.93		163.88	INTRSECTN	L		LUMBERMILL RD	CO		Y																										
164.02		163.97	MP MARKER	R		164																													
164.20		164.15								1	1									3B	22B	3B			22	4	02			R3	55	R			
165.02		164.97	MP MARKER	R		165																													
165.33		165.28	BEG BRIDGE	B		SAN POIL RIVER BRDG NUM 021/331	ST			1	1									\$\$W	32B	\$\$W			32	4	02			R3	55	R			
165.34		165.29	END BRIDGE	B		SAN POIL RIVER				1	1									3B	22B	3B			22	4	02			R3	55	R			
165.37		165.32	INTRSECTN	R		FISH HATCHERY RD	CO		N																										
			INTRSECTN	L		W CURLEW LAKE RD	CO		N																										
166.00		165.95	MP MARKER	R		166																													
166.42		166.37	INTRSECTN	L		W HERRON CREEK RD	CO		N																										
166.69		166.64	INTRSECTN	R		HERRON CREEK RD	CO		N																										
167.00		166.95	MP MARKER	R		167																													
167.05		167.00	INTRSECTN	L		CURLEW DR	CO		N																										
167.78		167.73	INTRSECTN	L		AIRPORT RD	CO		N																										
168.00		167.95	MP MARKER	R		168																													
168.40		168.35	INTRSECTN	R		WOLF CREEK RD	CO		Y																										
168.57		168.52	INTRSECTN	R		WOLF CAMP RD	CO		N																										
168.58		168.53								1	1									2B	21B	2B			21	4	02			R3	55	R			
168.62		168.57	ENT/EXIT	L		CURLEW LAKE STATE PARK	ST		N																										
168.68		168.63	INTRSECTN	L		OSPREY LN	PV		N																										
169.00		168.95	MP MARKER	R		169																													
169.39		169.34	INTRSECTN	L		DOLLAR BAR BEACH RD	CO		N																										
169.77		169.72	INTRSECTN	L		PINE POINT RD	CO		N																										
170.00		169.95	MP MARKER	R		170																													
170.53		170.48	INTRSECTN	L		KIWANIS RD	CO		N																										
171.00		170.95	MP MARKER	R		171																													
171.66		171.61	INTRSECTN	R		LAMBERT CREEK RD	CO		N																										
172.00		171.95	MP MARKER	R		172																													
172.18		172.13	BEG BRIDGE	B		LAMBERT CREEK BRDG NUM 021/332.25	ST																												
172.19		172.14	END BRIDGE	B		LAMBERT CREEK																													
172.27		172.22	INTRSECTN	L		W CURLEW LAKE RD	CO		N																										
172.83		172.78	BEG BRIDGE	B		CURLEW CREEK BRDG NUM 021/333	ST			1	1									\$\$C	32B	\$\$C			32	4	02			R3	55	R			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
163.93		163.88	.03	11						

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																			
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL												
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	T	P	S	
60.80		60.80	BEG ROUTE			MAIN ROUTE				1	1						8A	24A	8A		24	2	01		R1					R	
			BEG CTLSEC			SR 90/VANTAGE TO SR 195																									
			CONTROL SECTION 0134																												
60.81		60.81	ON RAMP	L		SR 395	ST		Y	1	1						8A	24A	8A		24	2	01		R1		65			R	
			OFF RAMP	R		SR 395	ST		Y																						
60.93		60.93	BEG BRIDGE	B		SR 395	ST			1	1						\$\$W	40P	\$\$W		40	2	01		R1		65			R	
			BRDG NUM 026/121																												
60.98		60.98	END BRIDGE	B		SR 395				1	1						8A	24A	8A		24	2	01		R1		65			R	
61.10		61.10	OFF RAMP	L		SR 395	ST		Y																						
			ON RAMP	R		SR 395	ST		Y																						
61.47		61.47	ENT/EXIT	L		REST AREA	ST		Y																						
61.58		61.58								1	1						8B	24B	8B		24	2	01		R1		65			R	
61.75		61.75	INTRSECTN	R		PENCE RD	CO		N																						
			INTRSECTN	L		LOBE RD	CO		N																						
61.78B		61.78	BEG EQ			BEGIN BACK																									
61.78		61.86	EQUATION			061.86B=061.78				1	1						8B	22B	8B		22	2	01		R1		65			R	
61.99		62.07	MP MARKER	R		62																									
62.99		63.07	MP MARKER	R		63																									
63.64		63.72	INTRSECTN	R		HOEFEL RD	CO		N																						
63.99		64.07	MP MARKER	R		64																									
64.67		64.75	INTRSECTN	L		WILLIAMS RD	CO		N																						
64.99		65.07	MP MARKER	R		65																									
65.36		65.44	BEG BRIDGE	B		DRY WASH	ST			1	1						\$\$C	26P	\$\$C		26	2	01		R1		65			R	
			BRDG NUM 026/124																												
65.38		65.46	END BRIDGE	B		DRY WASH				1	1						8B	22B	8B		22	2	01		R1		65			R	
65.66		65.74	INTRSECTN	B		FOULKES RD	CO		N																						
65.99		66.07	MP MARKER	R		66																									
66.99		67.07	MP MARKER	R		67																									
67.99		68.07	MP MARKER	R		68																									
69.59		69.67	INTRSECTN	B		LONGMEIR RD	CO		N																						
69.99		70.07	MP MARKER	R		70																									
70.59		70.67	INTRSECTN	B		SR 21	ST		N																						
70.99		71.07	MP MARKER	R		71																									
71.99		72.07	MP MARKER	R		72																									
72.06		72.14	BEG BRIDGE	B		NEDWICKES CULVERT	ST																								

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
60.81		60.81				.04	12				
61.10		61.10						.02	12		
61.47		61.47				.03	11				

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY ADAMS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S	
72.06		72.14				BRDG NUM 026/130C				1	1						8B	22B	8B			22	2	01		R1		65	R
72.07		72.15	END BRIDGE	B		NEDWICKES CULVERT																							
72.99		73.07	MP MARKER		R	73																							
73.60		73.68	INTRSECTN		B	DEWALD RD	CO		N																				
73.99		74.07	MP MARKER		R	74																							
74.99		75.07	MP MARKER		R	75																							
75.55		75.63	INTRSECTN		B	THIEL RD	CO		N																				
75.99		76.07	MP MARKER		R	76																							
76.99		77.07	MP MARKER		R	77																							
77.56		77.64	INTRSECTN		B	MARCELLUS RD	CO		N																				
78.00		78.08	MP MARKER		R	78																							
79.00		79.08	MP MARKER		R	79																							
79.14		79.22	INTRSECTN		R	HAMPTON RD	CO		N																				
80.00		80.08	MP MARKER		R	80																							
80.27		80.35	INTRSECTN		B	SAGE RD	CO		N																				
80.83		80.91	INTRSECTN		R	GUIER RD	CO		N																				
81.00		81.08	MP MARKER		R	81																							
81.58		81.66	INTRSECTN		L	WATSON RD	CO		N																				
82.00		82.08	MP MARKER		R	82																							
82.49		82.57	INTRSECTN		L	WATSON RD	CO		N	1	1						8B	20B	8B			20	2	01		R1		65	R
82.51		82.59	MISC FEATR		R	SGN ENT WASHTUCNA																							
82.52		82.60	ENTER CITY			WASHTUCNA				1	1						8B	22B	8B			22	2	01	1390	R1		65	R B
82.99		83.07	INTRSECTN		R	SR 260	ST		Y																				
			INTRSECTN		L	SR 261	ST		Y																				
83.08		83.16	MP MARKER		R	83																							
83.21		83.29	INTRSECTN		R	SNYDER RD	CT		N																				
83.29		83.37	LEAVE CITY			WASHTUCNA				1	1						8B	22B	8B			22	2	01	\$\$\$\$	R1		65	R \$
83.56		83.64	MISC FEATR		L	SGN ENT WASHTUCNA																							
84.00		84.08	MP MARKER		R	84																							
84.14		84.22	RR XING	B		NUM 898569S STRUCTURE				1	1						\$\$W	38A	\$\$W			38	2	01		R1		65	R
			BEG BRIDGE	B		BN RR	ST																						
						BRDG NUM 026/135																							
84.17		84.25	END BRIDGE	B		BN RR				1	1						7B	24B	7B			24	2	01		R1		65	R
85.01		85.09	MP MARKER		R	85																							
86.02		86.10	MP MARKER		R	86																							
86.38		86.46	INTRSECTN		L	MULLAN RD	CO		N																				
87.00		87.08	MP MARKER		R	87																							

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
82.99		83.07		.04	12		.03	12			

SR 026 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																	
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
125.16		125.24	INTRSECTN	R		SOMMERS RD	CO	Y	1	1							4B	23B	4B			23	2	02		R1		55	R	
			INTRSECTN	L		UNION FLAT CREEK RD	CO		Y																					
125.26		125.34	BEG BRIDGE	B		UNION FLAT CREEK BRANCH	ST			1	1						\$\$C	32B	\$\$C			32	2	02		R1		55	R	
			BRDG NUM 026/277																											
125.27		125.35	END BRIDGE	B		UNION FLAT CREEK BRANCH				1	1						4B	23B	4B			23	2	02		R1		55	R	
125.86		125.94								1	1						4B	24B	4B			24	2	02		R1		55	R	
125.89		125.97	BEG BRIDGE	B		RELIEF	ST			1	1						4B	23B	4B			23	2	02		R1		55	R	
			BRDG NUM 026/278.25																											
125.90		125.98	END BRIDGE	B		RELIEF				1	1						4B	24B	4B			24	2	02		R1		55	R	
126.02		126.10	MP MARKER	R		126																								
126.05		126.13	BEG BRIDGE	B		UNION FLAT CREEK BRANCH	ST			1	1						\$\$C	32B	\$\$C			32	2	02		R1		55	R	
			BRDG NUM 026/279																											
126.06		126.14	END BRIDGE	B		UNION FLAT CREEK BRANCH				1	1						4B	24B	4B			24	2	02		R1		55	R	
126.15		126.23	INTRSECTN	R		FILAN RD	CO		N																					
127.03		127.11	MP MARKER	R		127																								
128.05		128.13	MP MARKER	R		128																								
129.07		129.15	MP MARKER	R		129																								
129.30		129.38	INTRSECTN	R		COLFAX AIRPORT RD	CO		N																					
			INTRSECTN	L		FAIRGROUNDS RD	CO		N																					
129.56		129.64	BEG BRIDGE	B		REBEL FLAT CREEK	ST			1	1						\$\$W	40B	\$\$W			40	2	02		R1		55	R	
			BRDG NUM 026/281																											
129.57		129.65	END BRIDGE	B		REBEL FLAT CREEK				1	1						4B	24B	4B			24	2	02		R1		55	R	
129.69		129.77	INTRSECTN	L		ENDICOTT RD	CO		N																					
129.72		129.80	WYE CONN	L		ENDICOTT EAST RD	CO		N																					
130.01		130.09	MP MARKER	R		130																								
131.03		131.11	MP MARKER	R		131																								
132.04		132.12	MP MARKER	R		132																								
132.05		132.13	UXING	B		UP RR	ST																							
			BRDG NUM 026/283																											
			RR XING	B		NUM 808035M STRUCTURE																								
132.15		132.23	INTRSECTN	R		WEST SUMMIT RD	CO		N																					
132.25		132.33	INTRSECTN	L		MORLEY RD	CO		N																					
132.81		132.89								1	1						4B	24B	4B			24	2	02		R1		35	R	
132.94		133.02	BEG BRIDGE	B		PALOUSE RIVER	ST			1	1						\$\$C	24A	\$\$C			24	2	02		R1		35	R	
			BRDG NUM 026/285																											
133.06		133.14	END BRIDGE	B		PALOUSE RIVER				1	1						4A	24A	4A			24	2	02		R1		35	R	

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
125.16		125.24		.03	11			.03	11		
129.30		129.38				.04	12				

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S											
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	K	T									
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY							D		I	B	R	K	T							
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	NBR	FC	D	IB	R	K	T			
0.00B	0.00		BEG ROUTE			MAIN ROUTE				1	1						6A	24A	10A		24	2	01			U1		45	R						
			BEG EQ			SR 195/PULLMAN TO SR 290																													
			BEG CTLSEC			BEGIN BACK																													
			INTRSECTN	B		CONTROL SECTION 3820																													
0.08B	0.08		INTRSECTN	L		SR 195																													
0.09B	0.09		MISC FEATR	R		HARMS RD																													
0.29B	0.29		INTRSECTN	R		SGN ENT PULLMAN				1	1						6A	24A	6A		24	2	01			U1		45	R						
0.34B	0.34		ENTER CITY	L		HARMS RD																													
0.55B	0.55		INTRSECTN	L		PULLMAN				1	1						6A	24A	6A		24	2	01	1025	U1		45	R	B						
0.79B	0.79		END CTLSEC	L		BALDWIN DR																													
			BEG CTLSEC			CONTROL SECTION 3820																													
						CONTROL SECTION 3806																													
0.87B	0.87									1	1						6A	24A	6A		24	2	01	1025	U1		35	R	B						
0.99B	0.99		MP MARKER	R		1																													
1.16B	1.16		INTRSECTN	R		FAIRMONT RD				CT	N	1	1				6A	40A	\$\$C		40	2	01	1025	U1		35	R	B						
1.17B	1.17		END CTLSEC			CONTROL SECTION 3806																													
			BEG CTLSEC			CONTROL SECTION 3820																													
1.20B	1.20		BEG SU LN	C		TWO WAY TURN				12A		1	1				6A	28A	C	12	40	2	01	1025	U1		35	R	B						
1.21B	1.21		ENT/EXIT	R		SHOPPING CENTER				PV	N																								
1.25B	1.25		END SU LN	C		TWO WAY TURN				12A		1	1				6A	40A	C	\$\$\$	40	2	01	1025	U1		35	R	B						
1.26B	1.26		BEG ST	I		S GRAND AVE						1	1				6A	40A	C		40	2	01	1025	U1		35	R	B	*					
			INTRSECTN	R		BISHOP BLVD				CT	SG	Y																							
1.30B	1.30		BEG SU LN	C		TWO WAY TURN				12A		1	1				6A	28A	C	12	40	2	01	1025	U1		35	R	B	*					
1.33B	1.33											1	1				\$\$C	34A	C	12	46	2	01	1025	U1		35	R	B	*					
1.36B	1.36		ENT/EXIT	R		BUSINESS																													
1.39B	1.39											1	1																						
1.45B	1.45											1	1				\$\$C	34A	C	12	46	2	01	1025	U1		35	R	B	*					
1.51B	1.51		ENT/EXIT	L		MOBILE HOME PARK																													
1.62B	1.62		END SU LN	C		TWO WAY TURN				12A		1	1																						
1.66B	1.66		INTRSECTN	B		CRESTVIEW ST SE																													
1.69B	1.69		BEG SU LN	C		TWO WAY TURN				11A		1	1																						
1.77B	1.77											1	1																						
1.80B	1.80		END SU LN	C		TWO WAY TURN				11A		1	1																						
1.83B	1.83		INTRSECTN	L		DAISY ST																													

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.16B	1.16				.02	11				
1.26B	1.26				.04	12				
1.36B	1.36			.06	12					
1.66B	1.66		.03	12	.03	12				
1.83B	1.83		.02	11						

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																	
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																				
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S				
1.84B	1.84		BEG SU LN	C		TWO WAY TURN											C	32A	C	11	43	2	01	1025	U1	35	R	X	*				
1.90B	1.90		END SU LN	C		TWO WAY TURN											C	43A	C	\$\$\$	43	2	01	1025	U1	35	R	X	*				
1.91B	1.91		INTRSECTN	R		ROCKY WAY	CT		Y	1	1						C	43A	C		43	2	01	1025	U1	25	R	X	*				
1.98B	1.98		INTRSECTN	L		CENTER ST SW	CT		Y																								
2.10B	2.10									1	1						C	44A	C		44	2	01	1025	U1	25	R	X	*				
2.12B	2.12		INTRSECTN	L		BLAINE ST	CT		Y	1	2						C	44A	C		44	2	01	1025	U1	25	R	B	*				
2.22B	2.22		INTRSECTN	L		SW MCKENZIE ST	CT		Y	1	1						C	53A	C		53	2	01	1025	U1	25	R	B	*				
2.27B	2.27		LEAVE CITY			PULLMAN											\$	\$\$\$	\$		\$\$\$	\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$			
			END ST	I		S GRAND AVE																											
			BEG COINCI			SR 270					MP002.40																						
			END CTLSEC			CONTROL SECTION 3820																											
			INTRSECTN	R		SR 270-PARADISE ST	ST	SG	Y																								
0.00	2.40		ENTER CITY			PULLMAN				1	2						C	56A	C		56	2	01	1025	U1	25	R	P	*				
			EQUATION			002.40B=000.00																											
			BEG CTLSEC			CONTROL SECTION 3806																											
			BEG ST	I		GRAND AVE																											
			INTRSECTN	L		SR 270-DAVIS WAY	ST	SG	Y																								
			INTRSECTN	R		OLSON ST	CT	SG	Y																								
			END COINCI			SR 270					MP002.27																						
0.01	2.41		WYE CONN	L		SR 270-DAVIS WAY	ST		Y																								
0.03	2.43									2	2						C	56A	C		56	2	01	1025	U1	25	R	P	*				
0.04	2.44		BEG SU LN	C		TWO WAY TURN				2	2						C	45A	C	11	56	2	01	1025	U1	25	R	P	*				
0.05	2.45		RR XING	B		NUM 808010S GRADE																											
0.08	2.48		BEG BRIDGE	B		S FORK PALOUSE RIVER	ST																										
			BRDG NUM 027/002																														
0.10	2.50		END BRIDGE	B		S FORK PALOUSE RIVER				2	2						C	56A	C	11	67	2	01	1025	U1	25	R	P	*				
			END SU LN	C		TWO WAY TURN					11A																						
0.13	2.53		INTRSECTN	B		WHITMAN ST	CT	SG	Y																								
0.20	2.60									2	2						C	44A	C		44	2	01	1025	U1	35	R	P	*				
0.24	2.64									2	2						C	44P	C		44	2	01	1025	U1	35	R	P	*				
0.29	2.69		BEG BRIDGE	B		MISSOURI FLAT CREEK	ST																										
			BRDG NUM 027/003																														

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.91B	1.91					.03	11				
1.98B	1.98			.03	11						
2.27B	2.27					.05	15				
0.00	2.40					.03	12				
0.01	2.41							.02	12		
0.13	2.53			.03	11			.03	11		

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----										
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC												
				D	LR	OW	TC	L	D	I	W/S	W/S	W/S	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	SPEED	T	P
0.30	2.70		END BRIDGE	B																							
0.37	2.77		INTRSECTN	L																							
0.59	2.99		INTRSECTN	L																							
0.60	3.00		BEG SU LN	C																							
0.68	3.08																										
0.71	3.11		END SU LN	C																							
0.74	3.14		INTRSECTN	B																							
0.80	3.20																										
0.85	3.25																										
0.95	3.35		INTRSECTN	L																							
1.00	3.40		MP MARKER	R																							
1.31	3.71		INTRSECTN	L																							
1.33	3.73		BEG SU LN	C																							
1.34	3.74																										
1.44	3.84		END SU LN	C																							
1.52	3.92		END ST	I																							
			BEG ST	I																							
			INTRSECTN	B																							
1.59	3.99																										
1.70	4.10																										
1.99	4.39		MP MARKER	R																							
2.20	4.60		INTRSECTN	L																							
			INTRSECTN	R																							
2.22	4.62																										
2.27	4.67		END ST	I																							
2.28	4.68		LEAVE CITY																								
2.33	4.73		MISC FEATR	L																							
3.01	5.41		MP MARKER	R																							
4.02	6.42		MP MARKER	R																							
4.60	7.00		INTRSECTN	L																							
4.70	7.10		BEG BRIDGE	B																							
4.71	7.11		END BRIDGE	B																							

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.59	2.99			.02	11						
0.74	3.14			.05	11	.02	11	.06	11		
0.95	3.35			.02	11						
1.31	3.71			.04	11						
1.52	3.92			.05	11			.04	11		

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----															
			:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																			
			: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RHT	LNS	RDY	SHD	USE	TOT																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S		
												WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
14.81	17.10		EQUATION RR XING	B		014.76 =014.81 NUM 66183E GRADE				1	1						3B	22B	3B			22	2	01	0955	R3		25	R	P		
14.93	17.22		INTRSECTN	R		PALOUSE COVE RD	CT		Y																							
14.96	17.25		MP MARKER	R		15																										
15.01	17.30		INTRSECTN	R		SHADY LN	CT		Y																							
15.03	17.32		BEG BRIDGE	B		PALOUSE RIVER BRDG NUM 027/012	ST			1	1						\$\$C	24A	\$\$C			24	2	01	0955	R3		25	R	P		
15.05	17.34		END BRIDGE	B		PALOUSE RIVER				1	1						C	60A	C			60	2	01	0955	R3		25	R	P		
15.06	17.35									1	1						C	60A	C			60	2	01	0955	R3		25	R	B		
15.08	17.37		BEG ST	I		BRIDGE ST				1	1						C	60A	C			60	2	01	0955	R3		25	R	B	*	
			INTRSECTN	L		MAIN ST	CT		AF	Y																						
			INTRSECTN	R		SR 272	ST		AF	Y																						
15.14	17.43		INTRSECTN	B		WHITMAN ST	CT		Y																							
			RR XING	B		NUM 857869B GRADE																										
15.15	17.44																C	60A	C			60	2	01	0955	R3		25	R	P	*	
15.16	17.45		INTRSECTN	R		BRIDGE ST	CT		Y	1	1						C	27A	C			27	2	01	0955	R3		25	R	P	*	
15.29	17.58		INTRSECTN	L		N DIVISION ST	CT		Y																							
15.33	17.62		END ST	I		BRIDGE ST																										
			BEG ST	I		DIVISION																										
			INTRSECTN	L		SR 272	ST		Y																							
			INTRSECTN	R		CHURCH ST	CT		Y																							
15.38	17.67		INTRSECTN	R		ALDER ST	CT		Y																							
15.44	17.73		INTRSECTN	R		MOHR ST	CT		Y																							
15.46	17.75																2A	26A	C			26	2	01	0955	R3		25	R	P	*	
15.50	17.79		END ST	I		DIVISION				1	1						2A	26A	C			26	2	01	0955	R3		35	R	P	\$	
			INTRSECTN	R		CANNON ST	CT		Y																							
15.51	17.80									1	1						3G	24A	3G			24	2	01	0955	R3		35	R	P		
15.52	17.81									1	1						3G	24B	3G			24	2	01	0955	R3		35	R	P		
15.70	17.99		MISC FEATR	L		SGN ENT PALOUSE																										
15.71	18.00		INTRSECTN	R		TIDWELL RD #1570	CT		N																							
15.72	18.01									1	1						4G	24B	4G			24	2	01	0955	R3		35	R	P		
15.77	18.06		LEAVE CITY			PALOUSE				1	1						4G	22B	4G			22	2	01	\$\$\$\$	R3		55	R	\$		
16.00	18.29		MP MARKER	R		16																										
16.90	19.19		INTRSECTN	R		TIDWELL RD #1570	CO		N																							
17.00	19.29		MP MARKER	R		17																										
18.00	20.29		MP MARKER	R		18																										
18.72	21.01		INTRSECTN	R		B HOWARD RD #1550	CO		N																							
18.99	21.28		MP MARKER	R		19																										
19.55	21.84		INTRSECTN	R		GRINNELL RD #1490	CO		N																							
19.64	21.93		INTRSECTN	R		LADOW BUTTE RD #1500	CO		N																							
20.01	22.30		MP MARKER	R		20																										
20.21	22.50		INTRSECTN	L		ALTERGOTT RD #2420	CO		N																							
20.27	22.56		BEG BRIDGE	B		CEDAR CREEK	ST			1	1						\$\$C	26B	\$\$C			26	2	01		R3		55	R			

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC															
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT															
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY															
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
																					NBR	FC	D	IB	R	K	T	
20.27	22.56			BRDG NUM 027/016				1	1					C	26B	C		26	2	01		R3		55	R			
20.28	22.57	END BRIDGE	B	CEDAR CREEK				1	1					4G	22B	4G		22	2	01		R3		55	R			
20.99	23.28	MP MARKER	R	21																								
21.99	24.28	MP MARKER	R	22																								
22.97	25.26	INTRSECTN	L	SUNRISE RD #2440	CO		N																					
23.01	25.30	MP MARKER	R	23																								
23.03	25.32	INTRSECTN	R	HEMMINGWAY RD #1520	CO		N																					
23.54	25.83	INTRSECTN	R	BAILEY RD #1510	CO		N																					
23.76	26.05	BEG BRIDGE	B	SILVER CREEK	ST			1	1					\$\$C	24B	\$\$C		24	2	01		R3		55	R			
				BRDG NUM 027/018																								
23.77	26.06	END BRIDGE	B	SILVER CREEK				1	1					4G	22B	4G		22	2	01		R3		55	R			
23.78	26.07	ENTER CITY		GARFIELD				1	1					4G	22B	4G		22	2	02	0480	R3		55	R	P		
23.87	26.16	MISC FEATR	R	SGN ENT GARFIELD																								
23.89	26.18							1	1					4G	22B	4G		22	2	02	0480	R3		25	R	P		
23.92	26.21	INTRSECTN	R	GARFIELD FARMINGTON RD	CT		N																					
23.99B	26.28	BEG EQ		BEGIN BACK																								
24.03B	26.32	INTRSECTN	R	WALTER SIDING RD	CT		Y																					
23.99	26.33	EQUATION		024.04B=023.99				1	1					10G	22A	10G		22	2	02	0480	R3		25	R	B		
		RR XING	B	NUM 58609C GRADE																								
24.00	26.34	MP MARKER	R	24																								
24.10	26.44	BEG ST	I	MAIN				1	1					10G	23A	10G		23	2	02	0480	R3		25	R	B	*	
		INTRSECTN	B	B ST	CT		Y																					
24.22	26.56	INTRSECTN	B	1ST ST	CT		Y																					
24.27	26.61	INTRSECTN	R	2ND ST	CT		Y																					
24.32	26.66	INTRSECTN	B	3RD ST	CT		Y																					
24.35	26.69	END ST	I	MAIN																								
		BEG ST	I	4TH ST																								
		INTRSECTN	L	MAIN ST	CT	YS	Y																					
		INTRSECTN	L	4TH ST	CT	YS	Y																					
24.42	26.76	INTRSECTN	B	CALIFORNIA ST	CT		Y	1	1					5G	23A	5G		23	2	02	0480	R3		25	R	B	*	
24.47	26.81	INTRSECTN	L	UNION ST	CT		Y																					
24.53	26.87	INTRSECTN	B	SPOKANE ST	CT		Y	1	1					1G	23A	2G		23	2	02	0480	R3		25	R	B	*	
24.55	26.89	BEG SU LN	R	BICYCLE	05A			1	1					1G	23A	2G	5	28	2	02	0480	R3		25	R	B	*	
24.59	26.93	INTRSECTN	R	LINCOLN ST	CT		N																					
24.64	26.98	INTRSECTN	B	ADAMS ST	CT		Y																					
24.72	27.06	END SU LN	R	BICYCLE	05A			1	1					1G	23A	2G	\$\$\$	23	2	02	0480	R3		25	R	B	*	
24.74	27.08	END ST	I	4TH ST				1	1					3B	22A	3B		22	2	02	0480	R3		25	R	B	\$	
		INTRSECTN	L	MANRING ST	CT		Y																					
24.78	27.12							1	1					3B	22B	3B		22	2	02	0480	R3		25	R	B		
24.88	27.22	LEAVE CITY		GARFIELD				1	1					3B	22B	3B		22	2	02	\$\$\$\$	R3		55	R	\$		
		MISC FEATR	L	SGN ENT GARFIELD																								
25.00	27.34	MP MARKER	R	25																								
25.57	27.91	RR XING	B	NUM 58604T STRUCTURE				1	1					\$\$W	32B	\$\$W		32	2	02		R3		55	R			

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																	
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S		
68.92	71.22		INTRSECTN	R		W LAKE ST	CT		N	1	1						8B	22B	8B		22	1	02	1100	R3		55	R	P	
68.95	71.25		INTRSECTN	R		SR 278-EMMA ST	ST		Y																					
69.00	71.30		MP MARKER	R		69																								
69.01	71.31		UXING	B		UP RR	ST																							
			RR XING	B		BRDG NUM 027/111 NUM 807942K STRUCTURE																								
69.05	71.35		INTRSECTN	R		PVT RD	PV		N																					
69.11	71.41		INTRSECTN	R		LEE ST	CT		N																					
69.17	71.47		BEG BRIDGE	B		ROCK CREEK	ST			1	1						\$\$C	26B	\$\$C		26	1	02	1100	R3		55	R	P	
			BRDG NUM 027/112			ROCK CREEK				1	1						8B	22B	8B		22	1	02	1100	R3		55	R	P	
69.20	71.50		END BRIDGE	B		ROCK CREEK				1	1						8B	22B	8B		22	1	02	1100	R3		55	R	P	
69.22	71.52		LEAVE CITY			ROCKFORD				1	1						8B	22B	8B		22	1	02	\$\$\$R	R3		55	R	\$	
69.28	71.58		MISC FEATR	L		SGN ENT ROCKFORD																								
69.95	72.25		INTRSECTN	L		CAMERON RD	CO		N																					
70.00	72.30		MP MARKER	R		70																								
71.00	73.30		MP MARKER	R		71																								
71.03	73.33		INTRSECTN	L		BAKER RD	CO		N																					
72.00	74.30		MP MARKER	R		72																								
73.00	75.30		MP MARKER	R		73																								
73.03	75.33		INTRSECTN	R		ELDER RD	CO		Y																					
73.18	75.48		INTRSECTN	R		E NORSKI RD	CO		N																					
73.95	76.25		INTRSECTN	L		ELDER RD	CO		N																					
74.00	76.30		MP MARKER	R		74																								
74.04	76.34		INTRSECTN	R		CHAPMAN RD	CO		N																					
74.90	77.20		INTRSECTN	R		1ST AVE	CO		N																					
75.01	77.31		MP MARKER	R		75																								
75.02	77.32		INTRSECTN	L		PROSPECT AVE	CO		N																					
75.05	77.35		MISC FEATR	R		SGN ENT FREEMAN																								
75.07	77.37									1	1						8A	22A	8A		22	1	02		R3		55	R		
75.29	77.59		INTRSECTN	L		JACKSON RD	CO		Y																					
75.39	77.69		INTRSECTN	L		STOUGHTON RD	CO		Y																					
75.41	77.71		WYE CONN	R		STOUGHTON RD	CO		N	1	1						8B	22B	8B		22	1	02		R3		55	R		
75.45	77.75		INTRSECTN	R		STOUGHTON RD	CO		N																					
75.46	77.76		MISC FEATR	L		SGN ENT FREEMAN																								
75.95	78.25		INTRSECTN	R		WASHINGTON RD	CO		N																					
76.00	78.30		MP MARKER	R		76																								

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
73.03	75.33					.04	11				
75.29	77.59			.04	13			.05	12		

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC							LEGAL		T P S									
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R K T							
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		CITY		ST		D		IB		R K T				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
82.70		85.00								1	1						8B	22B	8B		22	1	02		U2		45	R			
82.96		85.26								1	2						8B	36B	8B		36	1	02		U2		45	R			
83.00		85.30	MP MARKER	R		83																									
83.02		85.32								2	2						8B	48B	8B		48	1	02		U2		45	R			
83.05		85.35	ENT/EXIT	R		BUSINESS	PV		Y																						
83.06		85.36	ENT FROM	R		BUSINESS	PV		Y																						
83.10		85.40								2	2						8A	48A	8A		48	1	02		U2		45	R			
83.14		85.44	ENTER CITY			SPOKANE VALLEY				2	2						8A	48A	8A		48	1	02	1221	U2		45	R	B		
83.15		85.45	INTRSECTN	B		32ND AVE	CT	SG	Y	2	2						8A	51A	9A		51	1	02	1221	U1		45	R	B		
83.19		85.49								2	2	9A	23A		13A UP		\$\$\$	23A	10A		46	1	02	1221	U1		45	R	B		
83.40		85.70	INTRSECTN	B		28TH AVE	CT		Y																						
			INTRSECTN	C		MEDIAN XROAD	ST		Y																						
83.72		86.02	INTRSECTN	L		25TH AVE	CT		Y	2	2	\$\$\$	\$\$\$		\$\$\$\$	\$\$	8A	50A	8A		50	1	02	1221	U1		45	R	B		
			INTRSECTN	R		24TH AVE	CT		Y																						
			INTRSECTN	C		MEDIAN XROAD	ST		Y																						
83.96		86.26	MP MARKER	R		84																									
84.33		86.63								2	2						8A	50A	8A		50	1	02	1221	U1		35	R	B		
84.43		86.73	INTRSECTN	B		16TH AVE	CT	SG	Y	2	2					\$\$C	66A	8A		66	1	02	1221	U1		35	R	R			
84.49		86.79	INTRSECTN	L		PINES RD SB	CT		Y																						
84.51		86.81	INTRSECTN	R		SALTESE RD NB	CT		Y	2	2					C	61A	\$\$C		61	1	02	1221	U1		35	R	P			
84.56		86.86	BEG SU LN	C		TWO WAY TURN				2	2					C	48A	C	13	61	1	02	1221	U1		35	R	P			
			INTRSECTN	R		14TH AVE	CT		Y																						
84.68		86.98	INTRSECTN	B		12TH AVE	CT		Y																						
84.81		87.11	INTRSECTN	L		10TH AVE	CT		Y																						
84.83		87.13	MP MARKER	R		85																									
84.87		87.17	INTRSECTN	L		9TH AVE	CT		Y																						
84.94		87.24	INTRSECTN	B		8TH AVE	CT		Y																						
85.06		87.36	INTRSECTN	L		6TH AVE	CT		Y																						
85.19		87.49	INTRSECTN	B		4TH AVE	CT		Y																						
85.25		87.55	INTRSECTN	R		3RD AVE	CT		Y																						
85.33		87.63	END SU LN	C		TWO WAY TURN				2	2					C	61A	C	\$\$\$	61	1	02	1221	U1		35	R	P			
85.36		87.66	INTRSECTN	B		1ST AVE	CT		Y																						

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
83.05		85.35									
83.15		85.45		.04	13						
83.40		85.70		.04	13						
83.72		86.02		.04	13						
84.43		86.73		.04	13						
85.36		87.66		.02	13						

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																	
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S				
																			A	SE	NBR	FC	D	IB	R	K	T		
85.37	87.67							2	2					C	61A	C		61	1	02	1221	U1		35	R	P			
85.44	87.74	INTRSECTN	B	SPRAGUE AVE	CT	SG	Y																						
85.53	87.83	INTRSECTN	R	RIVERSIDE AVE	CT		Y																						
85.57	87.87	INTRSECTN	B	MAIN AVE	CT		Y																						
85.61	87.91	BEG SU LN	C	TWO WAY TURN				2	2					C	48A	C	13	61	1	02	1221	U1		35	R	P			
85.70	88.00	INTRSECTN	B	VALLEY WAY	CT		Y																						
85.77	88.07	INTRSECTN	R	OLIVE AVE	CT		Y																						
85.82	88.12	INTRSECTN	L	ALKI AVE	CT		Y																						
85.87	88.17	END SU LN	C	TWO WAY TURN				2	2					C	61A	C	\$\$\$	61	1	02	1221	U1		35	R	P			
85.94	88.24	INTRSECTN	B	BROADWAY AVE	CT	SG	Y																						
86.01	88.31	MP MARKER	R	86																									
86.02	88.32	BEG SU LN	C	TWO WAY TURN				2	2					C	48A	C	13	61	1	02	1221	U1		35	R	P			
86.06	88.36	INTRSECTN	L	CATALDO DR	CT		Y																						
86.13	88.43	INTRSECTN	R	DESMET AVE	CT		Y																						
86.19	88.49	INTRSECTN	B	BOONE AVE	CT		Y																						
86.32	88.62	INTRSECTN	R	SINTO AVE	CT		Y																						
86.38	88.68	END SU LN	C	TWO WAY TURN				2	2		C	30A		1A	CU		\$	30A	C	\$\$\$	60	1	02	1221	U1		35	R	P
		INTRSECTN	B	MAXWELL AVE	CT		Y																						
86.45	88.75	INTRSECTN	B	MISSION AVE	CT	SG	Y	2	2		C	50A		1A	CU			24A	C		74	1	02	1221	U1		35	R	P
86.49	88.79							2	2		2A	50A		1A	CU	8		24A	C		74	1	02	1221	U1		35	R	P
86.51	88.81	INTRSECTN	R	NORA AVE	CT		Y	2	2		10A	50A		1A	CU	8		24A	C		74	1	02	1221	U1		35	R	P
86.53	88.83	ON RAMP	L	SR 90 EB	ST	SG	Y																						
86.54	88.84	OFF RAMP	R	SR 90 EB	ST	SG	Y	2	2		10A	38A		1A	CU	10		34A	C		72	1	02	1221	U1		35	R	P
		WYE CONN	L	SR 90 EB ON RAMP	ST	SG	Y																						
86.61	88.91	BEG BRIDGE I		SR 90	ST			2	2		\$\$W	32A	W	60	\$\$	\$\$W	44A	W			76	1	02	1221	U1		35	R	P
				BRDG NUM 027/124E																									
		BEG BRIDGE D		SR 90	ST																								
				BRDG NUM 027/124W																									
86.63	88.93	END BRIDGE I		SR 90				2	2		10A	27A	\$	8A	CU		\$	48A	C		75	1	02	1221	U1		35	R	P
		END BRIDGE D		SR 90																									
86.69	88.99							2	2		10A	27A		8A	CU			75A	C		102	1	02	1221	U1		35	R	P
86.70	89.00	WYE CONN	R	INDIANA AVE	CT		Y																						

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
85.44	87.74	.06	11						
85.57	87.87	.02	13						
85.94	88.24	.05	11						
86.38	88.68								
86.45	88.75	.03	11						
86.54	88.84								
86.70	89.00			.04	14				

SR 027 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																			
:DIRECTION TO INVENTORY				-BRIDGE-			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL																
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT					SPEED																
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY					T P S																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	NBR	ST	FC	D	IB	R	K	T				
86.72		89.02	OFF RAMP	L		SR 90 WB	ST	SG	Y	2	2	10A	27A		8A	CU				65A		C					92	1	02	1221	U1		35	R	P	
			INTRSECTN	L		MONTGOMERY DR	CT	SG	Y																											
			INTRSECTN	R		INDIANA AVE	CT	SG	Y																											
86.73		89.03	WYE CONN	R		INDIANA AVE	CT		Y																											
			WYE CONN	L		MONTGOMERY DR	CT		Y																											
86.74		89.04	RR XING	B		NUM 662519S GRADE																														
86.75		89.05								2	2	\$\$\$	\$\$\$		\$\$\$\$	\$\$				C	60A		C				60	1	02	1221	U1		35	R	P	
86.78		89.08	BEG SU LN	C		TWO WAY TURN		11A		2	2								C	49A		C	11			60	1	02	1221	U1		35	R	P		
86.85		89.15	END SU LN	C		TWO WAY TURN		11A		2	2								C	60A		C	\$\$\$			60	1	02	1221	U1		35	R	P		
			INTRSECTN	B		MANSFIELD AVE	CT		Y																											
86.96		89.26								2	2								C	48A		C				48	1	02	1221	U1		35	R	P		
87.00		89.30	MP MARKER	R		87																														
87.14		89.44	INTRSECTN	L		MARIETTA AVE	CT		Y																											
87.24		89.54	INTRSECTN	L		BUCKEYE AVE	CT		Y																											
87.30		89.60	INTRSECTN	B		GRACE AVE	CT		Y																											
87.38		89.68								2	2								C	60A		C				60	1	02	1221	U1		35	R	P		
87.46		89.76	INTRSECTN	R		MIRABEAU PKWY	CT		Y																											
			ENT/EXIT	L		TRENT ELEMENTARY SCHOOL	CT		Y																											
87.53		89.83	BEG SU LN	C		TWO WAY TURN		12A		2	2								C	48A		C	12			60	1	02	1221	U1		35	R	P		
87.56		89.86	EXIT TO	R		PINECROFT WAY	CT		Y																											
87.57		89.87	ENT FROM	R		PINECROFT WAY	CT		Y																											
87.59		89.89	END SU LN	C		TWO WAY TURN		12A		2	2								C	48A		C	\$\$\$			48	1	02	1221	U1		35	R	P		
87.65		89.95	RR XING	B		NUM 066367E GRADE																														
87.68		89.98	WYE CONN	L		SR 290	ST		Y	1	2								C	36A		C				36	1	02	1221	U1		35	R	P		
87.70		90.00	INTRSECTN	B		SR 290	ST	SG	Y																											
			END CTLSEC			CONTROL SECTION 3230																														
			END ROUTE																																	

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
86.72	89.02	.03	13						
86.85	89.15			.03	11				
87.46	89.76	.02	12						

SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																				
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																								
: :				-XROAD-			LNS SHD RDY SHD			MEDIAN-			LNS RDY																								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S									
																						A	SE	NBR	FC	D	IB	R	K	T							
103.91	107.98		INTRSECTN	L		CARLSON RD	CO		N	1	1						6B	22B	6B		22	3	02		R2		60	R									
104.01	108.08		MP MARKER	R		104																															
104.47	108.54		INTRSECTN	R		LOWE RD	CO		N	1	1						6B	22B	6B		22	3	01		R2		60	R									
105.02	109.09		MP MARKER	R		105																															
105.19	109.26		INTRSECTN	L		DUCK LAKE LAMONA RD	CO		N																												
105.61	109.68		INTRSECTN	R		COAL COULEE RD	CO		N																												
106.01	110.08		MP MARKER	R		106																															
106.59	110.66		INTRSECTN	B		KAPUTA RD E	CO		N																												
107.02	111.09		MP MARKER	R		107																															
108.01	112.08		MP MARKER	R		108																															
108.70	112.77		INTRSECTN	B		DOGGETT RD	CO		N																												
109.01	113.08		MP MARKER	R		109																															
109.87	113.94		INTRSECTN	L		SALO RD	CO		N																												
			INTRSECTN	R		MOHLER RD	CO		N																												
110.00	114.07		MP MARKER	R		110																															
111.01	115.08		MP MARKER	R		111																															
111.45	115.52		INTRSECTN	B		KUPER RD	CO		N																												
112.00	116.07		MP MARKER	R		112																															
113.00	117.07		MP MARKER	R		113																															
114.00	118.07		MP MARKER	R		114																															
115.00	119.07		MP MARKER	R		115																															
115.41	119.48		INTRSECTN	L		DUCK LAKE RD	CO		N																												
			INTRSECTN	R		BETHEL RD	CO		N																												
116.00	120.07		MP MARKER	R		116																															
116.58	120.65		INTRSECTN	R		BETHEL RD	CO		N																												
117.01	121.08		MP MARKER	R		117																															
117.10	121.17		INTRSECTN	L		TIMM RD	CO		N																												
117.28	121.35		BEG BRIDGE	B		DRY RUN	ST			1	1						\$\$C	32B	\$\$C		32	3	01		R2		60	R									
						BRDG NUM 028/216																															
117.29	121.36		END BRIDGE	B		DRY RUN				1	1						6B	22B	6B		22	3	01		R2		60	R									
117.64	121.71		ENTER CITY			HARRINGTON				1	1						6B	22B	6B		22	3	01	0545	R2		45	R	B								
			MISC FEATR	R		SGN ENT HARRINGTON																															
117.70	121.77		INTRSECTN	R		MAIN ST	CT		Y	1	1						8B	22B	8B		22	3	01	0545	R2		45	L	B								
117.73	121.80		WYE CONN	R		MAIN ST	CT		Y																												
117.98	122.05		INTRSECTN	R		W LINDEN ST	CT		Y																												
			INTRSECTN	L		ROCKLYN RD	CT		Y																												
118.00	122.07		MP MARKER	R		118																															
118.02	122.09		BEG BRIDGE	B		COAL CREEK	ST			1	1						\$\$C	39B	\$\$C		39	3	01	0545	R2		45	L	P								
						BRDG NUM 028/218C																															
118.03	122.10		END BRIDGE	B		COAL CREEK				1	1						8B	22B	8B		22	3	01	0545	R2		45	L	B								
118.12	122.19		INTRSECTN	R		SR 23	ST		Y																												
118.17	122.24		MISC FEATR	L		SGN ENT HARRINGTON																															
118.30	122.37		LEAVE CITY			HARRINGTON				1	1						8B	22B	8B		22	3	01	\$\$\$\$	R2		45	L	\$								

SR 028 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																	
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																				
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																				
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
131.00		135.07															7A	24A	7A			24	3	01	0310	R2		30	L	B	*	
131.01		135.08	INTRSECTN	B		MARSHALL ST	CT		Y																							
131.06		135.13	INTRSECTN	B		MERRIEM ST	CT		Y																							
131.12		135.19	INTRSECTN	B		PARK ST	CT		Y																							
131.18		135.25	END ST	I		TWELFTH ST																										
			INTRSECTN	B		SR 2	ST	RF	Y																							
			END CTLSEC			CONTROL SECTION 2205																										
			END ROUTE																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
131.18		135.25				.03	12				

SR 031 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																				
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC				LEGAL		T		P		S									
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		TOT																	
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		MTCE		CITY		ST		SPEED		T		P		S			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
14.40		14.40	INTRSECTN	L		LEHIGH ST	CT		Y	1	1						4A	22A	4A		22	4	01	0775	R2		25	R	P			
14.42		14.42	LEAVE CITY			METALINE FALLS				1	1						4A	22A	4A		22	4	01	\$\$\$\$	R2		35	R	\$			
14.52		14.52	MISC FEATR	L		SGN ENT METALINE FALLS																										
14.79		14.79	BEG BRIDGE	B		SULLIVAN CREEK	ST			1	1						\$\$C	22A	\$\$C		22	4	01		R2		35	M				
			BRDG NUM 031/038																													
14.82		14.82	END BRIDGE	B		SULLIVAN CREEK				1	1						4A	22A	4A		22	4	01		R2		35	M				
15.00		15.00	MP MARKER	R		15																										
15.23		15.23	INTRSECTN	L		LARSEN BLVD	CO			N																						
15.77		15.77	INTRSECTN	R		OLD SULLIVAN LAKE RD	CO			N																						
15.79		15.79	WYE CONN	R		OLD SULLIVAN LAKE RD	CO			N																						
15.82		15.82	INTRSECTN	L		GRANDVIEW FLAT RD	CO			N																						
15.99		15.99	MP MARKER	R		16																										
16.37		16.37	INTRSECTN	R		SULLIVAN LAKE RD	CO			N	1	1					4A	22A	4A		22	4	01		R2		55	M				
16.42		16.42	BEG SU LN	R		CHAIN UP		12A			1	1					4A	22A	\$\$\$	12	34	4	01		R2		55	M				
16.43		16.43	INTRSECTN	L		PEND OREILLE MINE RD	CO			N																						
16.46		16.46									1	1					2B	22B		12	34	4	01		R2		55	M				
16.56		16.56	END SU LN	R		CHAIN UP		12A			1	1					2B	22B	2B	\$\$\$	22	4	01		R2		55	M				
16.99		16.99	MP MARKER	R		17																										
17.98		17.98	MP MARKER	R		18																										
18.98		18.98	MP MARKER	R		19																										
19.57		19.57	MISC FEATR	R		SGN ENT COLVILLE NAT FOR																										
19.66		19.66									1	1					37B	22B	2B		22	4	01		R2		55	M				
19.83		19.83									1	1					2B	22B	2B		22	4	01		R2		55	M				
19.98		19.98	MP MARKER	R		20																										
20.62		20.62	INTRSECTN	R		HALLIDAY TRAIL RD	CO			N																						
20.98		20.98	MP MARKER	R		21																										
21.04		21.04	BEG BRIDGE	B		SLATE CREEK	ST				1	1					\$\$C	27B	\$\$C		27	4	01		R2		55	M				
			BRDG NUM 031/042																													
21.08		21.08	END BRIDGE	B		SLATE CREEK					1	1					2B	22B	2B		22	4	01		R2		55	M				
21.28		21.28	INTRSECTN	R		FS RD #3100250	FS			N																						
21.76		21.76	INTRSECTN	R		SLATE CREEK RD	CO			N																						
21.82		21.82	INTRSECTN	L		FS RD #190	FS			N																						
22.00		22.00	MP MARKER	R		22																										
23.00		23.00	MP MARKER	R		23																										
23.98		23.98	INTRSECTN	R		FS RD #316	FS			N																						
23.99		23.99	MP MARKER	R		24																										
			INTRSECTN	L		FS RD #319	FS			N																						
25.00		25.00	MP MARKER	R		25																										
25.74		25.74	INTRSECTN	L		EAST SIDE ACCESS RD	CO			N																						
26.00		26.00	MP MARKER	R		26																										
26.32		26.32	MISC FEATR	R		SGN LEAVING COL NATL FOR																										
26.52		26.52									1	1					2B	22B	2B		22	4	01		R2		25	M				
26.73		26.73									1	1					2A	22A	2A		22	4	01		R2		25	M				

SR 041 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS----										
		:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC												
		: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT												
		: :				-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY									
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S
0.00	0.00	BEG ROUTE		MAIN ROUTE				1	1						C 44A	C		44	1	02	0860	R2		35	R	P	*
		ENTER CITY		SR 2 TO IDAHO STATE LINE																							
		BEG CTLSEC		NEWPORT																							
		BEG ST	I	STATE AVE																							
		INTRSECTN	L	IDAHO HWY 2-WALNUT ST				CT	SG	Y																	
		INTRSECTN	R	SR 2				ST	SG	Y																	
0.07	0.07	INTRSECTN	L	E 3RD N				CT		N																	
0.08	0.08	BEG SU LN	C	TWO WAY TURN		12A		1	1						C 32A	C	12	44	1	02	0860	R2		35	R	P	*
0.14	0.14	INTRSECTN	R	PINE ST				CT		Y																	
		INTRSECTN	L	E 2ND N				CT		Y																	
0.20	0.20	INTRSECTN	L	N WASHINGTON AVE				CT		N																	
		INTRSECTN	R	1ST ST				CT		N																	
0.21	0.21	END SU LN	C	TWO WAY TURN		12A		1	1						C 44A	C	\$\$\$	44	1	02	0860	R2		35	R	P	*
0.31	0.31	RR XING	B	NUM 0000000 STRUCTURE				1	1						C 28A	C		28	1	02	0860	R2		35	R	P	*
		BEG BRIDGE	B	BN RR				ST																			
				BRDG NUM 041/010																							
0.34	0.34	END BRIDGE	B	BN RR				1	1						C 40A	C		40	1	02	0860	R2		35	R	P	*
0.41	0.41	END ST	I	STATE AVE																							
		INTRSECTN	R	4TH ST				CT		Y																	
		INTRSECTN	L	E 4TH S				CT		Y																	
		END CTLSEC		CONTROL SECTION 2602																							
		END ROUTE																									

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
0.00	0.00								
0.41	0.41	.02	11						

SR 090 MAINLINE

INTERSTATE - ISSH

COUNTY LINCOLN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS-----									
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC													
		: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT			USE TOT													
		: :		-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY													
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	LEGAL	T	P	S
239.11	236.82	ENTER CO BEG CTLSEC MISC FEATR MISC FEATR		LINCOLN CONTROL SECTION 2201 SGN ENT LINCOLN COUNTY SGN ENT ADAMS COUNTY				2 2	10A	24A	4A	68S	DE	4A	24A	10A		48	3	02		R5		70	R	
239.36	237.07							2 2	10A	24A	4A	68S	GR	4A	24A	10A		48	3	02		R5		70	R	
239.60	237.31							2 2	10A	24A	4A	68S	DE	4A	24A	10A		48	3	02		R5		70	R	
239.69	237.40							2 2	10A	24A	4A	68S	GR	4A	24A	10A		48	3	02		R5		70	R	
239.82	237.53							2 2	10A	24A	4A	68S	DE	4A	24A	10A		48	3	02		R5		70	R	
239.90	237.61	MP MARKER	B	240																						
239.99	237.70							2 2	10A	24A	4A	450S	DE	4A	24A	10A		48	3	02		R5		70	R	
240.59	238.30							2 2	10A	24A	4A	180S	DE	4A	24A	10A		48	3	02		R5		70	R	
240.90	238.61	MP MARKER	B	241																						
241.27	238.98	MED XING	C	OFFICIAL																						
241.61	239.32	EXIT TO	R	REST AREA									ST		Y											
241.81	239.52	ENT FROM	L	REST AREA									ST		Y											
241.86	239.57	REST AREA	R	SPRAGUE LAKE CS 220192 T631 MAJOR																						
241.90	239.61	MP MARKER	B	242																						
242.25	239.96	REST AREA	L	SPRAGUE LAKE CS 220191 T632 MAJOR																						
242.29	240.00	ENT FROM	R	REST AREA									ST		Y											
242.39	240.10							2 2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02		R5		70	R	
242.57	240.28	EXIT TO	L	REST AREA									ST		Y											
242.61	240.32							2 2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02		R5		70	R	
242.66	240.37	BEG BRIDGE	I	SPRAGUE RD BRDG NUM 090/403S				2 2	\$\$C	38P	\$\$C	75O	\$\$	\$\$C	38P	\$\$C		76	3	02		R5		70	R	
		BEG BRIDGE	D	SPRAGUE RD BRDG NUM 090/403N									ST													
242.68	240.39	END BRIDGE	I	SPRAGUE RD				2 2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02		R5		70	R	
		END BRIDGE	D	SPRAGUE RD																						
242.72	240.43							2 2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02		R5		70	R	
242.75	240.46	MED XING	C	OFFICIAL																						
242.90	240.61	MP MARKER	B	243																						
243.91	241.62	MP MARKER	B	244																						
244.80	242.51	MED XING	C	OFFICIAL																						
244.86	242.57	ON RAMP	L	SR 23									ST		Y											
244.91	242.62	MP MARKER	B	245																						
244.95	242.66	ENTER CITY		SPRAGUE				2 2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02	1225	R5		70	R P	
245.04	242.75	OFF RAMP	R	SR 23									ST		Y											
245.06	242.77	MISC FEATR	L	GORE (S124486)																						
245.12	242.83	LEAVE CITY		SPRAGUE				2 2	10A	24A	4A	75S	DE	4A	24A	10A		48	3	02	\$\$\$\$	R5		70	R \$	
		MISC FEATR	R	GORE (P124504)																						
245.21	242.92							2 2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02		R5		70	R	
245.25	242.96	ENTER CITY		SPRAGUE				2 2	10A	24A	4A	75S	BE	4A	24A	10A		48	3	02	1225	R5		70	R P	

SR 090 MAINLINE INTERSTATE - ISSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																		
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY																		
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S			
279.35		277.06	UXING	B		SR 195 NB BRDG NUM 195/124E	ST			3	3	10P	36P		22P	JE				36P	10P	12	84	1	01	1220	U5	60	R	P	
279.38		277.09	END SU LN ON RAMP	L		WEAVING/SPEED CHANGE 12P SR 195	ST		Y	3	3	10P	36P		22P	JE				36P	10P	\$\$\$	72	1	01	1220	U5	60	R	P	
279.40		277.11	MISC FEATR	L		GORE (S527938)																									
279.44		277.15	MISC FEATR	R		GORE (Q127953)																									
279.47		277.18	MISC FEATR	L		GORE (R127955)																									
279.49		277.20	BEG BRIDGE	I		LATAH CREEK BRDG NUM 090/540S	ST			3	3	\$\$C	44P		200	\$\$				C	44P	\$\$C		88	1	01	1220	U5	60	R	P
			BEG BRIDGE	D		LATAH CREEK BRDG NUM 090/540N	ST																								
279.53		277.24	ON RAMP	R		SR 195	ST		Y																						
279.55		277.26	OFF RAMP	L		SR 195	ST		Y																						
279.72		277.43	END BRIDGE	I		LATAH CREEK				3	3	10P	36P		20P	JE				\$	36P	10P		72	1	01	1220	U5	60	R	P
			END BRIDGE	D		LATAH CREEK																									
279.76		277.47	UXING	B		BN RR BRDG NUM 090/541	ST																								
			RR XING	B		NUM 65963B STRUCTURE																									
279.79		277.50	OFF RAMP	R		MAPLE ST*WALNUT ST	ST		Y																						
279.88		277.59	ON RAMP	L		MAPLE ST	ST		Y																						
279.98		277.69	MP MARKER	B		280																									
280.04		277.75	MISC FEATR	R		GORE (P127979)				3	3	10P	36P		10P	JE					36P	10P		72	1	01	1220	U5	60	R	P
280.05		277.76	MISC FEATR	L		GORE (S127988)																									
280.16		277.87	ON RAMP	L		JEFFERSON ST	ST		Y	3	3	\$\$C	46P		4P	JE					46P	\$\$C		92	1	01	1220	U5	60	R	P
			BEG BRIDGE	B		SPOKANE VIADUCT BRDG NUM 090/545	ST																								
280.29		278.00	MISC FEATR	L		GORE (S128016)																									
280.41		278.12	MISC FEATR	R		GORE (Q128047)																									
280.47		278.18	ON RAMP	R		FREEWAY AVE S*WALNUT ST	ST		Y																						
280.50		278.21	MISC FEATR	L		GORE (R128072)																									
280.54		278.25	MISC FEATR	R		GORE (Q528055)																									
280.55		278.26	BEG SU LN ON RAMP	R		WEAVING/SPEED CHANGE 12P MONROE ST	ST		Y	3	4	C	46P		4P	JE					58P	C	12	116	1	01	1220	U5	60	R	P
280.71		278.42	END BRIDGE	B		SPOKANE VIADUCT																									
280.72		278.43	OFF RAMP	L		4TH AVE*WALNUT ST	ST		Y																						
280.80		278.51	BEG BRIDGE	B		SPOKANE VIADUCT BRDG NUM 090/546	ST																								
280.85		278.56	MISC FEATR	L		GORE (R128093)																									
280.93		278.64	BEG SU LN OFF RAMP	L		WEAVING/SPEED CHANGE 12P LINCOLN ST	ST		Y	3	4	C	46P		4P	JE					58P	C	24	128	1	01	1220	U5	60	R	P
281.03		278.74	MP MARKER	B		281																									
281.04		278.75	END SU LN ON RAMP	L		WEAVING/SPEED CHANGE 12P SR 2 COUPLET-BROWNE ST	ST		Y	3	4	C	46P		4P	JE					58P	C	12	116	1	01	1220	U5	60	R	P

SR 090 MAINLINE INTERSTATE - ISSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----													
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC	TOT		CITY		ST	LEGAL		T	P	S					
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	RDY	RDY	MTCE	SE	NBR	FC	D	IB	R	K	T
286.63		284.33	BEG SU LN	L		WEAVING/SPEED CHANGE 12P				3	3	12P	36P		22P	JE		36P	12P	24	96	1	01	1221	U5		60	R	P	
			OFF RAMP	L		BROADWAY AVE									ST	Y														
286.73		284.43	UXING	B		PARK RD									ST															
			BRDG NUM 090/578																											
287.00		284.70	MP MARKER	B		287																								
287.06		284.76								3	3	12P	36P		22P	JE		36P	12P	24	96	1	02	1221	U5		60	R	P	
287.42		285.12	END SU LN	R		WEAVING/SPEED CHANGE 12P				3	3	12P	36P		22P	JE		36P	12P	12	84	1	02	1221	U5		60	R	P	
			OFF RAMP	R		ARGONNE RD									ST	Y														
287.46		285.16	END SU LN	L		WEAVING/SPEED CHANGE 12P				3	3	12P	36P		22P	JE		36P	12P	\$\$\$	72	1	02	1221	U5		60	R	P	
			ON RAMP	L		ARGONNE RD									ST	Y														
287.67		285.37	MISC FEATR	R		GORE (P128742)																								
287.70		285.40	MISC FEATR	L		GORE (S128746)																								
287.83		285.53	UXING	B		ARGONNE RD									ST															
			BRDG NUM 090/579W																											
287.88		285.58	UXING	B		ARGONNE RD									ST															
			BRDG NUM 090/579E																											
287.97		285.67	MISC FEATR	L		GORE (R128812)																								
287.98		285.68	MISC FEATR	R		GORE (Q128825)																								
288.00		285.70	MP MARKER	B		288																								
288.12		285.82	OFF RAMP	L		ARGONNE RD									ST	Y														
288.25		285.95	ON RAMP	R		ARGONNE RD									ST	Y														
289.00		286.70	MP MARKER	B		289																								
289.03		286.73	OFF RAMP	R		SR 27									ST	Y														
289.07		286.77	ON RAMP	L		SR 27									ST	Y														
289.62		287.31	EQUATION			289.61 =289.62																								
289.66		287.35	MISC FEATR	R		GORE (P128903)																								
			MISC FEATR	L		GORE (S128907)																								
289.86		287.55	UXING	B		SR 27 SB									ST															
			BRDG NUM 027/124W																											
289.87		287.56	UXING	B		SR 27 NB									ST															
			BRDG NUM 027/124E																											
290.01		287.70	MP MARKER	B		290																								
			MISC FEATR	L		GORE (R129015)																								
			MISC FEATR	R		GORE (Q129014)																								
290.14		287.83	BEG SU LN	R		WEAVING/SPEED CHANGE 12P				3	3	12P	36P		22P	JE		36P	12P	12	84	1	02	1221	U5		60	R	P	
			ON RAMP	R		SR 27									ST	Y														
290.15		287.84	BEG SU LN	L		WEAVING/SPEED CHANGE 12P				3	3	12P	36P		22P	JE		36P	12P	24	96	1	02	1221	U5		60	R	P	
			OFF RAMP	L		INDIANA AVE									ST	Y														
290.50		288.19	END SU LN	R		WEAVING/SPEED CHANGE 12P				4	3	12P	48P		22P	JE		36P	12P	12	96	1	02	1221	U5		60	R	P	
			OFF RAMP	R		EVERGREEN RD									ST	Y														
290.74		288.43	CHG SU LN	L		WEAVING/SPEED CHANGE 24P				4	3	12P	48P		22P	JE		36P	12P	24	108	1	02	1221	U5		60	R	P	
290.79		288.48	MISC FEATR	R		GORE (P129050)																								
290.80		288.49	END SU LN	L		WEAVING/SPEED CHANGE 24P				4	3	12P	48P		22P	JE		36P	12P	\$\$\$	84	1	02	1221	U5		60	R	P	

SR 090 MAINLINE INTERSTATE - ISSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-			NBR		LFT		RHT	LFT		RHT	USE	TOT															
: :				-XROAD-			LNS	SHD	RDY	SHD	MEDIAN-		SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED		T	P	S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
294.10		291.79	OFF RAMP	L		BARKER RD	ST	Y	2	2		10A	24A	4A	40S	CA	4A	24A	10A		48	1	02	1221	U5		70	R	P		
294.21		291.90	MISC FEATR	L		SGN ENT SPOKANE VALLEY																									
294.23		291.92	MISC FEATR	R		GORE (Q129445)																									
294.45		292.14	ON RAMP	R		BARKER RD	ST	Y																							
294.47		292.16	LEAVE CITY			SPOKANE VALLEY			2	2		10A	24A	4A	40S	CA	4A	24A	10A		48	1	02	0684	U5		70	R	P		
			ENTER CITY			LIBERTY LAKE																									
			MISC FEATR	R		SGN ENT LIBERTY LAKE																									
294.93		292.62	UXING	B		GREENACRES RD	ST																								
						BRDG NUM 090/587																									
295.01		292.70	MP MARKER	B		295																									
295.07		292.76	MISC FEATR	R		GORE (Q129526)																									
295.15		292.84	MISC FEATR	L		GORE (R129529)																									
295.26		292.95	ON RAMP	R		APPLEWAY AVE	ST	Y																							
295.29		292.98	OFF RAMP	L		APPLEWAY AVE	ST	Y																							
295.73		293.42	OFF RAMP	R		HARVARD RD	ST	Y																							
295.81		293.50	MISC FEATR	R		GORE (P129573)																									
295.85		293.54	ON RAMP	L		HARVARD RD	ST	Y																							
295.92		293.61							2	2		10A	24A	4A	40S	JE	4A	24A	10A		48	1	02	0684	U5		70	R	P		
295.97		293.66	ON RAMP	L		HARVARD RD	ST	Y																							
296.00		293.69	MISC FEATR	R		GORE (Q529619)																									
296.01		293.70	MP MARKER	B		296																									
296.04		293.73	MISC FEATR	L		GORE (S129585)																									
296.17		293.86	UXING	B		PED XING	ST																								
						BRDG NUM 090/588P																									
296.19		293.88	UXING	B		HARVARD RD	ST																								
						BRDG NUM 090/589																									
			ON RAMP	R		HARVARD RD	ST	Y																							
296.25		293.94	MISC FEATR	L		GORE (S529597)																									
296.41		294.10							2	2		10A	24A	4A	40S	CA	4A	24A	10A		48	1	02	0684	U5		70	R	P		
296.46		294.15	MISC FEATR	L		GORE (R129664)																									
296.64		294.33	OFF RAMP	L		HARVARD RD	ST	Y																							
297.01		294.70	MP MARKER	B		297																									
297.31		295.00	LEAVE CITY			LIBERTY LAKE			2	2		10A	24A	4A	40S	CA	4A	24A	10A		48	1	02	\$\$\$\$	U5		70	R	\$		
297.75		295.44	ENT FROM	L		WEIGH STATION	ST	Y																							
298.01		295.70	MP MARKER	B		298																									
298.15		295.84	MISC FEATR	L		SGN ENT LIBERTY LAKE																									
298.32		296.01	WEIGH STA	L		NUMBER 64																									
298.62		296.31	EXIT TO	L		WEIGH STATION	ST	Y																							
298.79		296.48	TRAF RCDR	B		P24 0																									
298.80		296.49	ON RAMP	L		SPOKANE BRIDGE RD	ST	Y																							
299.03		296.72	MISC FEATR	L		GORE (S129880)																									
299.04		296.73	MP MARKER	B		299																									
299.15		296.84							2	2		10A	24A	4A	76S	CA	4A	24A	10A		48	1	02		U5		70	R			

SR 174 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT		LEGAL																
: :				-XROAD-			LNS SHD RDY SHD			MEDIAN-			SHD RDY SHD			LNS RDY		MTCE		CITY		ST		SPEED		T P S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
40.66		40.66	END CTLSEC END ROUTE			CONTROL SECTION 2237				1	1						4B	24B	4B			24	3	01			R3			60	R

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																						
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S						
26.10		24.25	BEG SU LN	R		TRUCK CLIMBING SHOULD08A				1	1						8A	24A	\$\$\$	8	32	2	01		R1	60	R								
26.80		24.95	BEG SU LN	L		TRUCK CLIMBING SHOULD08A				1	1						\$\$\$	24A		16	40	2	01		R1	60	R								
27.00		25.15	MP MARKER	R		27																													
27.09		25.24	END SU LN	R		TRUCK CLIMBING SHOULD08A				1	1							24A	8A	8	32	2	01		R1	60	R								
27.48		25.63	END SU LN	L		TRUCK CLIMBING SHOULD08A				1	1						8A	24A	8A	\$\$\$	24	2	01		R1	60	R								
28.00		26.15	MP MARKER	R		28																													
28.22		26.37	INTRSECTN	L		CAROTHERS RD	CO		Y																										
28.49		26.64	INTRSECTN	R		FULFS RD #5410	CO		N																										
28.99		27.14	MP MARKER	R		29																													
29.33		27.48	INTRSECTN	L		BABBITT RD #8450	CO		N																										
29.41		27.56	INTRSECTN	R		OLD ALBION RD #5505	CO		N																										
29.86		28.01	INTRSECTN	L		BAR RD #8340	CO		N																										
29.99		28.14	MP MARKER	R		30																													
30.74		28.89	INTRSECTN	L		HAMILTON HILL RD #8300	CO		Y																										
			INTRSECTN	R		ALBION RD #5400	CO		Y																										
30.98		29.13	MP MARKER	R		31																													
31.98		30.13	MP MARKER	R		32																													
32.23		30.38	INTRSECTN	L		HOFER RD #8050	CO		Y																										
32.98		31.13	MP MARKER	R		33																													
33.03		31.18	INTRSECTN	R		SHAWNEE RD #5250	CO		Y																										
33.46		31.61	INTRSECTN	L		PRUNE ORCHARD RD #8280	CO		N																										
33.98		32.13	MP MARKER	R		34																													
34.38		32.53								2	1						2A	36A	8A		36	2	01		R1	60	R								
34.90		33.05								2	1						4A	36A	7A		36	2	01		R1	60	R								
34.99		33.14	MP MARKER	R		35																													
35.01		33.16	INTRSECTN	R		PARVIN RD #5000	CO		Y																										
35.07		33.22	BEG SU LN	C		TWO WAY TURN				2	1						4A	36A	7A	12	48	2	01		R1	60	R								
35.12		33.27	END SU LN	C		TWO WAY TURN				2	1						4A	36A	7A	\$\$\$	36	2	01		R1	60	R								
35.86		34.01	INTRSECTN	L		BENNETT RD #8040	CO		N																										
35.87		34.02								2	1																								
35.99		34.14	MP MARKER	R		36																													
36.91		35.06	ENTER CITY			COLFAX				2	1						4A	36A	7A		36	2	01	0230	R1	45	R	P							
36.95		35.10	MISC FEATR	R		SGN ENT COLFAX																													
36.97		35.12	MP MARKER	R		37																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
28.22		26.37		.03	12						
30.74		28.89		.03	14		.03	14			
33.03		31.18					.03	12			
35.01		33.16					.04	11			

SR 195 MAINLINE U.S. ROUTE - USSH COUNTY WHITMAN DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----											
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC													
				D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S
60.50		58.64	INTRSECTN	L		OLD THORNTON HWY	CO	Y	1	1				10B	24P	10B			24	2	02		R1				60	R
61.00		59.14	MP MARKER	R		61																						
61.08		59.22								1	1			8B	24P	10B			24	2	02		R1				60	R
61.20		59.34	BEG SU LN	L		CLIMBING				1	1			8B	24P	10B	12		36	2	02		R1				60	R
62.00		60.14	MP MARKER	R		62																						
62.15		60.29								1	1			8A	24A	10A	12		36	2	02		R1				60	R
62.30		60.44	OFF RAMP	R		SR 271		ST	Y	1	1			8A	24A	6A	12		36	2	02		R1				60	R
62.34		60.48	END SU LN	L		CLIMBING				1	1			8A	24A	6A	\$\$\$		24	2	02		R1				60	R
			ON RAMP	L		ROSALIA RD		ST	N																			
62.36		60.50								1	1			10A	24A	6A			24	2	02		R1				60	R
62.42		60.56	MISC FEATR	R		GORE (P106230)																						
62.48		60.62	MISC FEATR	L		GORE (S106234)																						
62.64		60.78	UXING	B		SR 271		ST																				
						BRDG NUM 271/010																						
62.78		60.92	ON RAMP	R		SR 271		ST	Y																			
62.83		60.97	MISC FEATR	L		GORE (R106294)																						
62.87		61.01	RR XING	B		NUM 96041V STRUCTURE				1	1			\$\$W	55P	\$\$W			55	2	02		R1				60	R
			BEG BRIDGE	B		BN RR		ST																				
						BRDG NUM 195/046																						
62.89		61.03	END BRIDGE	B		BN RR				1	1			10A	24A	6A			24	2	02		R1				60	R
62.94		61.08	OFF RAMP	L		ROSALIA RD		ST	Y																			
62.99		61.13	MP MARKER	R		63																						
63.00		61.14	BEG BRIDGE	B		PINE CREEK		ST		1	1			\$\$W	40A	\$\$W			40	2	02		R1				60	R
						BRDG NUM 195/049																						
63.05		61.19	END BRIDGE	B		PINE CREEK				1	1			10A	24A	6A			24	2	02		R1				60	R
63.31		61.45	BEG BRIDGE	B		OLD MILWAUKEE RR		ST		1	1			\$\$W	40A	\$\$W			40	2	02		R1				60	R
						BRDG NUM 195/052																						
63.34		61.48	END BRIDGE	B		OLD MILWAUKEE RR				1	1			10A	24A	6A			24	2	02		R1				60	R
63.98		62.12	MP MARKER	R		64																						
64.30		62.44	UXING	B		PANDORA RD		ST																				
						BRDG NUM 195/055																						
64.32		62.46	BEG SU LN	L		TRUCK CLIMBING SHOULD10A				1	1			\$\$\$	24A	6A	10		34	2	02		R1				60	R
64.84		62.98	INTRSECTN	R		MERRITT RD	CO		N																			
64.98		63.12	MP MARKER	R		65																						
65.37		63.51	RR XING	B		NUM 96043J STRUCTURE																						
65.54		63.68	END SU LN	L		TRUCK CLIMBING SHOULD10A				1	1			10A	24A	6A	\$\$\$		24	2	02		R1				60	R
65.57		63.71	BEG BRIDGE	B		BN RR		ST		1	1			\$\$W	40P	\$\$W			40	2	02		R1				60	R

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
60.50		58.64		.03	12						
						.03	12				

SR 195 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																				
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC				LEGAL		T P S																		
		: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT	MTCE	CITY	ST	SPEED	T	P	S																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T						
66.22	64.36		ENTER CO			SPOKANE											10A	24A	6A			24	2	02		R1		60	R							
			BEG CTLSEC			CONTROL SECTION 3204																														
66.97	65.11		MP MARKER	R		67																														
67.14	65.28		BEG BRIDGE	B		PINE CREEK	ST										\$SW	40P	\$SW			40	2	02		R1		60	R							
			BRDG NUM 195/101																																	
67.17	65.31		END BRIDGE	B		PINE CREEK											10A	24A	6A			24	2	02		R1		60	R							
67.89	66.03		UXING	B		BABB RD	ST																													
			BRDG NUM 195/103																																	
67.97	66.11		MP MARKER	R		68																														
69.94	68.08		ON RAMP	L		CHENEY PLAZA RD	ST		Y																											
70.00	68.14		MP MARKER	R		70																														
70.43	68.34		EQUATION			070.20 =070.43																														
70.46	68.37		MISC FEATR	L		GORE (S106994)																														
70.78	68.69		BEG BRIDGE	B		CHENEY PLAZA RD	ST										\$SW	40A	\$SW			40	2	02		R1		60	R							
			BRDG NUM 195/105																																	
70.81	68.72		END BRIDGE	B		CHENEY PLAZA RD											10A	24A	6A			24	2	02		R1		60	R							
70.99	68.90		OFF RAMP	R		CHENEY PLAZA RD	ST		Y																											
71.02	68.93		MISC FEATR	R		GORE (P507099)																														
71.03	68.94		MP MARKER	R		71																														
71.06	68.97		MISC FEATR	L		GORE (R107114)																														
71.14	69.05		OFF RAMP	L		CHENEY PLAZA RD	ST		Y																											
71.18	69.09		MISC FEATR	R		GORE (Q107135)																														
71.35	69.26		ON RAMP	R		CHENEY PLAZA RD	ST		Y																											
71.63	69.54		BEG BRIDGE	B		DRAKE RD	ST										\$SW	40A	\$SW			40	2	02		R1		60	R							
			BRDG NUM 195/106																																	
71.67	69.58		END BRIDGE	B		DRAKE RD											10A	24A	6A			24	2	02		R1		60	R							
72.21	70.12		MP MARKER	R		72																														
73.21	71.12		MP MARKER	R		73																														
73.53	71.44		BEG BRIDGE	B		POWERS RD	ST										\$SW	40A	\$SW			40	2	02		R1		60	R							
			BRDG NUM 195/107																																	
73.55	71.46		END BRIDGE	B		POWERS RD											10A	24A	6A			24	2	02		R1		60	R							
74.21	72.12		MP MARKER	R		74																														
75.18	73.09		MP MARKER	R		75																														
75.41	73.32		BEG BRIDGE	B		DAVIS RD	ST										\$SW	40A	\$SW			40	2	02		R1		60	R							
			BRDG NUM 195/108																																	
75.43	73.34		END BRIDGE	B		DAVIS RD											10A	24A	6A			24	2	02		R1		60	R							
76.21	74.12		MP MARKER	R		76																														
76.44	74.35		ON/OFF RMP	L		BRADSHAW RD	ST		N																											

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
-----	-----	-----	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
76.44	74.35		.03	11						

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC															
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT															
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY															
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S			
																			A	SE	NBR	FC	D	IB	R	K	T	
76.49	74.40							1	1					10A	24A	6A		24	2	02		R1			60	R		
76.55	74.46	BEG BRIDGE	B	BRADSHAW RD	ST			1	1					\$SW	40A	\$SW		40	2	02		R1			60	R		
				BRDG NUM 195/109																								
76.58	74.49	END BRIDGE	B	BRADSHAW RD				1	1					10A	24A	6A		24	2	02		R1			60	R		
77.21	75.12	MP MARKER	R	77																								
78.21	76.12	MP MARKER	R	78																								
78.93	76.84	INTRSECTN	B	CHENEY SPANGLE RD	CO		Y																					
78.94	76.85	WYE CONN	R	CHENEY SPANGLE RD	CO		Y																					
79.21	77.12	MP MARKER	R	79																								
80.10	78.01	INTRSECTN	B	WATT RD	CO		Y																					
80.21	78.12	MP MARKER	B	80				1	1	8A	12A		25A	UP	\$\$\$	12A	6A		24	1	01		R1			60	R	
80.27	78.18							1	1	8A	12P	4P	78S	DE	4A	12A	7A		24	1	01		R1			60	R	
80.96	78.37	EQUATION		080.46 =080.96				2	2	10A	24P	4A	78S	DE	4A	24A	10A		48	1	01		R1			60	R	
81.00	78.41	MP MARKER	R	81																								
81.11	78.52	INTRSECTN	R	CORN WALL RD	CO		Y																					
		INTRSECTN	C	MEDIAN XROAD	ST		Y																					
81.27	78.68							2	2	10A	24P	4A	78S	JE	4A	24A	10A		48	1	01		R1			60	R	
81.46	78.87	UXING	I	BN RR	ST																							
				BRDG NUM 195/112E																								
		RR XING	I	NUM 58994H STRUCTURE																								
81.48	78.89	RR XING	D	NUM 58993B STRUCTURE				2	2	\$\$C	30P	\$\$C	78O	\$\$	4A	24A	10A		54	1	01		R1			60	R	
		BEG BRIDGE	D	BN RR	ST																							
				BRDG NUM 195/112W																								
81.53	78.94	END BRIDGE	D	BN RR				2	2	10A	24P	4A	80S	GR	4A	24A	10A		48	1	01		R1			60	R	
81.78	79.19							2	2	10A	24P	4A	80S	DE	4A	24A	10A		48	1	01		R1			60	R	
82.00	79.41	MP MARKER	B	82																								
82.05	79.46	INTRSECTN	C	MEDIAN XROAD	ST		Y																					
		INTRSECTN	R	SPANGLE CREEK RD	CO		Y																					
		INTRSECTN	L	CAMERON RD	CO		Y																					
82.34	79.75							2	2	10A	24P	4A	80S	DE	4A	24P	10A		48	1	01		R1			60	R	
82.51	79.92							2	2	10A	24P	4A	78S	DE	4A	24P	10A		48	1	01		R1			60	R	
82.72	80.13							2	2	11A	24A	4A	78S	DE	4A	24P	10A		48	1	01		R1			60	R	
82.94	80.35	INTRSECTN	B	SMYTHE RD	CO		Y																					
		INTRSECTN	C	MEDIAN XROAD	ST		Y																					
83.02	80.43	MP MARKER	B	83																								
83.81	81.22							2	2	11A	24A	4A	78S	DE	3A	24P	10A		48	1	01		R1			60	R	

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
		---	---	---	---	---	---	---	---
78.93	76.84	.04	11						
80.10	78.01	.03	11	.04	11				

SR 195 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----																														
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS-----																	
			: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT		LEGAL																	
			: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		T P S																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S					
84.02	81.43		MP MARKER	B		84				2	2	11A	24A	4A	78S	DE	3A	24P	10A		48	1	01		R1			60	R				
84.83	82.24		INTRSECTN	C		MEDIAN XROAD	ST		Y																								
			INTRSECTN	B		STUTLER RD	CO		Y																								
85.01	82.42		MP MARKER	B		85																											
85.85	83.26		INTRSECTN	L		PARADISE RD	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
85.94	83.35									2	2	11A	24A	4A	80S	DE	3A	24P	10A		48	1	01		R1			60	R				
85.97	83.38									2	2	10A	24P	3A	80S	DE	3A	24P	10A		48	1	01		R1			60	R				
86.01	83.42		MP MARKER	B		86																											
86.11	83.52									2	2	10A	24P	3A	80S	GR	3A	24P	10A		48	1	01		R1			60	R				
86.22	83.63									2	2	10A	24P	4A	80S	GR	4A	24A	10A		48	1	01		R1			60	R				
86.66	84.07									2	2	10A	24P	4A	80S	DE	4A	24A	10A		48	1	01		R1			60	R				
86.86	84.27		INTRSECTN	R		STENTZ RD	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
87.00	84.41		MP MARKER	R		87																											
87.51	84.92		INTRSECTN	B		WASHINGTON RD	CO		Y	2	2	10A	24P	4A	80S	DE	4B	24P	10B		48	1	01		R1			60	R				
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
87.70	85.11		TRAF RCDR	B		P15 0																											
87.82	85.23									2	2	10A	24P	4A	80S	DE	4A	24A	10A		48	1	01		R1			60	R				
87.83	85.24									2	2	10B	24P	4B	80S	DE	4A	24A	10A		48	1	01		R1			60	R				
88.03	85.44		INTRSECTN	B		EXCELSIOR DR	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
88.98	86.39		MP MARKER	R		89																											
89.07	86.48									2	2	10B	24P	4B	80S	GR	4A	24A	10A		48	1	01		R1			60	R				
89.42	86.83									2	2	10B	24P	4B	80S	DE	4A	24A	10A		48	1	01		R1			60	R				
89.69	87.10									2	2	10B	24P	4B	80S	GR	4A	24A	10A		48	1	01		R1			60	R				
89.80	87.18		EQUATION			089.77 =089.80				2	2	10B	24P	4B	80S	GR	4A	24P	10A		48	1	01		R1			60	R				
90.00	87.38		MP MARKER	B		90																											
90.04	87.42									2	2	10B	24P	4B	80S	DE	4A	24P	10A		48	1	01		R1			60	R				
90.28	87.66		INTRSECTN	L		MULLEN HILL RD	CO		Y																								
			INTRSECTN	C		MEDIAN XROAD	ST		Y																								
90.44	87.82									2	2	10B	24P	4B	80S	GR	4A	24P	10A		48	1	01		R1			60	R				
90.77	88.15		INTRSECTN	L		WHITE RD	CO		N																								
90.85	88.23									2	2	10B	24P	4B	40S	DE	4A	24P	10A		48	1	01		R1			60	R				
90.86	88.24									2	2	10B	24P	4B	40S	CA	4A	24P	10A		48	1	01		R1			60	R				
91.00	88.38									2	2	10B	24P	4B	40S	CA	4A	24P	10A		48	1	01		R1			55	R				
91.01	88.39		MP MARKER	L		91																											

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM		LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD
86.86	84.27					.02	12

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC							LEGAL								
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		TOT					SPEED								
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	MTCE	CITY	ST	FC	D	IB	R	K	T	
91.10	88.48							2	2	10B	24P	4B	40S	DE	4A	24P	10A		48	1	01		R1				55	R
91.17	88.55	ENTER CITY		SPOKANE				2	2	10B	24P	4B	40S	DE	4A	24P	10A		48	1	01	1220	U1				55	R
		INTRSECTN	R	HATCH RD	CO		Y																					
		INTRSECTN	C	MEDIAN XROAD	ST		Y																					
91.18	88.56							2	2	10B	24P	4B	40S	DE	4A	24P	10A		48	1	01	1220	U1				55	R P
91.27	88.65							2	2	10B	24P	4B	40S	CA	4A	24P	10A		48	1	01	1220	U1				55	R P
91.46	88.84							2	2	10A	24P	4A	40S	CA	4A	24P	10A		48	1	01	1220	U1				55	R P
91.51	88.89							2	2	10A	24P	4A	40S	CA	4B	24P	10B		48	1	01	1220	U1				55	R P
91.81	89.19							2	2	10A	24P	4A	40S	CA	4A	24P	10A		48	1	01	1220	U1				55	R P
92.00	89.38	MP MARKER	B	92																								
92.19	89.57							2	2	10A	24P	4A	40S	DE	4A	24P	10A		48	1	01	1220	U1				55	R P
92.28	89.66	INTRSECTN	B	MEADOWLANE RD	CT		Y																					
		INTRSECTN	C	MEDIAN XROAD	ST		Y																					
92.38	89.76							2	2	10A	24P	4A	40S	CA	4A	24P	10A		48	1	01	1220	U1				55	R P
92.83	90.21							2	2	10A	24P	4A	40S	DE	4A	24P	10A		48	1	01	1220	U1				55	R P
92.93	90.31	INTRSECTN	L	QUALCHAN RD	CT		Y																					
		INTRSECTN	C	MEDIAN XROAD	ST		Y																					
92.96	90.34							2	2	10A	24P	4A	40S	CA	4A	24P	10A		48	1	01	1220	U1				55	R P
92.99	90.37	MP MARKER	B	93																								
93.14	90.52							2	2	10A	24P	4A	40S	CA	4B	24P	10B		48	1	01	1220	U1				55	R P
93.21	90.59							2	2	10A	24P	4A	40S	CA	4B	24A	10B		48	1	01	1220	U1				55	R P
93.25	90.63							2	2	10A	24P	4A	42S	CA	4B	24A	10B		48	1	01	1220	U1				55	R P
93.57	90.95	ON RAMP	L	CHENEY-SPOKANE RD	ST		Y																					
93.58	90.96	OFF RAMP	R	CHENEY-SPOKANE RD	ST		Y																					
93.72	91.10	MISC FEATR	R	GORE (P109358)																								
93.75	91.13	MISC FEATR	L	GORE (S109357)																								
93.84	91.22							2	2	10A	24P	4A	42S	CA	4A	24A	10A		48	1	01	1220	U1				55	R P
93.88	91.26	UXING	B	CHENEY-SPOKANE RD BRDG NUM 195/117	ST																							
93.96	91.34							2	2	10A	24P	4A	42S	CA	4A	24P	10A		48	1	01	1220	U1				55	R P
93.98	91.36	MP MARKER	B	94																								
94.01	91.39	MISC FEATR	R	GORE (Q109429)																								
94.05	91.43	MISC FEATR	L	GORE (R109416)																								
94.16	91.54	UXING	I	BN RR BRDG NUM 195/118S	ST			2	2	10A	24P	4A	54S	CA	4A	24P	10A		48	1	01	1220	U1				55	R P

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
91.17	88.55			.03	15				
92.28	89.66	.04	12	.04	12	.07	11		
92.93	90.31	.03	12						

SR 195 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																												
				:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----															
				: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																	
				: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S			
94.16		91.54	UXING	D		BN RR	ST		2	2	10A	24P	4A	54S	CA	4A	24P	10A		48	1	01	1220	U1	55	R	P					
			OFF RAMP	L		BRDG NUM 195/118N	ST																									
			RR XING	B		CHENEY-SPOKANE RD	ST	Y																								
						NUM 65965P STRUCTURE																										
94.27		91.65							2	2	10A	24P	4A	72S	CA	4A	24P	10A		48	1	01	1220	U1	55	R	P					
94.29		91.67	ON RAMP	R		CHENEY-SPOKANE RD	ST	Y																								
94.30		91.68	INTRSECTN	L		INLAND EMPIRE WAY	CT	Y																								
94.52		91.90							2	2	10A	24P	4A	40S	CA	4A	24P	10A		48	1	01	1220	U1	55	R	P					
94.86		92.24							2	2	10A	24P	4A	40A	UP	4A	24P	10A		48	1	01	1220	U1	55	R	P					
94.94		92.32	INTRSECTN	C		MEDIAN XROAD	ST	AF	Y																							
			INTRSECTN	B		THORPE RD	CT	AF	Y																							
95.00		92.38	MP MARKER	B		95			2	2	10A	24P	4A	40S	CA	4A	24P	10A		48	1	01	1220	U1	55	R	P					
95.48		92.86							2	2	10A	24P	4A	40S	DE	4A	24P	10A		48	1	01	1220	U1	55	R	P					
95.55		92.93	INTRSECTN	B		16TH AVE	CT	Y																								
			INTRSECTN	C		MEDIAN XROAD	ST	Y																								
95.62		93.00							2	2	10A	24P	4A	40S	CA	4A	24P	10A		48	1	01	1220	U1	55	R	P					
95.63		93.01							2	2	10A	24P	4A	40S	CA	4B	24P	10B		48	1	01	1220	U1	55	R	P					
95.68		93.06							2	2	10B	24P	4B	40S	CA	4B	24P	10B		48	1	01	1220	U1	55	R	P					
95.72		93.10							2	2	10B	24P	4B	40S	DE	4B	24P	10B		48	1	01	1220	U1	55	R	P					
95.74		93.12	OFF RAMP	R		SR 90	ST	Y	2	2	10B	24P	4B	40S	GR	4A	24A	10A		48	1	01	1220	U1	55	R	P					
95.75		93.13							2	2	10B	24P	4B	40S	DE	4A	24A	10A		48	1	01	1220	U1	55	R	P					
95.79		93.17	ON RAMP	L		SR 90	ST	Y	2	2	10A	24A	4A	40S	DE	4A	24A	10A		48	1	01	1220	U1	55	R	P					
95.84		93.22							1	1	10A	14A	4A	40S	DE	4A	24A	10A		38	1	01	1220	U1	55	R	P					
95.85		93.23	MISC FEATR	R		GORE (SR 90 Q127953)																										
			MISC FEATR	L		GORE (SR 90 P127920)																										
95.94		93.32							1	1	10A	14A	4A	40S	BE	4A	24A	10A		38	1	01	1220	U1	55	R	P					
95.95		93.33	BEG BRIDGE	I		SR 90	ST		1	1	\$\$C	20P	\$\$C	40O	\$\$	\$\$C	20P	\$\$C		40	1	01	1220	U1	55	R	P					
						BRDG NUM 195/124E																										
			BEG BRIDGE	D		SR 90	ST																									
						BRDG NUM 195/124W																										
95.99		93.37	END BRIDGE	I		SR 90																										
			END BRIDGE	D		SR 90																										
			MP MARKER	R		96																										
			END CTLSEC			CONTROL SECTION 3204																										
			END ROUTE																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----				
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-	
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD	
94.94		92.32		.04	12						.11	12
95.55		92.93		.04	12							

SR 206 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
			: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE																
			: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
2.00		1.94	MP MARKER		R	2				1	1						8A	24A	8A	24	1	02		R3	50	R				
2.30		2.24								1	1						8A	24A	\$\$C	24	1	02		R3	50	R				
2.32		2.26								1	1						8A	28A	C	28	1	02		R3	50	R				
2.35		2.29								1	1						\$\$C	28A	C	28	1	02		R3	50	R				
2.36		2.30								1	1						C	32A	C	32	1	02		R3	50	R				
2.38		2.32	ROUNDAABOUT		B	BRUCE RD	CO	YS	Y	1	1						C	28A	C	28	1	02		R3	50	R				
2.39		2.33								1	1						C	28A	8A	28	1	02		R3	50	R				
2.44		2.38								1	1						8B	24B	8B	24	1	02		R3	50	R				
2.59		2.53								1	1						2B	22B	2B	22	1	02		R3	50	R				
3.00		2.94	MP MARKER		R	3																								
3.53		3.47	INTRSECTN		L	WILLOW RD	CO		N																					
4.00		3.94	MP MARKER		R	4																								
4.35		4.29	INTRSECTN		R	PEONE RD	CO		N																					
4.54		4.48	INTRSECTN		R	HEGLAR RD	CO		N																					
4.98		4.92	MP MARKER		R	5																								
5.00		4.94	INTRSECTN		L	HALLIDAY RD	CO		N																					
6.00		5.94	MP MARKER		R	6																								
6.25		6.19	INTRSECTN		L	MADISON RD	CO		N																					
6.71		6.65	BEG BRIDGE	B		DEADMAN CREEK BRDG NUM 206/016	ST			1	1						\$\$C	26B	\$\$C	26	1	02		R3	50	R				
6.72		6.66	END BRIDGE	B		DEADMAN CREEK				1	1						2B	22B	2B	22	1	02		R3	50	R				
6.92		6.86	INTRSECTN		R	FORKER RD	CO		Y																					
7.00		6.94	MP MARKER		R	7																								
7.07		7.01	INTRSECTN		R	FORKER WYE RD	CO		N																					
7.58		7.52	INTRSECTN		R	COOPER RD	CO		N																					
8.00		7.94	MP MARKER		R	8																								
8.15		8.09								1	1						2B	22B	2B	22	1	02		R3	40	R				
8.75		8.69	INTRSECTN		L	HOLCOMB RD	CO		N																					
9.00		8.94	MP MARKER		R	9																								
9.05		8.99	WYE CONN		R	BILL GULCH RD	CO		N																					
9.07		9.01	INTRSECTN		R	BILL GULCH RD	CO		N																					
9.10		9.04								1	1						2B	22B	2B	22	1	02		R3	30	R				
9.61		9.55	BEG BRIDGE	B		DEADMAN CREEK #2 BRDG NUM 206/018	ST			1	1						\$\$C	31B	\$\$C	31	1	02		R3	30	R				
9.62		9.56	END BRIDGE	B		DEADMAN CREEK #2				1	1						2B	22B	2B	22	1	02		R3	30	R				
9.94		9.88	INTRSECTN		L	MT CARLTON RD	CO		Y																					
10.00		9.94	MP MARKER		R	10																								
10.89		10.83	INTRSECTN		R	KELLOGG RD	CO		N																					
11.00		10.94	MP MARKER		R	11																								
11.09		11.00	EQUATION			011.06 =011.09				1	1						\$\$C	25B	\$\$C	25	1	02		R3	30	R				
			BEG BRIDGE	B		DEADMAN CREEK #3 BRDG NUM 206/020	ST																							
11.10		11.01	END BRIDGE	B		DEADMAN CREEK #3				1	1						2B	22B	2B	22	1	02		R3	30	R				

SR 211 MAINLINE

STATE ROUTE - SRSH

COUNTY PEND OREILLE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
			:DIRECTION TO INVENTORY			-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																		
			: :LEFT/RIGHT INDICATOR			-UXING-		NBR		LFT	RHT		LFT	RHT		USE	TOT															
			: :			-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-		SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL		T	P	S						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
15.19		15.18	INTRSECTN END ROUTE	B		SR 20	ST	SS	N	1	1						4B	22B	4B			22	1	02		R2					55	R

SR 231 MAINLINE

STATE ROUTE - SRSH

COUNTY LINCOLN

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----												
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC													
				D	LR	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	LNS	RDY	SHD	USE	TOT	MTCE	CITY	ST	LEGAL	T	P	S		
		: :LEFT/RIGHT INDICATOR		: :		-XROAD-				MEDIAN-		SHD RDY SHD		LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S						
		: :		: :		OW TC L		D I		W/S W/S W/S		WD/S BR		W/S W/S W/S		WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
0.00	0.00		BEG ROUTE						1	1					3B	24B	3B		24	3	02				R3		55	R
			BEG CTLSEC																									
			INTRSECTN	B					ST	SS	N																	
0.10	0.10		EQUATION						1	1					2B	22B	2B		22	3	02				R3		55	R
0.32	0.27		INTRSECTN	R																								
0.49	0.44		INTRSECTN	R																								
1.00	0.95		MP MARKER	R																								
2.00	1.95		MP MARKER	R																								
2.15	2.10		INTRSECTN	R																								
3.00	2.95		MP MARKER	R																								
4.00	3.95		MP MARKER	R																								
4.03	3.98		INTRSECTN	R																								
4.49	4.44		INTRSECTN	L																								
4.99	4.93		EQUATION																									
			MP MARKER	R																								
6.00	5.94		MP MARKER	R																								
6.57	6.51		INTRSECTN	R																								
7.00	6.94		MP MARKER	R																								
8.00	7.94		MP MARKER	R																								
8.32	8.26		INTRSECTN	R																								
			INTRSECTN	L																								
9.00	8.94		MP MARKER	R																								
9.27	9.20		EQUATION						1	1					\$\$C	26P	\$\$C		26	3	02				R3		55	R
			BEG BRIDGE	B																								
			ROCK CREEK						ST																			
			BRDG NUM 231/009																									
9.29	9.22		END BRIDGE	B					1	1					2B	22B	2B		22	3	02				R3		55	R
9.32	9.25		INTRSECTN	R																								
10.00	9.93		MP MARKER	R																								
10.99	10.92		MP MARKER	R																								
11.03	10.96		INTRSECTN	R																								
11.05	10.98		INTRSECTN	L																								
11.99	11.92		MP MARKER	R																								
12.09	12.02		WYE CONN	R																								
12.11	12.03		EQUATION																									
			INTRSECTN	R																								
12.30	12.22		INTRSECTN	L																								
12.99	12.91		MP MARKER	R																								
14.00	13.92		MP MARKER	R																								
15.00	14.92		MP MARKER	R																								
15.21	15.13		INTRSECTN	R																								
15.72	15.64								1	1					2B	22B	2B		22	3	02				R3		25	R
15.76	15.66		EQUATION						1	1					3B	22B	9B		22	3	02				R3		25	R

SR 263 MAINLINE

STATE ROUTE - SRSH

COUNTY FRANKLIN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																			
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																							
		: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																						
		: :		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S													
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T					
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1						2B	22B	2B		22	2	01		R3		50	L							
			BEG CTLSEC			PRT OF WINDUST TO SR 260																													
			MISC FEATR B			CONTROL SECTION 1120																													
0.02	0.02		INTRSECTN	R		PORT OF WINDUST	OT		N																										
0.12	0.12		INTRSECTN	R		WINDUST STATION #37	OT		N																										
0.18	0.18		INTRSECTN	R		WINDUST PARK	OT		N																										
0.39	0.39		INTRSECTN	R		WINDUST PARK	OT		N																										
0.43	0.43		INTRSECTN	L		WALLACE WALKER RD	CO		N																										
1.00	1.00		MP MARKER	R		1																													
1.09	1.09									1	1						3B	22B	3B		22	2	01		R3		50	L							
2.00	2.00		MP MARKER	R		2											1B	22B	1B		22	2	01		R3		50	L							
2.64	2.64									1	1						1B	22B	1B		22	2	01		R3		50	L							
3.00	3.00		MP MARKER	R		3																													
3.06	3.06		BEG SU LN	R		CLIMBING		11B		1	1						1B	22B	1B	11	33	2	01		R3		50	M							
			INTRSECTN	R		LOWER MONUMENTAL DAM	OT		N																										
3.28	3.28		END SU LN	R		CLIMBING		11B		1	1						1B	22B	1B	\$\$\$	22	2	01		R3		50	M							
3.31	3.31		INTRSECTN	R		NAVIGATION LOCK	OT		Y																										
3.39	3.39		INTRSECTN	R		BOAT LAUNCH RD	OT		N																										
3.95	3.95		INTRSECTN	R		PVT RD	PV		N																										
4.00	4.00		MP MARKER	R		4																													
5.00	5.00		MP MARKER	R		5																													
6.00	6.00		MP MARKER	R		6																													
7.00	7.00		MP MARKER	R		7																													
8.00	8.00		MP MARKER	R		8																													
8.42	8.42		INTRSECTN	R		BARRY RD	PV		N																										
8.54	8.54		INTRSECTN	L		PASCO KAHLOTUS RD	CO	SS	N	1	1						4B	22B	4B		22	2	01		R3		35	M							
8.83	8.83		ENTER CITY			KAHLOTUS				1	1						4B	22B	4B		22	2	01	0595	R3		25	M	P	*					
			BEG ST	I		SPOKANE ST																													
			MISC FEATR	R		SGN ENT KAHLOTUS																													
9.00	9.00		MP MARKER	R		9				1	1						4A	22A	4A		22	2	01	0595	R3		25	M	P	*					
9.01	9.01		INTRSECTN	L		WASHINGTON ST	CT		Y																										
9.03	9.03		INTRSECTN	R		DEPOT RD	CT		N																										
9.05	9.05		WYE CONN	L		WESTON ST	CT		Y	1	1						4A	22A	4A		22	2	01	0595	R3		25	L	P	*					
9.06	9.06		INTRSECTN	L		WESTON ST	CT		Y																										
9.11	9.11		BEG BRIDGE B			KAHLOTUS RELIEF	ST			1	1						\$\$C	26P	\$\$C		26	2	01	0595	R3		25	L	P	*					
						BRDG NUM 263/010																													

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.31	3.31			.03	11				

SR 270 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																	
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
0.00		0.00	BEG ROUTE			MAIN ROUTE				1	1						6A	24A	5A			24	2	01		R1		55	R	
			BEG CTLSEC			SR 195/PULLMAN TO IDAHO																								
			INTRSECTN	B		CONTROL SECTION 3831																								
0.06		0.06	OFF RAMP	L		SR 195 NB				ST	SS	Y					8A	24A	8A			24	2	01		R1		55	R	
0.69		0.69	ENTER CITY			PULLMAN											8A	24A	8A			24	2	01	1025	U1		55	R B	
0.70		0.70	BEG ST	I		DAVIS WAY											8A	24A	8A			24	2	01	1025	U1		55	R B *	
0.76		0.76	MISC FEATR	R		SGN ENT PULLMAN																								
0.85		0.85	INTRSECTN	R		GOLDEN HILLS DR				CT		Y	1	1			3A	24A	3A			24	2	01	1025	U1		55	R B *	
0.99		0.99	INTRSECTN	R		NW PARKWOOD DR				PV		Y																		
1.00		1.00	MP MARKER			1																								
1.01		1.01	MISC FEATR	R		BUS PULLOUT																								
1.16		1.16															3A	24A	3A			24	2	01	1025	U1		45	R B *	
1.17		1.17	BEG SU LN	C		TWO WAY TURN				11A							3A	24A	3A	11		35	2	01	1025	U1		45	R B *	
1.22		1.22	END SU LN	C		TWO WAY TURN				11A							3A	24A	3A	\$\$\$		24	2	01	1025	U1		45	R B *	
			INTRSECTN	R		CORY LN				CT		Y																		
1.25		1.25	MISC FEATR	R		BUS PULLOUT																								
1.30		1.30	BEG SU LN	C		TWO WAY TURN				11A							3A	24A	3A	11		35	2	01	1025	U1		45	R B *	
1.43		1.43	END SU LN	C		TWO WAY TURN				11A							3A	24A	3A	\$\$\$		24	2	01	1025	U1		45	R B *	
1.44		1.44	INTRSECTN	R		PARK WEST DR				CT		Y																		
1.57		1.57	INTRSECTN	R		OLD WAWAWAI RD				CT		Y	1	1			4A	40A	\$\$\$C			40	2	01	1025	U1		45	R B *	
			ENT/EXIT	L		WSDOT SHOP				ST		Y																		
1.77		1.77	BEG SU LN	L		CLIMBING				11A							4A	29A	C	11		40	2	01	1025	U1		45	R B *	
1.95		1.95	INTRSECTN	L		CITY ST				CT		N																		
2.00		2.00	MP MARKER	R		2																								
2.03		2.03	INTRSECTN	R		OLSEN ST				CT		Y																		
2.11		2.11															4A	29A	C	11		40	2	01	1025	U1		25	R B *	
2.16		2.16	INTRSECTN	L		TRANSIT AREA				ST		Y																		
2.19		2.19	END SU LN	L		CLIMBING				11A							\$\$\$	64A	C	\$\$\$		64	2	01	1025	U1		25	R B *	
			INTRSECTN	L		STATE ST				CT		Y																		
2.25		2.25	WYE CONN	L		SR 27				ST		Y																		
2.27		2.27	END ST	I		DAVIS WAY											C	54A	C			54	2	01	1025	U1		25	R B *	
			BEG ST	I		GRAND AVE																								

INTERSECTION DETAIL

-----TURN LANES-----				-----ACCELERATION LANES-----												
L NEAR		R NEAR		L FAR		R FAR		LEFT--		L-CNTR		R-CNTR		RIGHT-		
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.85		0.85			.06	11			.03	11						
0.99		0.99							.03	11						
1.22		1.22							.03	11						
1.44		1.44							.03	11						
1.57		1.57	.03	11					.03	11						

SR 270 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																		
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																		
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		LEGAL																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S			
2.27	2.27		INTRSECTN	L		SR 27	ST	SG	Y	1	1						C	54A	C		54	2	01	1025	U1	25	R	B	*		
			INTRSECTN	L		OLSON ST	CT	SG	Y																						
2.33	2.33		WYE CONN	L		SR 270 WB	ST		Y																						
2.34	2.34		INTRSECTN	L		SR 270 WB-MAIN ST	ST	SG	Y																						
			INTRSECTN	R		MAIN ST	CT	SG	Y																						
			MISC FEATR	D		COUPLET - COPULLMN																									
2.40	2.40		END ST	I		GRAND AVE																									
			BEG ST	I		PARADISE ST																									
			INTRSECTN	R		SR 27-GRAND AVE	ST	SG	Y																						
2.43	2.43		INTRSECTN	B		HIGH ST	CT		Y																						
2.48	2.48																														
2.51	2.51		INTRSECTN	B		KAMIAKEN ST	CT	SG	Y																						
2.56	2.56		INTRSECTN	B		PINE ST	CT		Y																						
2.60	2.60		INTRSECTN	R		DANIEL ST	CT		Y	2																					
2.66	2.66		WYE CONN	L		SR 270 COUPLET	ST		Y																						
2.67	2.67		END ST	I		PARADISE ST				2	2																				
			BEG ST	I		MAIN ST																									
			INTRSECTN	L		SR 270 COPULLMN (COUPLT)	CT		Y																						
			MISC FEATR	D		COUPLET - COPULLMN																									
2.71	2.71		WYE CONN	R		SPRING ST	CT		Y																						
2.72	2.72		INTRSECTN	R		SPRING ST	CT	SG	Y																						
2.73	2.73									2	2																				
2.74	2.74		INTRSECTN	L		SPRING ST	CT	SG	Y																						
2.82	2.82		BEG BRIDGE	B		S FORK PALOUSE RIVER	ST			2	2																				
						BRDG NUM 270/003																									
2.84	2.84		END BRIDGE	B		S FORK PALOUSE RIVER				2	2																				
2.86	2.86									2	2																				
2.90	2.90		END ST	I		MAIN ST																									
			BEG ST	I		E MAIN ST																									
2.96	2.96		RR XING	B		NUM 66270H STRUCTURE				2	2																				
			BEG BRIDGE	B		NP UP RR	ST																								
						BRDG NUM 270/004																									
2.98	2.98		END BRIDGE	B		NP UP RR				2	2																				
3.02	3.02		INTRSECTN	R		LATAH ST	CT		Y																						
3.03	3.03		BEG SU LN	C		TWO WAY TURN				11A	2	2																			
3.13	3.13		END SU LN	C		TWO WAY TURN				11A	2	2																			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
2.27	2.27			.04	11				
2.40	2.40		.06	12					

SR 270 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----																										
		:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----											
		: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT		LEGAL											
		: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		T P S											
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S	
3.14	3.14							2	2							C	72A	C		72	2	01	1025	U1	35	R	P	*
3.16	3.16	WYE CONN	L	STADIUM WAY				CT	Y																			
3.18	3.18	INTRSECTN	L	STADIUM WAY				CT	SG	Y																		
3.19	3.19	WYE CONN	L	STADIUM WAY				CT	Y																			
3.22	3.22	BEG SU LN	C	TWO WAY TURN		11A			2	2					C	65A	C	11	76	2	01	1025	U1	35	R	P	*	
3.25	3.25								2	2					C	53A	C	11	64	2	01	1025	U1	35	R	P	*	
3.43	3.43	END SU LN	C	TWO WAY TURN		11A			2	2					8A	44A	8A	\$\$\$	44	2	01	1025	U1	35	R	P	*	
		INTRSECTN	R	BISHOP BLVD				CT	SG	Y																		
3.76	3.76								2	2					8A	44A	8A		44	2	01	1025	U1	55	R	P	*	
3.95	3.95	INTRSECTN	L	FOREST WAY				CT	Y																			
3.97	3.97	BEG SU LN	C	TWO WAY TURN		14A			2	2					8A	44A	8A	14	58	2	01	1025	U1	55	R	P	*	
4.02	4.02	MP MARKER	R	4																								
4.05	4.05								2	2					8A	48A	8A	14	62	2	01	1025	U1	55	R	P	*	
4.44	4.44	END SU LN	C	TWO WAY TURN		14A			2	2					8A	62A	8A	\$\$\$	62	2	01	1025	U1	55	R	P	*	
4.50	4.50	END ST	I	E MAIN ST					2	2					8A	62A	8A		62	2	01	1025	U1	55	R	P	\$	
		INTRSECTN	L	TERRE VIEW DR				CT	SG	Y																		
4.51	4.51	INTRSECTN	R	PVT RD				PV	SG	Y																		
4.58	4.58	BEG SU LN	C	TWO WAY TURN		14A			2	2					8A	48A	8A	14	62	2	01	1025	U1	55	R	P		
4.99	4.99	MP MARKER	R	5																								
5.56	5.56	MISC FEATR	L	SGN ENT PULLMAN																								
5.59	5.59	LEAVE CITY		PULLMAN					2	2					8A	48A	8A	14	62	2	01	\$\$\$\$	U1	55	R	\$		
5.73	5.73	ENT/EXIT	L	PVT RD				PV	Y																			
5.90	5.90								2	2					8A	48A	8A	14	62	2	01		R1	55	R			
5.99	5.99	MP MARKER	R	6																								
7.02	7.02	MP MARKER	R	7																								
7.36	7.36	INTRSECTN	R	SUNSHINE RD				CO	N																			
8.03	8.03	MP MARKER	R	8																								
8.68	8.68	INTRSECTN	R	GARRISON RD				CO	N																			
8.85	8.85								2	2					8A	48A	8A	14	62	2	01		R1	45	R			
8.91	8.91	INTRSECTN	R	GARRISON RD				CO	N																			
9.01	9.01	END SU LN	C	TWO WAY TURN		14A			2	2					8A	62A	8A	\$\$\$	62	2	01		R1	45	R			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.18	3.18	.04	11						
3.19	3.19				.04	12			
3.43	3.43			.03	11				
3.95	3.95	.03	12		.03	12			
4.50	4.50	.03	14		.11	12			
4.51	4.51			.03	14				
8.68	8.68			.03	14				

SR 270 MAINLINE

STATE ROUTE - SRSH

COUNTY WHITMAN

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																					
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	LEGAL	T	P	S											
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T			
9.03	9.03		MP MARKER	R		9											8A	62A	8A			62	2	01		R1				45	R		
9.07	9.07		INTRSECTN	L		PULLMAN AIRPORT RD	CO	SG	Y																								
9.08	9.08		BEG SU LN	C		TWO WAY TURN	14A										8A	48A	8A	14		62	2	01		R1				45	R		
9.41	9.41		INTRSECTN	R		CO RD	CO		Y																								
9.85	9.85		CHG SU LN	C		TWO WAY TURN	12A										6A	48A	6A	12		60	2	01		R1				45	R		
9.89	9.89		END SU LN	C		TWO WAY TURN	12A										6A	48A	6A	\$\$\$		48	2	01		R1				45	R		
			BORDER STA	R		IDAHO STATE LINE																											
						OWNER USC																											
			END CTLSEC			CONTROL SECTION 3831																											
			END ROUTE																														

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.07	9.07			.03	14			.10	12		

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																			
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																						
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		LEGAL																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S							
																						A	SE	NBR	FC	D	IB	R	K	T					
0.07	0.00		BEG ROUTE			MAIN ROUTE				1		8A	22A		C						22	1	02	1220	U1	40		R	P	*					
			ENTER CITY			SR 90/SPOKANE TO IDAHO																													
			BEG CTLSEC			SPOKANE																													
			BEG ST	I		HAMILTON ST																													
			UXING	D		SR 90																													
						BRDG NUM 090/562																													
0.11	0.04		UXING	D		W-W RAMP																													
						BRDG NUM 290/001W-W																													
0.14	0.07		BEG BRIDGE	I		2ND AVE				1	1	8A	22A		C	3750				W	26P		W		48	1	02	1220	U1	\$\$	40	R	P	*	
						BRDG NUM 290/002S																													
0.17	0.10		MISC FEATR	R		GORE (SR 90 R128244)																													
0.18	0.11									1	1	8A	22A		C	3500				W	64P		W		86	1	02	1220	U1		40	R	P	*	
0.19	0.12		END BRIDGE	I		2ND AVE				1	1	8A	22A		C	3250				8A	13A		8A		35	1	02	1220	U1		40	R	P	*	
0.20	0.13		BEG BRIDGE	D		2ND AVE				1	1	\$\$W	28P		W	3000				8A	13A		8A		41	1	02	1220	U1		40	R	P	*	
						BRDG NUM 290/002N																													
0.23	0.16		END BRIDGE	D		2ND AVE				1	1	8A	16A	5A	2500					8A	13A		8A		29	1	02	1220	U1		40	R	P	*	
0.25	0.18									1	1	8A	16A	5A	2000						8A	13A		8A		29	1	02	1220	U1		40	R	P	*
0.27	0.20									1	1	8A	16A	\$\$\$	6A	JE	\$\$\$				13A		8A		29	1	02	1220	U1		40	R	P	*	
0.28	0.21		MISC FEATR	L		GORE (R100040)																													
0.30	0.23		MISC FEATR	LC		GORE (SR 90 S128188)				1	1	8A	12A			6A	JE			13A		8A			25	1	02	1220	U1		40	R	P	*	
0.31	0.24		ON RAMP	R		SR 90 WB				ST	Y	1	2	8A	12A		6A	JE		27A		8A			39	1	02	1220	U1		40	R	P	*	
0.34	0.27											1	2	\$\$\$	13A		6A	JE		27A		8A			40	1	02	1220	U1		40	R	P	*	
0.40	0.33		OFF RAMP	L		2ND AVE				ST	Y	2	2	W	32P		6P	JE		32P		\$\$W			64	1	02	1220	U1		40	R	P	*	
			OFF RAMP	LC		SR 90 WB				ST	Y																								
			BEG BRIDGE	B		SPOKANE RIVER				ST																									
						BRDG NUM 290/003																													
0.44	0.37		ON RAMP	R		2ND AVE				ST	Y																								
0.52	0.45											2	2	W	28P		8P	JE		40P		W			68	1	02	1220	U1		40	R	P	*	
0.66	0.59		END BRIDGE	B		SPOKANE RIVER						2	2	W	29A		3P	CU		52A		W			81	1	02	1220	U1		40	R	P	*	
0.73	0.66											2	2	C	29A		3P	CU		52A		C			81	1	02	1220	U1		40	R	P	*	
0.74	0.67		END ST	I		HAMILTON ST						2	2	\$	\$\$\$		\$\$\$\$	\$\$		C	74A		C			74	1	02	1220	U1		30	L	P	*
			BEG ST	I		TRENT AVE																													
			INTRSECTN	L		HAMILTON ST				CT	SG	Y																							
			INTRSECTN	L		TRENT AVE (OLD SR 290)				CT	SG	Y																							
0.79	0.72		INTRSECTN	L		COLUMBUS ST				CT	Y																								
0.82	0.75		BEG BRIDGE	B		SPOKANE RIVER				ST		2	2							C	40A		C			40	1	02	1220	U1		30	L	P	*

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.74	0.67			.17	12	.03	12	.04	12		

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----									
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV		INCRS/UNDI		SPC				LEGAL							
		: :LEFT/RIGHT INDICATOR		-UXING-		NBR LFT RHT		LFT RHT		USE TOT		MTCE		CITY		ST					
		: :		-XROAD-		LNS SHD RDY SHD		SHD RDY SHD		LNS RDY		A SE		NBR		FC					
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW TC L	D I	W/S W/S W/S	WD/S BR	W/S W/S W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.82	0.75			BRDG NUM 290/005		2	2			C 40A	C	40	1	02	1220	U1	30	L	P	*	
0.92	0.85	END BRIDGE	B	SPOKANE RIVER		2	2			C 51A	C	51	1	02	1220	U1	30	L	B	*	
0.94	0.87	INTRSECTN	B	ERIE ST	CT	Y															
0.97	0.90	BEG SU LN	C	TWO WAY TURN	10A	2	2			C 51A	C	10	61	1	02	1220	U1	30	L	B	*
		INTRSECTN	R	DENVER ST	CT	Y															
1.04	0.97	INTRSECTN	B	PERRY ST	CT	Y															
1.09	1.02	END SU LN	C	TWO WAY TURN	10A	2	2			C 51A	C \$\$\$	51	1	02	1220	U1	30	L	B	*	
		INTRSECTN	B	HOGAN ST	CT	Y															
1.12	1.05					2	2			C 61A	C	61	1	02	1220	U1	30	L	B	*	
1.16	1.09	INTRSECTN	B	HELENA ST	CT	SG	Y														
1.20	1.13					2	2			C 51A	C	51	1	02	1220	U1	30	L	B	*	
1.23	1.16	INTRSECTN	B	MADELIA ST	CT	Y															
1.30	1.23					2	2			C 51A	C	51	1	02	1220	U1	30	L	P	*	
1.42	1.35	UXING	B	UP RR																	
		RR XING	B	BRDG NUM 290/007																	
				NUM 809334X STRUCTURE																	
1.44	1.37	INTRSECTN	B	NAPA ST	CT	SG	Y	2	2	C 40A	C	40	1	02	1220	U1	30	L	P	*	
1.51	1.44	INTRSECTN	L	CRESTLINE ST	CT	Y															
1.55	1.48	ENT/EXIT	L	BUSINESS	PV	Y															
1.58	1.51					2	2			C 40A	C	40	1	02	1220	U1	35	L	P	*	
1.63	1.56					2	2			C 44A	C	44	1	02	1220	U1	35	L	P	*	
1.82	1.75	RR XING	B	NUM 095820K GRADE																	
1.88	1.81	INTRSECTN	L	SPRINGFIELD ST	CT	Y															
2.06	1.99	INTRSECTN	L	REGAL ST	CT	Y															
2.08	2.01					2	2			C 48A	C	48	1	02	1220	U1	35	L	P	*	
2.10	2.03	INTRSECTN	B	TRENT RD	CT	Y															
2.26	2.19	INTRSECTN	L	FISKE ST	CT	Y															
2.35	2.28	INTRSECTN	L	GREENE ST	CT	Y															
2.40	2.33	INTRSECTN	R	CATALDO ST	CT	Y															
2.46	2.39	INTRSECTN	L	RALPH ST	CT	Y															
2.48	2.41	INTRSECTN	B	DESMET ST	CT	SG	Y														
2.53	2.46	INTRSECTN	L	THOR ST	CT	Y															
2.60	2.53	INTRSECTN	B	FREYA WAY	CT	SG	Y														
2.69	2.62	INTRSECTN	R	FREYA ST	CT	Y															
2.77	2.70	INTRSECTN	B	SYCAMORE ST	CT	Y															
2.93	2.86	INTRSECTN	R	JULIA ST	CT	Y															

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.16	1.09	.03	11	.03	11				
2.60	2.53	.03	12	.03	12				

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS----																					
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																								
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																								
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY																								
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S								
2.94		2.87															C	48A		C			48	1	02	1220	U1		35	L	P	*					
3.00		2.93	INTRSECTN	L		MYRTLE ST	CT		Y																												
3.07		3.00	INTRSECTN	L		FLORIDA ST	CT		Y																												
3.20		3.13															C	40A		C			40	1	02	1220	U1		35	L	P	*					
3.22		3.15	INTRSECTN	B		HAVANA ST	CT		Y	2	1						C	40A		C		40	1	02	1220	U1		35	L	P	*						
3.27		3.20								2	1		C	24A		20P	CU					\$	14A		C		38	1	02	1220	U1		35	L	P	*	
3.34		3.27	INTRSECTN	L		MISSION AVE	CT	SG	Y	2	1		8A	24A		4P	CU						38	1	02	1220	U1		35	L	B	*					
3.35		3.28	WYE CONN	L		MISSION AVE	CT		Y																												
3.36		3.29	INTRSECTN	L		HOUGH ST	CT		Y	2	2		8A	24A		4P	CU						54	1	02	1220	U1		35	L	B	*					
3.38		3.31								2	2		\$\$\$	\$\$\$		\$\$\$	\$\$						8A	52A		C		52	1	02	1220	U1		35	L	B	*
3.45		3.38								2	2												8A	44A	8A		44	1	02	1220	U1		35	L	B	*	
3.48		3.41	INTRSECTN	L		LANGLEY ST	CT		Y																												
3.59		3.52	INTRSECTN	L		WATERWORKS RD	CT	AF	Y																												
3.76		3.69	INTRSECTN	L		BYRD ST	CT		Y																												
3.88		3.81	INTRSECTN	L		WALDO ST	CT		Y																												
4.00		3.93	INTRSECTN	B		AIRPORT ST	CT		Y																												
4.15		4.08	INTRSECTN	L		KOREN ST	CT		Y																												
4.22		4.15								2	2												\$\$C	63P	\$\$C			63	1	02	1220	U1		35	L	B	*
4.27		4.20	WYE CONN	R		FANCHER WAY	CT		Y																												
4.29		4.22	INTRSECTN	B		FANCHER WAY	CT	SG	Y																												
4.31		4.24	LEAVE CITY			SPOKANE				2	2												C	63P		C		63	1	02	1221	U1		40	L	P	*
			ENTER CITY			SPOKANE VALLEY																															
			WYE CONN	R		FANCHER WAY	CT		Y																												
4.32		4.25								2	2												C	63A		C		63	1	02	1221	U1		40	L	P	*
4.37		4.30	BEG SU LN	C		TWO WAY TURN		13A		2	2												C	50A		C	13	63	1	02	1221	U1		40	L	P	*
			MISC FEATR	L		SGN ENT SPOKANE																															
4.41		4.34	INTRSECTN	B		DICKEY RD	CT		Y																												
4.66		4.59	INTRSECTN	B		DOLLAR RD	CT		Y																												
4.80		4.73								2	2												C	47A	6A	13	60	1	02	1221	U1		40	L	P	*	
4.92		4.85	INTRSECTN	L		BRADLEY RD	CT		Y																												
4.96		4.89	INTRSECTN	L		DORA RD	CT		Y	2	2												C	52A	6A	13	65	1	02	1221	U1		40	L	P	*	
4.99		4.92	MP MARKER	R		5																															
5.04		4.97	INTRSECTN	L		COLEMAN RD	CT		Y																												
5.13		5.06	INTRSECTN	L		LILY RD	CT		Y																												
5.19		5.12	INTRSECTN	L		GIRARD RD	CT		Y																												
5.23		5.16	END SU LN	C		TWO WAY TURN		13A		2	2												C	65A	6A	\$\$\$	65	1	02	1221	U1		40	L	P	*	

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
4.27		4.20				.05	14				
4.29		4.22		.03	12			.03	12		

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS----																	
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																					
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE																					
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS																					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	LEGAL	T	P	S						
																						A	SE	NBR	FC	D	IB	R	K	T				
5.23	5.16		INTRSECTN	L		BOWMAN RD	CT		Y	2	2						C	65A	6A		65	1	02	1221	U1	40	L	P	*					
5.27	5.20						CT	SG	Y	2	2						C	70A	\$\$\$C		70	1	02	1221	U1	40	L	P	*					
5.30	5.23		INTRSECTN	B		PARK RD																												
5.36	5.29		BEG SU LN	C		TWO WAY TURN		13A		2	2						C	47A	6A	13	60	1	02	1221	U1	40	L	P	*					
5.43	5.36		INTRSECTN	L		CENTER RD	CT		Y																									
5.55	5.48		INTRSECTN	L		ELLA RD	CT		Y																									
5.69	5.62		INTRSECTN	L		DICK RD	CT		Y																									
5.76	5.69		END SU LN	C		TWO WAY TURN		13A		2	2						C	60A	6A	\$\$\$	60	1	02	1221	U1	40	L	P	*					
5.77	5.70									2	2						C	66A	\$\$\$C		66	1	02	1221	U1	40	L	P	*					
5.79	5.72		WYE CONN	R		VISTA RD	CT		Y																									
5.81	5.74		INTRSECTN	B		VISTA RD	CT	SG	Y																									
5.84	5.77									2	2						C	64A	6A		64	1	02	1221	U1	40	L	P	*					
5.88	5.81		BEG SU LN	C		TWO WAY TURN		13A		2	2						C	51A	6A	13	64	1	02	1221	U1	40	L	P	*					
5.93	5.86		INTRSECTN	L		BESSIE RD	CT		Y																									
5.99	5.92		MP MARKER	R		6																												
6.08	6.01		INTRSECTN	L		SARGENT RD	CT		Y																									
6.15	6.08		INTRSECTN	L		DALE RD	CT		Y																									
6.18	6.11									2	2						C	59A	\$\$\$C	13	72	1	02	1221	U1	40	L	P	*					
6.20	6.13									3	2						C	59A	C	13	72	1	02	1221	U1	40	L	P	*					
6.23	6.16		END SU LN	C		TWO WAY TURN		13A		3	2						C	72A	C	\$\$\$	72	1	02	1221	U1	40	L	P	*					
6.31	6.24		WYE CONN	R		ARGONNE RD	CT		Y																									
6.33	6.26		INTRSECTN	B		ARGONNE RD	CT	SG	Y																									
6.40	6.33		INTRSECTN	L		STOUT RD	CT		Y	3	2						10A	71A	C		71	1	02	1221	U1	40	L	P	*					
6.43	6.36		BEG SU LN	C		TWO WAY TURN		13A		3	2						10A	58A	C	13	71	1	02	1221	U1	40	L	P	*					
6.44	6.37									2	2						10A	58A	C	13	71	1	02	1221	U1	40	L	P	*					
6.45	6.38									2	2						10A	52A	6A	13	65	1	02	1221	U1	40	L	P	*					
6.47	6.40		INTRSECTN	L		WILLOW RD	CT		Y																									
6.51	6.44									2	2						6A	52A	6A	13	65	1	02	1221	U1	40	L	P	*					
6.53	6.46		INTRSECTN	L		MAPLE RD	CT		Y																									
6.55	6.48									2	2						4A	52A	6A	13	65	1	02	1221	U1	40	L	P	*					
6.59	6.52		INTRSECTN	R		LOCUST RD	CT		Y																									
6.66	6.59		INTRSECTN	L		BOEING RD	CT		Y																									
6.68	6.61		END SU LN	C		TWO WAY TURN		13A		2	2						C	30A		13A	UP	\$\$\$	22A	4A	\$\$\$	52	1	02	1221	U1	40	L	P	*
6.84	6.77		BEG BRIDGE I			BN RR	ST			2	2						W	32P	W	130	\$\$	C	28A	\$\$\$C	60	1	02	1221	U1	40	L	P	*	

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
5.30	5.23			.03	13			.03	13		
5.81	5.74			.03	12			.03	12		
6.31	6.24					.07	12				
6.33	6.26			.07	12			.07	13		

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																		
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																						
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE																						
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS																						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S							
6.84		6.77	RR XING	B		BRDG NUM 290/012S				2	2	W	32P	W	130		C	28A	C		60	1	02	1221	U1	40	L	P	*						
			RR XING	B		NUM 95845F STRUCTURE																													
			BEG BRIDGE	D		NUM 662516W STRUCTURE																													
						BN RR																													
						BRDG NUM 290/012N																													
6.87		6.80	END BRIDGE	I		BN RR				2	2	C	30A	\$	13A	UP	\$	22A	6A		52	1	02	1221	U1	40	L	P	*						
			END BRIDGE	D		BN RR																													
6.90		6.83								2	2	\$	\$\$\$		\$\$\$	\$\$		C	65A	6A		65	1	02	1221	U1	40	L	P	*					
6.94		6.87	INTRSECTN	L		PVT RD																													
6.96		6.89	BEG SU LN	C		TWO WAY TURN		13A		2	2										C	52A	6A	13	65	1	02	1221	U1	40	L	P	*		
6.99		6.92	MP MARKER	R		7																													
7.09		7.02	INTRSECTN	L		FOWLER RD																													
7.20		7.13								2	2											C	52A	6A	13	65	1	02	1221	U1	50	L	P	*	
7.33		7.26	INTRSECTN	L		BUTLER RD																													
7.36		7.29	END SU LN	C		TWO WAY TURN		13A		2	2										C	65A	6A	\$\$\$	65	1	02	1221	U1	50	L	P	*		
7.38		7.31	INTRSECTN	R		UNIVERSITY RD																													
7.45		7.38	BEG SU LN	C		TWO WAY TURN		13A		2	2											C	52A	6A	13	65	1	02	1221	U1	50	L	P	*	
7.58		7.51	INTRSECTN	L		WILLIAMS RD																													
7.83		7.76	INTRSECTN	L		LOCKWOOD RD																													
7.99		7.92	MP MARKER	R		8																													
8.08		8.01	INTRSECTN	L		STEGNER RD																													
8.18		8.11	INTRSECTN	L		PIT RD																													
8.37		8.30	END SU LN	C		TWO WAY TURN		13A		2	2											C	61A	6A	\$\$\$	61	1	02	1221	U1	50	L	P	*	
8.42		8.35	WYE CONN	R		SR 27																													
8.43		8.36	INTRSECTN	L		PINES RD																													
			INTRSECTN	R		SR 27-PINES RD																													
8.50		8.43	BEG SU LN	C		TWO WAY TURN		13A		2	2											C	48A	6A	13	61	1	02	1221	U1	50	L	P	*	
8.56		8.49								2	2												C	48A	4A	13	61	1	02	1221	U1	50	L	P	*
8.57		8.50	END SU LN	C		TWO WAY TURN		13A		2	2												C	61A	4A	\$\$\$	61	1	02	1221	U1	50	L	P	*
8.58		8.51								2	2	C	26A		17A	UP							C	22A	4A		48	1	02	1221	U1	50	L	P	*
8.65		8.58	BEG BRIDGE	I		SPOKANE RIVER				2	2	C	32P	C	170	\$\$							C	30A	\$\$C		62	1	02	1221	U1	50	L	P	*
			BEG BRIDGE	D		SPOKANE RIVER																													
						BRDG NUM 290/015N																													

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.94		6.87		.02	17						
7.38		7.31				.03	15	.03	13		
8.42		8.35				.03	15				
8.43		8.36		.03	13			.03	13		

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----															
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S		
												WD/S BR	W/S	W/S	W/S						A	SE	NBR	FC	D	IB	R	K	T
8.67	8.60							2	2	C	32P	C	170		C	30A	C			62	1	02	1221	U1	50	L	P	*	
8.74	8.67	END BRIDGE	I	SPOKANE RIVER				2	2	C	26A	\$	17A	UP	C	22A	4A			48	1	02	1221	U1	50	L	P	*	
		END BRIDGE	D	SPOKANE RIVER																									
8.81	8.74	BEG SU LN	C	TWO WAY TURN			13A	2	2	\$	\$\$\$		\$\$\$\$	\$\$	C	52A	6A	13	65	1	02	1221	U1	50	L	P	*		
8.91	8.84	INTRSECTN	L	WOODLAWN RD		CT			Y																				
9.00	8.93	MP MARKER	R	9																									
9.02	8.95	INTRSECTN	L	MCDONALD RD		CT			Y																				
9.08	9.01							2	2						8A	44A	6A	13	57	1	02	1221	U1	50	L	P	*		
9.42	9.35	INTRSECTN	L	AVALON RD		CT			Y																				
9.45	9.38	END SU LN	C	TWO WAY TURN			13A	2	2						8A	57A	6A	\$\$\$	57	1	02	1221	U1	50	L	P	*		
9.51	9.44	INTRSECTN	B	EVERGREEN RD		CT	SG	Y																					
9.57	9.50	BEG SU LN	C	TWO WAY TURN			13A	2	2						8A	44A	6A	13	57	1	02	1221	U1	50	L	P	*		
9.76	9.69	INTRSECTN	L	BEST RD		CT			Y																				
9.87	9.80	INTRSECTN	L	ELLEN RD		CT			Y																				
9.95	9.88	MP MARKER	R	10																									
10.02	9.95	INTRSECTN	L	ADAMS RD		CT			Y																				
10.14	10.07	INTRSECTN	L	BURNS RD		CT			Y																				
10.27	10.20	END SU LN	C	TWO WAY TURN			13A	2	2						8A	48A	8A	\$\$\$	48	1	02	1221	U1	50	L	P	*		
		INTRSECTN	L	PROGRESS RD		CT			Y																				
10.33	10.26	ON RAMP	L	SULLIVAN RD		ST			Y																				
10.35	10.28	OFF RAMP	R	SULLIVAN RD		ST		Y	2	2					10A	48A	4A		48	1	02	1221	U1	50	L	P	*		
10.42	10.35	MISC FEATR	R	GORE (P101035)																									
10.43	10.36	MISC FEATR	L	GORE (S101033)																									
10.53	10.46	UXING	B	SULLIVAN RD		ST																							
				BRDG NUM 290/018																									
10.63	10.56	MISC FEATR	R	GORE (Q101074)																									
10.64	10.57	MISC FEATR	L	GORE (R101074)																									
10.74	10.67	ON RAMP	R	SULLIVAN RD		ST		Y	2	2					8A	48A	4A		48	1	02	1221	U1	50	L	P	*		
		OFF RAMP	L	SULLIVAN RD		ST			Y																				
11.00	10.93	MP MARKER	R	11																									
11.12	11.05	INTRSECTN	L	LILLIAN RD		CT			N																				
11.54	11.47	INTRSECTN	B	FLORA RD		CT			Y																				
11.69	11.62							2	2						8A	48A	10A		48	1	02	1221	U1	50	L	P	*		
12.00	11.93	MP MARKER	R	12																									
12.24	12.17	INTRSECTN	L	MONTE DELREY DR		CT			Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
9.51	9.44	.03	12	.02	13	.03	12		
11.54	11.47	.04	12	.03	13	.05	12		
12.24	12.17	.05	12						

SR 290 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----												
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC	TOT		CITY		ST	LEGAL		T	P	S		
				D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	LNS	RDY	MTCE	SE	NBR	FC	D	IB
12.26		12.19						2	2					8A	48A	10A		48	1	02	1221	U1		50	L	P	*
12.39		12.32						2	2					10A	48A	10A		48	1	02	1221	U1		50	L	P	*
12.50		12.43	INTRSECTN	R		BARKER RD	CT	Y	2	1	24			10A	24A	10A		48	1	02	1221	U2		50	L	P	*
12.53		12.46	INTRSECTN	RC		OLD SR 290*WELLESLEY AVE	CT	Y	2	1	8A 24A		8A UP	\$\$\$	14A	8A		38	1	02	1221	U2		50	L	P	*
12.61		12.54						1	1	8A 14A	4A 1400	\$\$\$		4A	14A	8A		28	1	02	1221	U2		50	L	P	*
12.84		12.77	LEAVE CITY			SPOKANE VALLEY		1	1	8A 14A	4A 1400			4A	14A	8A		28	1	02	\$\$\$\$	U2		50	L	\$	*
12.85		12.78	UXING	I		OLD SR 290	ST	1	1	8A 14A	4A 1850			4A	14A	8A		28	1	02		U2		50	L		*
						BRDG NUM 290/021																					
12.93		12.86						1	1	8A 14A	4A 150S			4A	14A	8A		28	1	02		U2		50	L		*
12.94		12.87						1	1	\$\$\$	\$\$\$	\$\$\$	\$\$\$	4A	24A	4A		24	1	02		U2		50	L		*
12.95		12.88	MP MARKER	R		13																					
13.00		12.93						1	1					4A	24A	4A		24	1	02		U2		55	L		*
13.58		13.51	INTRSECTN	L		CAMPBELL RD	CO	Y																			
14.00		13.93	MP MARKER	R		14																					
14.63		14.56	INTRSECTN	B		HARVARD RD	CO	Y																			
14.94		14.87	MP MARKER	R		15																					
15.16		15.09	INTRSECTN	L		LYNDEN RD	CO	N																			
15.28		15.21	INTRSECTN	R		MCKINZIE RD	CO	Y																			
			INTRSECTN	L		PVT RD	PV	Y																			
15.96		15.89	MP MARKER	R		16																					
16.48		16.41						1	1					4A	24A	4A		24	1	02		U2		45	L		*
16.89		16.82	INTRSECTN	B		STARR RD	CO	Y	1	1				4A	24A	4A		24	1	02		R2		45	L		*
16.94		16.87	MP MARKER	R		17																					
16.96		16.89	ENT/EXIT	L		POST OFFICE	OT	Y																			
17.21		17.14						1	1					4A	24A	4A		24	1	02		R2		55	L		*
17.66		17.59	TRAF RCDR	B		P33 0																					
17.97		17.90	MP MARKER	R		18																					
18.05		17.98	WYE CONN	R		IDAHO RD	CO	N																			
18.07		18.00	INTRSECTN	B		IDAHO RD	CO	N																			
18.17		18.10	ENT FROM	L		WEIGH STATION	ST	N																			
18.25		18.18	WEIGH STA	L		NUMBER 0																					
18.32		18.25	EXIT TO	L		WEIGH STATION	ST	N																			

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L--CNTR	R--CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.50		12.43		.06	12	.04	12			
13.58		13.51	.04	12						
14.63		14.56	.04	12	.03	12	.04	12		
15.28		15.21	.03	11	.04	12	.04	12		
16.89		16.82	.07	12		.03	13	.07	12	
16.96		16.89	.01	12				.02	12	

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																	
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																					
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																					
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S						
0.00	0.00		BEG ROUTE			MAIN ROUTE				2	2	C	60P			2P	CU			24P	C		84	1	02	1220	U1		35	R	P	*		
			ENTER CITY			SR 2/SPOKANE TO SR 231																												
			BEG CTLSEC			SPOKANE																												
			BEG ST	I		CONTROL SECTION 3236																												
			INTRSECTN	B		FRANCIS ST																												
0.03	0.03					SR 2																												
0.06	0.06																																	
0.07	0.07		INTRSECTN	B		ATLANTIC ST																												
0.09	0.09																																	
0.13	0.13		BEG SU LN	C		TWO WAY TURN																												
			INTRSECTN	B		NORMANDIE ST																												
0.19	0.19		INTRSECTN	B		CALISPEL ST																												
0.26	0.26		INTRSECTN	B		WHITEHOUSE ST																												
0.32	0.32		INTRSECTN	B		WASHINGTON ST																												
0.38	0.38		INTRSECTN	B		STEVENS ST																												
0.44	0.44		END SU LN	C		TWO WAY TURN																												
			INTRSECTN	B		HOWARD ST																												
0.50	0.50		INTRSECTN	B		WALL ST																												
0.56	0.56		INTRSECTN	L		POST ST																												
0.57	0.57		BEG SU LN	C		TWO WAY TURN																												
0.60	0.60		INTRSECTN	L		LINCOLN ST																												
0.61	0.61		END SU LN	C		TWO WAY TURN																												
0.66	0.66		INTRSECTN	B		MONROE ST																												
0.72	0.72		INTRSECTN	L		BUFFALO ST																												
0.76	0.76		INTRSECTN	B		MADISON ST																												
0.79	0.79		BEG SU LN	C		TWO WAY TURN																												
0.83	0.83		INTRSECTN	L		JEFFERSON ST																												
0.89	0.89		INTRSECTN	L		ADAMS ST																												
0.99	0.99		INTRSECTN	B		CEDAR ST																												
1.05	1.05		END SU LN	C		TWO WAY TURN																												

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
0.00	0.00			.09	24	.03	12		
0.13	0.13	.02	12						
0.44	0.44			.01	11				
0.50	0.50	.03	11	.03	11				
0.56	0.56	.02	11						
0.66	0.66	.03	11	.05	11				
0.76	0.76	.03	11	.02	11				

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																
: :LEFT/RIGHT INDICATOR				-UXING-			NBR LFT RHT			LFT RHT			USE TOT																
: :				-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY																
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S
1.06	1.06		INTRSECTN	L		WALNUT ST	CT		Y	2	2						C	50A	C		50	1	02	1220	U1	35	R	P	*
1.09	1.09									2	2						C	63A	C		63	1	02	1220	U1	35	R	P	*
1.12	1.12		INTRSECTN	B		MAPLE ST	CT	SG	Y																				
1.18	1.18		INTRSECTN	B		ASH ST	CT	SG	Y																				
1.20	1.20									2	2						C	50A	C		50	1	02	1220	U1	35	R	P	*
1.25	1.25		BEG SU LN	C		TWO WAY TURN				2	2						C	50A	C	13	63	1	02	1220	U1	35	R	P	*
			INTRSECTN	L		OAK ST	CT		Y																				
1.30	1.30		INTRSECTN	L		ELM ST	CT		Y																				
1.36	1.36		INTRSECTN	L		CANNON ST	CT		Y																				
1.40	1.40		INTRSECTN	R		ELGIN ST	CT		Y																				
1.44	1.44		INTRSECTN	L		ELGIN ST	CT		Y																				
1.50	1.50		INTRSECTN	B		BELT ST	CT		Y	2	2						C	45A	C	13	58	1	02	1220	U1	35	R	P	*
1.72	1.72		END SU LN	C		TWO WAY TURN				2	2						C	58A	C	\$\$\$	58	1	02	1220	U1	35	R	P	*
1.77	1.77		INTRSECTN	B		ALBERTA ST	CT	SG	Y																				
1.80	1.80		BEG SU LN	C		TWO WAY TURN				2	2						C	46A	C	12	58	1	02	1220	U1	35	R	P	*
1.88	1.88		INTRSECTN	R		LINDEKE ST	CT		Y																				
2.00	2.00		INTRSECTN	B		A ST	CT		Y																				
2.13	2.13		INTRSECTN	L		C ST	CT		Y																				
2.19	2.19		WYE CONN	R		INDIAN TRAIL RD	CT		Y																				
2.20	2.20		END SU LN	C		TWO WAY TURN				2	2						C	58A	C	\$\$\$	58	1	02	1220	U1	35	R	P	*
2.21	2.21		INTRSECTN	R		INDIAN TRAIL RD	CT	SG	Y																				
2.27	2.27									2	2						C	50A	C		50	1	02	1220	U1	35	R	P	*
2.30	2.30		INTRSECTN	L		G ST	CT		Y																				
2.44	2.44		INTRSECTN	B		FOTHERINGHAM ST	CT		Y																				
2.70	2.70		INTRSECTN	B		WINSTON DR	CT		Y																				
2.82	2.82		INTRSECTN	L		SUTHERLIN ST	CT		Y																				
			INTRSECTN	R		TAFT DR	CT		Y																				
2.89	2.89		INTRSECTN	B		GREENWOOD BLVD	CT		Y																				
2.95	2.95		INTRSECTN	B		FOREST BLVD	CT		Y	2	1						C	50A	C		50	1	02	1220	U1	35	R	P	*
2.97	2.97									2	1						C	63A	C		63	1	02	1220	U1	35	R	P	*
3.00	3.00		INTRSECTN	B		ASSEMBLY ST	CT		Y																				
3.03	3.03									1	1						C	63A	C		63	1	02	1220	U1	35	R	P	*
3.06	3.06		WYE CONN	L		NINE MILE RD	CT		Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
1.12	1.12				.10	11				
1.18	1.18		.12	11						
1.77	1.77		.03	11		.03	11			
2.21	2.21					.02	11			
3.00	3.00		.05	10	.01	10	.02	10		

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----															
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE																	
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	RDY	MTCE	CITY	ST	SPEED	T	P	S		
3.07		3.07	END ST	I		FRANCIS ST				1	1						C	63A	C		63	1	02	1220	U1	35	R	P	*	
			BEG ST	I		NINE MILE RD																								
			INTRSECTN	L		NINE MILE RD	CT		Y																					
3.10		3.10	WYE CONN	L		NINE MILE RD	CT		Y	1	2						C	63A	C		63	1	02	1220	U1	35	R	P	*	
3.14		3.14								2	2						C	63A	C		63	1	02	1220	U1	35	R	P	*	
3.18		3.18								2	2						C	52A	C		52	1	02	1220	U1	35	R	P	*	
3.41		3.41	INTRSECTN	L		ROYAL DR	CT		Y																					
3.42		3.42	BEG SU LN	C		TWO WAY TURN	12A			2	2						C	40A	C	12	52	1	02	1220	U1	35	R	P	*	
3.52		3.52	END SU LN	C		TWO WAY TURN	12A			2	2						C	52A	C	\$\$\$	52	1	02	1220	U1	35	R	P	*	
3.57		3.57	INTRSECTN	L		LYONS RD	CT		Y																					
3.58		3.58	BEG SU LN	C		TWO WAY TURN	12A			2	2						C	40A	C	12	52	1	02	1220	U1	35	R	P	*	
3.64		3.64	INTRSECTN	L		WOODSIDE ST	CT		Y	2	2						C	40A	C	12	52	1	02	1220	U1	50	R	P	*	
3.79		3.79	END SU LN	C		TWO WAY TURN	12A			2	2						C	52A	C	\$\$\$	52	1	02	1220	U1	50	R	P	*	
3.85		3.85	BEG SU LN	C		TWO WAY TURN	12A			2	2						C	52A	C	12	64	1	02	1220	U1	50	R	P	*	
			INTRSECTN	R		RIFLE CLUB CT	CT		Y																					
			INTRSECTN	L		RIFLE CLUB RD	CT		Y																					
3.91		3.91								2	2						C	40A	C	12	52	1	02	1220	U1	50	R	P	*	
3.93		3.93	ENT/EXIT	R		SANITARY LANDFILL	CT		N																					
3.96		3.96	END SU LN	C		TWO WAY TURN	12A			2	2						C	52A	C	\$\$\$	52	1	02	1220	U1	50	R	P	*	
4.25		4.25	INTRSECTN	L		WIND RIVER DR	CT		Y																					
4.60		4.60	LEAVE CITY			SPOKANE				2	2						C	52A	C		52	1	02	\$\$\$	U1	50	R	\$	*	
4.63		4.63	MISC FEATR	L		SGN ENT SPOKANE																								
4.69		4.69	INTRSECTN	R		WENGER RD	CO		N																					
4.82		4.82								1	2						C	52A	C		52	1	02		U1	50	R		*	
4.98		4.98	MP MARKER	R		5																								
5.00		5.00	INTRSECTN	L		PARKWAY RD	CO		Y																					
			INTRSECTN	R		PINEMEADOW RD	CO		Y																					
5.16		5.16								1	2						C	64A	C		64	1	02		U1	50	R		*	
5.22		5.22	INTRSECTN	L		SEVEN MILE RD	CO		Y	1	1						6A	42A	6A		42	1	02		U2	50	R		*	
			INTRSECTN	R		LOWELL RD	CO		Y																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----				
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
3.07		3.07	.06	10						
3.10		3.10							.04	13
3.41		3.41	.03	12						
3.57		3.57	.02	12						
3.85		3.85	.02	12						
4.25		4.25	.03	11					.03	11
5.00		5.00	.02	12		.02	12			
5.22		5.22	.02	12		.02	12			

SR 291 MAINLINE

STATE ROUTE - SRSH

COUNTY STEVENS

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----											
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT														
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY														
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
11.23	11.23	ENTER CO BEG CTLSEC		STEVENS CONTROL SECTION 3343				1 1						2A	22A	2A		22	1	02		R3	50	R			
12.00	12.00	MP MARKER	R	12										6A	24A	6A	12	36	1	02		R3	50	R			
12.45	12.45	BEG SU LN	R	CLIMBING	12A			1 1						6A	24A	6A	12	36	1	02		R3	40	R			
12.48	12.48							1 1						6A	24A	6A	12	36	1	02		R3	40	R			
12.68	12.68							1 1						2A	24A	6A	12	36	1	02		R3	40	R			
12.80	12.80	END SU LN	R	CLIMBING	12A			1 1						2A	24A	4A	\$\$\$	24	1	02		R3	40	R			
12.85	12.85							1 1						2A	24A	2A		24	1	02		R3	40	R			
12.98	12.98	INTRSECTN	B	SWENSON RD	CO	PC	Y																				
13.00	13.00	MP MARKER	R	13																							
13.05	13.05	ENT/EXIT	L	SHOPPING CENTER	PV		Y																				
13.06	13.06							1 1						2A	22A	2A		22	1	02		R3	40	R			
13.07	13.07	EXIT TO	L	SHOPPING CENTER	PV		Y																				
13.36	13.36	INTRSECTN	L	SUNRISE DR	CO		Y																				
		INTRSECTN	R	BLACKSTONE WAY	CO		Y																				
13.47	13.47	MISC FEATR	R	SGN ENT SUNCREST																							
13.82	13.82	INTRSECTN	L	SUNCREST DR	CO		Y																				
13.88	13.88	MISC FEATR	L	SGN ENT SUNCREST																							
14.00	14.00	MP MARKER	R	14																							
14.31	14.31							1 1						2B	20B	2B		20	1	02		R3	40	R			
14.35	14.35	INTRSECTN	L	WYLIE DR	CO		Y																				
14.40	14.40							1 1						2B	20B	2B		20	1	02		R3	50	R			
14.99	14.99	MP MARKER	R	15																							
15.13	15.13	INTRSECTN	L	MORIAH DR	CO		Y																				
		INTRSECTN	R	PVT RD	PV		Y																				
15.63	15.63	INTRSECTN	L	MEADOW VISTA DR	CO		Y																				
15.96	15.96	INTRSECTN	R	JERGENS RD	CO		N																				
15.99	15.99	MP MARKER	R	16																							
16.05	16.05	INTRSECTN	R	WHITMORE HILL RD	CO		N																				
16.91	16.91	INTRSECTN	L	SUNDOWN RD	CO		Y																				
16.98	16.98	MP MARKER	R	17																							
16.99	16.99	INTRSECTN	L	VILLIER RD	CO		N																				
17.77	17.77	INTRSECTN	L	FELTON RD	CO		N																				
17.89	17.89	INTRSECTN	L	LAKEVIEW RD	CO		N																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
12.98	12.98	.04 12	.03 12	.04 12	.03 12				
13.07	13.07				.02 12				
15.13	15.13	.04 10		.02 10					
15.63	15.63	.03 11							

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----											-----CLASSIFICATIONS-----																								
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																										
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																										
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S											
130.71		137.27	ENTER CO			SPOKANE																																	
156.74		163.24	EQUATION			156.68 =156.74																																	
			END COINCI			SR 090																																	
156.75		163.25	BEG COINCI			SR 002																																	
159.06B		165.56	BEG EQ			BEGIN BACK																																	
159.06		165.60	EQUATION			159.10B=159.06																																	
164.50		169.27	ENTER CITY			SPOKANE				2	2				C 22A		12A	CU			36A		C		58	1	02	1220	U1	45	L	P							
			EQUATION			162.73 =164.50																																	
			BEG CTLSEC			CONTROL SECTION 3209																																	
			INTRSECTN	R		SR 2										ST																							
			INTRSECTN	C		MEDIAN XROAD										ST																							
			END COINCI			SR 002																																	
164.51		169.28	WYE CONN	R		SR 2										ST		Y	2	2					C 22A		12A	CU		24A	4A	46	1	02	1220	U1	45	L	P
164.60		169.37	INTRSECTN	B		COUNTRY HOMES BLVD										CT		SG	Y	2	2				C 22A		12A	CU		28A	\$\$\$	50	1	02	1220	U1	45	L	P
			INTRSECTN	C		MEDIAN XROAD										ST		SG	Y																				
164.63		169.40	BEG SU LN	C		TWO WAY TURN									14A																								
164.66		169.43	INTRSECTN	L		HOERNER AVE										CT																							
			ENT/EXIT	R		BUSINESS										PV																							
164.80		169.57	END SU LN	C		TWO WAY TURN									14A																								
164.82		169.59	INTRSECTN	B		HOLLAND AVE										CT																							
164.86		169.63	BEG SU LN	C		TWO WAY TURN									14A																								
164.93		169.70	MISC FEATR	L		SGN ENT SPOKANE																																	
164.95		169.72	END SU LN	C		TWO WAY TURN									14A																								
			INTRSECTN	B		WESTVIEW AVE										CT																							
164.96		169.73	LEAVE CITY			SPOKANE																																	
164.98		169.75	BEG SU LN	C		TWO WAY TURN									14A																								
165.00		169.77	MP MARKER	R		165																																	
165.04		169.81	END SU LN	C		TWO WAY TURN									14A																								
165.07		169.84	INTRSECTN	B		GRAVES RD										CO																							
165.12		169.89	BEG SU LN	C		TWO WAY TURN									14A																								
165.25		170.02	END SU LN	C		TWO WAY TURN									14A																								
165.32		170.09	INTRSECTN	B		HAWTHORNE RD										CO		SG	Y	2	2																		
165.33		170.10	WYE CONN	R		HAWTHORNE RD										CO																							

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B	ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
			LGT	WD	LGT	WD	LGT	WD	LGT	WD
164.60		169.37	.05	14						
164.82		169.59	.02	14		.02	14			
164.95		169.72				.02	14			
165.07		169.84	.02	14		.02	14			
165.32		170.09	.04	14		.05	14			

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS-----												
		:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC													
		: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT													
		: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY													
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	MEDIAN-	SHD	RDY	SHD	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S	
165.35	170.12								2	2						C 78A	C		78	1	02		U1	45	L			
165.38	170.15	BEG SU LN	C	TWO WAY TURN					2	2						C 64A	C	14	78	1	02		U1	45	L			
165.40	170.17	INTRSECTN	R	HUMBOLT ST		CO	Y																					
165.41	170.18								2	2						C 64A	W	14	78	1	02		U1	45	L			
165.48	170.25								2	2						C 64A	W	14	78	1	02		U1	50	L			
165.76	170.53								2	2						W 64A	W	14	78	1	02		U1	50	L			
165.80	170.57	CHG SU LN	C	TWO WAY TURN					2	2						W 64P	W	14	78	1	02		U1	50	R			
		BEG BRIDGE B	B	WHITWORTH DR		ST																						
		BRDG NUM 395/453																										
165.83	170.60	END BRIDGE B	B	WHITWORTH DR					2	2						W 64A	W	14	78	1	02		U1	50	R			
		CHG SU LN	C	TWO WAY TURN																								
165.97	170.74								2	2						C 64A	W	14	78	1	02		U1	50	R			
165.99	170.76	END SU LN	C	TWO WAY TURN					2	2						C 78A	W	\$\$\$	78	1	02		U1	50	R			
166.00	170.77	MP MARKER	R	166																								
166.05	170.82	BEG SU LN	C	TWO WAY TURN					2	2						C 64A	W	14	78	1	02		U1	50	R			
		INTRSECTN	L	FALCON AVE		CO	Y																					
166.09	170.86								2	2						C 56A	8A	14	70	1	02		U1	50	R			
166.12	170.89	END SU LN	C	TWO WAY TURN					2	2						C 78A	8A	\$\$\$	78	1	02		U1	50	R			
166.15	170.92								2	2						C 70A	8A		70	1	02		U1	50	R			
166.18	170.95	INTRSECTN	L	REGINA DR		CO	Y	2	2							C 78A	\$\$C		78	1	02		U1	50	R			
		INTRSECTN	R	WHITWORTH DR		CO	Y																					
166.24	171.01	BEG SU LN	C	TWO WAY TURN					2	2						C 64A	C	14	78	1	02		U1	50	R			
166.39	171.16								2	3						C 64A	C	14	78	1	02		U1	50	R			
166.40	171.17	ENT/EXIT	R	PVT RD		PV	N																					
166.52	171.29	ENT/EXIT	L	DOT MAINT SHOP		ST	Y																					
166.54	171.31								2	3						C 64P	C	14	78	1	02		U1	50	R			
166.55	171.32	END SU LN	C	TWO WAY TURN					2	3						C 78P	C	\$\$\$	78	1	02		U1	50	R			
166.60	171.37	INTRSECTN	B	HASTINGS RD		CO	SG	Y	2	3						C 90P	C		90	1	02		U1	50	R			
166.66	171.43								2	3						9A 80A	C		80	1	02		U1	50	R			
166.69	171.46	BEG SU LN	C	TWO WAY TURN					2	3						9A 66A	C	14	80	1	02		U1	50	R			
166.76	171.53	ENT/EXIT	B	BUSINESS		PV	Y	2	3							10A 66A	10A	14	80	1	02		U1	50	R			
166.79	171.56	ENT/EXIT	R	BUSINESS		PV	Y																					
166.82	171.59	END SU LN	C	TWO WAY TURN					2	3						10A 66A	10A	\$\$\$	66	1	02		U1	50	R			

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
166.05	170.82	.02	14						
166.18	170.95	.03	14	.03	14				
166.60	171.37	.03	14	.05	14	.07	12		
166.76	171.53					.07	16		
166.79	171.56			.02	14				

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----																										
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC		-----CLASSIFICATIONS-----															
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT		LEGAL															
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY		T P S															
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
166.83		171.60															10A	66A	10A			66	1	02		U1		50	R	
166.85		171.62	INTRSECTN	B		FARWELL RD	CO	SG	Y																					
166.86		171.63	WYE CONN	R		WANDERMERE RD	CO		Y	2	2						10A	48A	10A			48	1	02		U1		50	R	
166.99		171.76	MP MARKER	B		167																								
167.01		171.78	INTRSECTN	R		WANDERMERE RD	CO	SG	Y																					
167.02		171.79								2	2	10A	24A		12A	UP	\$\$\$	24A	10A			48	1	02		U1		50	R	
167.03		171.80	WYE CONN	R		WANDERMERE RD	CO		Y																					
167.07		171.84								\$	2	\$\$\$	\$\$\$		\$\$\$	\$\$	6P	25P	8P			25	1	02		U1		50	R	
167.15		171.92									1						6P	13P	8P			13	1	02		U1		50	R	
167.24		172.01									1						4P	13P	18P			13	1	02		U1		50	R	
167.37		172.14	UXING	I		SR 395 SPNSC (SPUR) SB BRDG NUM 395/455W	ST																							
167.40		172.17	END CTLSEC BEG PH GP UXING	I		CONTROL SECTION 3209 BEGIN PHYSICAL GAP SR 395 SPNSC (SPUR) NB BRDG NUM 395/455E	ST					\$					\$\$\$	\$\$\$	\$\$\$			\$\$\$	\$	\$\$		\$\$		\$\$	\$	
167.44		172.18	EQUATION BEG CTLSEC MISC FEATR END PH GP	L		167.41 =167.44 CONTROL SECTION 3209 GORE (R116759) END PHYSICAL GAP				2		10P	24P									24	1	02		U1	50		R	
167.45		172.19								2	2	10P	24P		12P	JE		24P	10P			48	1	02		U1	\$\$	50	R	
167.53		172.27	MISC FEATR	R		GORE (Q116793)																								
167.59		172.33	OFF RAMP	L		SR 395 SB	ST		Y																					
167.63		172.37	BEG BRIDGE	B		LITTLE SPOKANE RIVER BRDG NUM 395/456	ST			2	2	\$\$W	34P		12P	JE		34P	\$\$W			68	1	02		U1		50	R	
167.79		172.53	END BRIDGE	B		LITTLE SPOKANE RIVER				2	2	10A	24P		12P	JE		24P	10A			48	1	02		U1		50	R	
167.90		172.64								2	2	10A	24P		12P	JE		24P	10A			48	1	02		U1		60	R	
167.93		172.67	ON RAMP	R		SR 395 NB	ST		Y																					
167.96		172.70								2	2	10A	24P		16P	JE		24P	10A			48	1	02		U1		60	R	
168.00		172.74	MP MARKER	B		168																								
168.53		173.27								2	2	10A	24P	4P	55S	CA	4P	24P	10A			48	1	02		U1		60	R	
168.59		173.33	ON RAMP	L		HATCH RD	ST		Y																					
168.82		173.56	OFF RAMP	R		HATCH RD	ST		Y																					
168.88		173.62	MISC FEATR	L		GORE (S116859)																								
168.98		173.72	MISC FEATR	R		GORE (P116882)																								
169.00		173.74	MP MARKER	B		169																								
169.06		173.80								2	2	10A	24P	4P	55S	BE	4P	24P	10A			48	1	02		U1		60	R	

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
166.85		171.62		.03	12	.03	12	.04	12	.05	12

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC																			
: :LEFT/RIGHT INDICATOR				-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT																			
: :				-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
169.10		173.84	BEG BRIDGE	D		HATCH RD	ST			2	2	\$\$W	38P	\$\$W	55S	DE	4P	24P	10A		62	1	02		U1		60		R		
						BRDG NUM 395/458W																									
169.12		173.86	BEG BRIDGE	I		HATCH RD	ST			2	2	W	38P	W	55O	\$\$	\$\$W	38P	\$\$W		76	1	02		U1		60		R		
						BRDG NUM 395/458E																									
169.15		173.89	END BRIDGE	D		HATCH RD				2	2	10A	24P	4P	55S	DE	W	38P	W		62	1	02		U1		60		R		
169.16		173.90	END BRIDGE	I		HATCH RD				2	2	10A	24P	4P	55S	BE	4P	24P	10A		48	1	02		U1		60		R		
169.18		173.92								2	2	10A	24P	4P	55S	CA	4P	24P	10A		48	1	02		U1		60		R		
169.30B		174.04	BEG EQ			BEGIN BACK																									
169.30		174.06	EQUATION			169.32B=169.30																									
169.35		174.11	MISC FEATR	R		GORE (Q116966)																									
169.37		174.13	MISC FEATR	L		GORE (R116954)																									
169.54		174.30	OFF RAMP	L		HATCH RD	ST		Y																						
169.66		174.42	ON RAMP	R		HATCH RD	ST	Y	2	2	10A	24P	4P	55S	CA	4A	24A	10A		48	1	02		U1		60		R			
170.00		174.76	MP MARKER	B		170																									
170.70		175.46								2	2	10A	24P	4P	55S	CA	4A	24A	10A		48	1	02		R1		60		R		
171.00		175.76	MP MARKER	B		171																									
171.10		175.86	INTRSECTN	C		MEDIAN XROAD	ST		Y																						
			INTRSECTN	B		MONROE RD	CO		Y																						
171.57		176.33	INTRSECTN	R		FENDER RD	CO		Y																						
			INTRSECTN	C		MEDIAN XROAD	ST		Y																						
171.94		176.70	MP MARKER	B		172																									
172.11		176.87								2	2	10A	24A	4P	55S	CA	4A	24A	10A		48	1	02		R1		60		R		
172.17		176.93								2	1	10A	24A	4P	55S	CA	4A	12A	10A		36	1	02		R1		60		R		
172.24		177.00								2	1	10A	24A	4A	55S	CA	4A	12A	10A		36	1	02		R1		60		R		
172.31		177.07								2	1	10A	24A	\$\$\$	20A	UP	\$\$\$	12A	10A		36	1	02		R1		60		R		
172.46		177.22								2	1	\$\$\$	\$\$\$		\$\$\$\$	\$\$	4A	36A	8A		36	1	02		R1		60		R		
173.00		177.76	MP MARKER	R		173																									
173.09		177.85	INTRSECTN	B		HALF MOON RD	CO		Y																						
173.70		178.46	ENT/EXIT	R		BUSINESS	PV		Y																						
174.00		178.76	MP MARKER	R		174																									
174.10		178.86	INTRSECTN	B		WILLD ROSE RD	CO		Y																						
174.63		179.39	INTRSECTN	R		NORTH RD	CO		N																						
174.72		179.48								2	1						8A	36A	8A		36	1	02		R1		60		R		
174.74		179.50								1	1						8A	22A	8A		22	1	02		R1		60		R		

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT	WD	LGT	WD	LGT	WD	LGT	WD
				-----	-----	-----	-----	-----	-----	-----	-----
171.10		175.86		.06	12	.03	12	.04	12	.02	12
173.09		177.85		.03	12			.03	12		
173.70		178.46				.09	12	.03	12		
174.10		178.86		.03	12			.03	12		

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S									
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	B	\$							
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY							D		I	B	K	T						
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	NBR	FC	D	IB	R	K	T	
179.89		184.65	INTRSECTN	L		CLEVELAND RD	CO		Y	1	1						8A	22A	8A		22	1	02			R1		60	R				
179.90		184.66	ENTER CITY			DEER PARK				1	1						8A	22A	8A		22	1	02	0320	R1		60	R	B				
179.97		184.73	LEAVE CITY			DEER PARK				1	1						8A	22A	8A		22	1	02	\$\$\$\$	R1		60	R	\$				
180.00		184.76	MP MARKER	R		180																											
180.43		185.19	BEG BRIDGE	B		DRAGOON CREEK	ST			1	1						\$\$W	42A	\$\$W		42	1	02			R1		60	R				
						BRDG NUM 395/460																											
180.44		185.20	END BRIDGE	B		DRAGOON CREEK				1	1						8A	22A	8A		22	1	02			R1		60	R				
180.46		185.22	INTRSECTN	L		MONROE RD	CO		Y																								
			INTRSECTN	R		CRAWFORD ST	CO		Y																								
181.00		185.76	MP MARKER	R		181																											
181.06		185.82	INTRSECTN	B		DAHL RD	CO		Y																								
182.00		186.76	ENT FROM	L		WEIGH STATION	ST		Y																								
182.02		186.78	MP MARKER	R		182																											
182.09		186.85	WEIGH STA	L		NUMBER 65																											
182.12		186.88	INTRSECTN	R		ARLINGTON RD	CO		Y																								
			EXIT TO	L		WEIGH STATION	ST		Y																								
182.82		187.58	BEG SU LN	R		CLIMBING	12A			1	1						8A	22A	8A	12	34	1	02			R1		60	R				
			INTRSECTN	B		SPOTTED RD	CO		Y																								
182.85		187.61								1	1						4A	22A	4A	12	34	1	02			R1		60	R				
183.00		187.76	MP MARKER	R		183																											
183.16		187.92	BEG SU LN	L		CLIMBING	12A			1	1						4A	22A	4A	24	46	1	02			R1		60	R				
183.50		188.26	END SU LN	R		CLIMBING	12A			1	1						4A	22A	4A	12	34	1	02			R1		60	R				
183.58		188.34	MISC FEATR	B		24K COUNTY BOUNDARY																											
183.63		188.39	END SU LN	L		CLIMBING	12A			1	1						4A	22A	4A	\$\$\$	22	1	02			R1		60	R				
183.69		188.45	END CTLSEC			CONTROL SECTION 3209																											
			LEAVE CO			SPOKANE																											

INTERSECTION DETAIL

				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM		LGT	WD	LGT	WD	LGT	WD	LGT	WD
179.89		184.65		.03	12	.09	12	.03	12		
180.46		185.22		.03	12			.03	12		
181.06		185.82		.03	12			.03	12		
182.00		186.76						.18	12		
182.12		186.88								.05	12
182.82		187.58		.03	12			.03	12		

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY STEVENS DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----																
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC															
		: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT			USE TOT															
		: :		-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY															
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	SPEED	T	P	S		
183.69	188.45	ENTER CO		STEVENS				1	1						8A	24A	8A			24	4	01		R1		60	R	
		BEG CTLSEC		CONTROL SECTION 3301																								
		MISC FEATR	R	SGN ENT STEVENS COUNTY																								
		MISC FEATR	L	SGN ENT SPOKANE COUNTY																								
183.71	188.47							1	1						7A	24A	7A			24	4	01		R1		60	R	
183.94	188.70	INTRSECTN	B	WALLBRIDGE RD	CO		N																					
184.00	188.76	MP MARKER	R	184																								
184.54	189.30	INTRSECTN	R	RAILROAD RD	CO		Y																					
185.00	189.76	MP MARKER	R	185																								
185.23	189.99	INTRSECTN	B	SWENSON N RD	CO		N																					
185.60	190.36	INTRSECTN	B	WILLIAMS VALLEY RD	CO		Y																					
186.00	190.76	MP MARKER	R	186																								
186.09	190.85	INTRSECTN	R	RAILROAD RD	CO		N																					
186.65	191.41	INTRSECTN	R	GROTE RD	CO		N																					
186.90	191.66	INTRSECTN	B	STEPHENSON RD	CO		N																					
187.00	191.76	MP MARKER	R	187																								
187.30	192.06	INTRSECTN	L	GROTE RD	CO		N																					
187.37	192.13	UXING	B	BN RR	ST																							
				BRDG NUM 395/503																								
		RR XING	B	NUM 59315V STRUCTURE																								
187.48	192.24	BEG SU LN	R	CLIMBING		12A		1	1						7A	24A	7A	12	36	4	01		R1		60	R		
187.99	192.75	MP MARKER	R	188																								
188.30	193.06	INTRSECTN	L	LARSON BEACH RD	CO		Y																					
188.86	193.62	INTRSECTN	L	GRANITE POINT RD	CO		Y																					
188.93	193.69	END SU LN	R	CLIMBING		12A		1	1						7A	24A	7A	\$\$\$	24	4	01		R1		60	R		
189.01	193.77	MP MARKER	R	189																								
189.54	194.30	INTRSECTN	L	SUNSET BAY RD	CO		N																					
190.00	194.76	MP MARKER	R	190																								
190.14	194.90	INTRSECTN	R	STATE RD	CO		N																					
		INTRSECTN	L	SUNSET BAY RD	CO		N																					
190.29	195.05	TRAF RCDR	B	R063 0																								
190.40	195.16							1	1						8A	24A	8A			24	4	01		R1		60	R	
190.58	195.34	INTRSECTN	L	SR 292	ST		Y																					
		INTRSECTN	R	GARDEN SPOT RD	CO		Y																					

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
184.54	189.30			.03	12				
185.60	190.36	.03	12	.03	12				
188.30	193.06	.03	12						
188.86	193.62	.03	12						
190.58	195.34	.03	12	.03	12				

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY STEVENS

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----																-----CLASSIFICATIONS----										
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC															
		: :LEFT/RIGHT INDICATOR		-UXING-			NBR LFT RHT			LFT RHT USE TOT																		
		: :		-XROAD-			LNS SHD RDY SHD			SHD RDY SHD			LNS RDY															
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	MTCE	CITY	ST	LEGAL	T	P	S		
																				A	SE	NBR	FC	D	IB	R	K	T
190.72	195.48							1	1						7A	24A	7A		24	4	01		R1		60	R		
190.99	195.75	MP MARKER	R	191																								
192.00	196.76	MP MARKER	R	192																								
192.10	196.86	INTRSECTN	L	MAPLE ST	CO		N																					
		INTRSECTN	R	AGAR RD	CO		N																					
192.99	197.75	MP MARKER	R	193																								
193.66	198.42	INTRSECTN	R	N DEER LAKE RD	CO		Y																					
194.00	198.76	MP MARKER	R	194																								
195.00	199.76	MP MARKER	R	195																								
196.00	200.76	MP MARKER	R	196																								
196.78	201.54	INTRSECTN	R	ROITZ RD	CO		N																					
197.00	201.76	MP MARKER	R	197																								
197.18	201.94	BEG SU LN	L	CLIMBING	11A			1	1						7A	24A	7A	11	35	4	01		R1		60	R		
197.84	202.60	END SU LN	L	CLIMBING	11A			1	1						7A	24A	7A	\$\$\$	24	4	01		R1		60	R		
197.96	202.72	INTRSECTN	R	BEITEY RD	CO		N																					
		INTRSECTN	L	E JUMPOFF RD	CO		N																					
198.00	202.76	MP MARKER	R	198																								
198.52	203.28	INTRSECTN	L	BULLDOG CREEK RD	CO		Y																					
		INTRSECTN	R	SKOK RD	CO		Y																					
199.00	203.76	MP MARKER	R	199																								
200.01	204.77	MP MARKER	R	200																								
200.15	204.91	INTRSECTN	L	BAKIE RD	CO		N																					
200.52	205.28	BEG SU LN	L	CLIMBING	11A			1	1						6A	24A	7A	11	35	4	01		R1		60	R		
200.84	205.60	INTRSECTN	R	ROSKAM RD	CO		N																					
201.00	205.76	MP MARKER	R	201																								
201.62	206.38	INTRSECTN	L	HUFFMAN RD	CO		N																					
202.02	206.78	MP MARKER	R	202																								
202.43	207.19	CHG SU LN	L	CLIMBING	12A			1	1						6A	24A	8A	12	36	4	01		R1		60	R		
		INTRSECTN	L	SR 231	ST		Y																					
202.62	207.38	END SU LN	L	CLIMBING	12A			1	1						6A	24A	8A	\$\$\$	24	4	01		R1		60	R		
202.69	207.45	INTRSECTN	R	HAFER RD	CO		N	1	1						8A	24A	8A		24	4	01		R1		60	R		
202.99	207.75	MP MARKER	R	203																								
203.30	208.06	BEG BRIDGE	B	COLVILLE RIVER	ST			1	1						\$\$W	38A	\$\$W		38	4	01		R1		60	R		
				BRDG NUM 395/512																								
203.32	208.08	END BRIDGE	B	COLVILLE RIVER				1	1						8A	24A	8A		24	4	01		R1		60	R		
203.93	208.69	INTRSECTN	L	FARM TO MARKET RD	CO		N																					
203.99	208.75	MP MARKER	R	204																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
198.52	203.28	.03	12					.03	12

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----															
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC				LEGAL										
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE		TOT		SPEED										
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY		D IB										
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	S
204.14	208.90							1	1					8A	24A	8A		24	4	01		R1		60	R		
204.43	209.19	INTRSECTN	R	SMITH RD	CO		Y																				
204.51	209.27	BEG SU LN	C	TWO WAY TURN	13A			1	1					8A	24A	8A	13	37	4	01		R1		60	R		
204.68	209.44	END SU LN	C	TWO WAY TURN	13A			1	1					9A	24A	7A	\$\$\$	24	4	01		R1		60	R		
		ENT/EXIT	R	TRUCK STOP		PV	Y																				
204.76	209.52	BEG SU LN	C	TWO WAY TURN	13A			1	1					9A	24A	7A	13	37	4	01		R1		60	R		
205.01	209.77	MP MARKER	R	205																							
205.03	209.79	END SU LN	C	TWO WAY TURN	13A			1	1					9A	24A	7A	\$\$\$	24	4	01		R1		60	R		
205.12	209.88							1	1					8A	24A	8A		24	4	01		R1		60	R		
205.19	209.95	INTRSECTN	L	QUARRY-BROWNS LK RD	CO		Y																				
205.44	210.20	INTRSECTN	B	LOGAN RD	CO		N																				
205.94	210.70	INTRSECTN	R	INDIAN RIDGE RD	CO		N																				
206.00	210.76	MP MARKER	R	206																							
206.03	210.79	BEG BRIDGE B		COLVILLE RIVER	ST			1	1					\$\$W	40A	\$\$W		40	4	01		R1		60	R		
		BRDG NUM 395/514																									
206.05	210.81	END BRIDGE B		COLVILLE RIVER				1	1					8A	24A	8A		24	4	01		R1		60	R		
206.13	210.89	BEG SU LN	C	TWO WAY TURN	12A			1	1					8A	24A	8A	12	36	4	01		R1		60	R		
206.69	211.45	BEG ST	I	PARK ST				1	1					8A	24A	8A	12	36	4	01		R1		60	R		*
		INTRSECTN	L	SOUTH AVE	CO		N																				
206.70	211.46	ENTER CITY		CHEWELAH				1	1					8A	24A	8A	12	36	4	01	0205	R1		55	R	P	*
206.72	211.48	MISC FEATR	R	SGN ENT CHEWELAH																							
206.77	211.53							1	1					6A	24A	5A	12	36	4	01	0205	R1		55	R	P	*
206.81	211.57							1	1					6A	29A	\$\$C	12	41	4	01	0205	R1		55	R	P	*
206.84	211.60							1	1					6A	29A	C	12	41	4	01	0205	R1		35	R	P	*
206.85	211.61	END SU LN	C	TWO WAY TURN	12A			1	1					8A	29A	C	\$\$\$	29	4	01	0205	R1		35	R	P	*
206.95	211.71							1	1					\$\$C	36A	C		36	4	01	0205	R1		35	R	P	*
207.00	211.76	MP MARKER	R	207																							
207.03	211.79							1	1					C	36A	C		36	4	01	0205	R1		25	R	P	*
207.06	211.82	INTRSECTN	B	KING AVE	CT		Y	1	1					C	40A	C		40	4	01	0205	R1		25	R	R	*
207.12	211.88	INTRSECTN	B	MAIN AVE	CT	SG	Y	1	1					C	44A	C		44	4	01	0205	R1		25	R	B	*
207.19	211.95	INTRSECTN	R	CLAY AVE	CT		Y																				
207.26	212.02	INTRSECTN	B	WEBSTER AVE	CT		Y																				
207.39	212.15	INTRSECTN	L	WASHINGTON AVE	CT		Y																				
207.45	212.21	INTRSECTN	B	LINCOLN AVE	CT		Y	1	1					C	62A	C		62	4	01	0205	R1		25	R	B	*
207.50	212.26	INTRSECTN	L	JENKINS AVE	CT		Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
204.43	209.19		.02 12	.05 13					
204.68	209.44		.02 12	.05 13					
205.19	209.95	.02 11							

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY STEVENS DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----										-----CLASSIFICATIONS-----															
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT														
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY														
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S
207.54	212.30							1	1						C	62A	C		62	4	01	0205	R1	25	R	B	*
207.56	212.32	INTRSECTN	L	FRANKLIN AVE	CT		Y	1	1						7A	24A	7A		24	4	01	0205	R1	25	R	B	*
207.64	212.40	INTRSECTN	R	COZY NOOK RD	CT		Y																				
		INTRSECTN	L	GRANT AVE	CT		Y																				
207.72	212.48	LEAVE CITY		CHEWELAH				1	1						7A	24A	7A		24	4	01	\$\$\$\$	R1	25	R	\$	*
207.81	212.57	END ST	I	PARK ST				1	1						7A	24A	7A		24	4	01		R1	25	R	\$	
		INTRSECTN	L	2ND ST	CO		Y																				
		INTRSECTN	R	SAND CANYON RD	CO		Y																				
207.83	212.59	MISC FEATR	L	SGN ENT CHEWELAH																							
207.87	212.63							1	1						7A	24A	7A		24	4	01		R1	45	R		
208.00	212.76	MP MARKER	R	208																							
208.26	213.02	INTRSECTN	L	PINEBROOK DR	CO		N																				
208.30	213.06							1	1						7A	24A	7A		24	4	01		R1	60	R		
209.00	213.76	MP MARKER	R	209																							
209.56	214.32	INTRSECTN	R	KRAMER RD	CO		N																				
		INTRSECTN	L	OLD HWY NW CHEWELAH RD	CO		N																				
209.99	214.75	MP MARKER	R	210																							
211.00	215.76	MP MARKER	R	211																							
211.81	216.57	INTRSECTN	L	DUNCAN RD	CO		N																				
212.00	216.76	MP MARKER	R	212																							
212.65	217.41	TRAF RCDR	B	P34 0				1	1						8A	24A	8A		24	4	01		R1	60	R		
212.83	217.59	INTRSECTN	R	IMMEL RD	CO		N																				
212.99	217.75	MP MARKER	R	213																							
213.10	217.86	INTRSECTN	L	BLUE CREEK RD	CO		Y																				
213.99	218.75	MP MARKER	R	214																							
215.00	219.76	MP MARKER	R	215																							
215.54	220.30	INTRSECTN	L	ADDY-GIFFORD RD	CO		Y																				
215.56	220.32	MISC FEATR	R	SGN ENT ADDY																							
215.63	220.37	EQUATION		215.61 =215.63																							
215.76	220.50	INTRSECTN	L	BRIDGE ST	CO		N																				
215.83	220.57	INTRSECTN	L	MILL ST	CO		Y																				
215.89	220.63	INTRSECTN	L	HALL ST	CO		Y																				
215.94	220.68	INTRSECTN	L	NORTH ST	CO		N																				
215.99	220.73	INTRSECTN	L	ADDY MAIN ST	CO		N																				
216.01	220.75	MP MARKER	R	216																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
212.83	217.59		.03	12					
213.10	217.86	.02	12						
215.54	220.30	.04	12						

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
SRMP	B	ARM	FEATURE	:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC	TOT		MTCE		CITY	ST	LEGAL		T	P	S			
				D	LR	DESCRIPTION	OW	TC	L	NBR	LFT	RHT	SHD	RDY	SHD	W/S	W/S	W/S	W/S	RDY	RDY	SE	NBR	FC	D	IB	R	K	T
216.03		220.77	MISC FEATR	L		SGN ENT ADDY											8A	24A	8A			24	4	01		R1		60	R
217.00		221.74	MP MARKER	R		217																							
217.78		222.52	INTRSECTN	R		MCLEAN RD	CO		N																				
218.01		222.75	MP MARKER	R		218																							
218.73		223.47	INTRSECTN	R		MCLEAN RD	CO		N																				
218.87		223.61	INTRSECTN	R		OLD HWY 12 MILE RD	CO		N																				
219.01		223.75	MP MARKER	R		219																							
219.35		224.09	INTRSECTN	L		12 MILE RD	CO		N																				
			INTRSECTN	R		OLD HWY 12 MILE RD	CO		N																				
220.00		224.74	MP MARKER	R		220																							
220.83		225.57	INTRSECTN	L		DUTRO-VOILE WAY	CO		N																				
221.01		225.75	MP MARKER	R		221																							
221.38		226.12	INTRSECTN	R		OLD HWY 12 MILE RD	CO		N																				
221.68		226.42	INTRSECTN	R		OLD HWY-ARDEN	CO		N																				
222.01		226.75	MP MARKER	R		222																							
222.96		227.70							1	1							6A	24A	6A			24	4	01		R1		60	R
223.00		227.74	MP MARKER	R		223																							
223.17		227.91	INTRSECTN	L		PVT RD		PV	Y																				
223.18		227.92	BEG SU LN	C		TWO WAY TURN				13A							6A	24A	6A	13	37	4	01		R1		60	R	
223.21		227.95															20A	24A	6A	13	37	4	01		R1		60	R	
223.30		228.04	END SU LN	C		TWO WAY TURN				13A							20A	24A	6A	\$\$\$	24	4	01		R1		60	R	
223.32		228.06	BEG BRIDGE B			LITTLE PEND OREILLE R		ST									\$\$W	52A	\$\$W		52	4	01		R1		60	R	
						BRDG NUM 395/518																							
223.33		228.07	END BRIDGE B			LITTLE PEND OREILLE R											6A	24A	6A		24	4	01		R1		60	R	
223.35		228.09	INTRSECTN	R		HALL RD	CO		Y	1	1						12A	24A	12A		24	4	01		R1		60	R	
			INTRSECTN	L		ARDEN HILL RD	CO		Y																				
223.40		228.14	BEG SU LN	C		TWO WAY TURN				13A							12A	24A	12A	13	37	4	01		R1		60	R	
223.45		228.19	END SU LN	C		TWO WAY TURN				13A							12A	24A	12A	\$\$\$	24	4	01		R1		60	R	
			INTRSECTN	R		ELM TREE DR	CO		N																				
223.55		228.29															10A	24A	10A		24	4	01		R1		60	R	
223.75		228.49	INTRSECTN	R		ELM TREE DR	CO		N																				
224.00		228.74	MP MARKER	R		224																							
224.20		228.94								1	1						8A	24A	8A		24	4	01		R1		60	R	
224.99		229.73	MP MARKER	R		225																							
225.06		229.80	INTRSECTN	R		OLD ARDEN HWY	CO		Y																				

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----					
SRMP	B	ARM	L	R	L	R	LEFT--	L-CNTR	R-CNTR	RIGHT-	
			LGT	WD	LGT	WD	LGT	WD	LGT	WD	LGT
223.17		227.91	.03	13						.06	12
223.35		228.09	.02	13		.03	13				
225.06		229.80				.03	12				

SR 395 MAINLINE

U.S. ROUTE - USSH

COUNTY STEVENS

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT														
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY														
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S	
225.07	229.81							1	1					8A	24A	8A		24	4	01		R1	60	R			
225.70	230.44	BEG BRIDGE	B	CATTLE PASS																							
				BRDG NUM 395/521.25																							
225.71	230.45	END BRIDGE	B	CATTLE PASS																							
225.77	230.51	INTRSECTN	L	ORIN RICE RD																							
226.00	230.74	MP MARKER	R	226																							
226.99	231.73	MP MARKER	R	227																							
227.88	232.62	BEG SU LN	C	TWO WAY TURN										11A				1	1								
227.92	232.66	INTRSECTN	L	MANTZ-RICKEY RD																							
227.96	232.70	END SU LN	C	TWO WAY TURN										11A				1	1								
228.00	232.74	MP MARKER	R	228																							
228.41	233.15																										
228.43	233.17	ENTER CITY		COLVILLE																							
228.44	233.18	MISC FEATR	R	SGN ENT COLVILLE																							
228.56	233.30	BEG SU LN	C	TWO WAY TURN										12A				1	1								
		INTRSECTN	R	PVT RD																							
228.63	233.37																										
228.68	233.42																										
228.74	233.48																										
228.79	233.53	BEG ST	I	MAIN ST																							
		INTRSECTN	R	JUNIPER ST																							
228.85	233.59																										
228.88	233.62	END SU LN	C	TWO WAY TURN										12A				1	1								
		ENT/EXIT	R	BUSINESS																							
228.92	233.66																										
228.93	233.67	ROUNDAABOUT	R	E HAWTHORNE AVE																							
		ROUNDAABOUT	L	W HAWTHORNE AVE																							
228.96	233.70	BEG SU LN	C	TWO WAY TURN										12A				1	1								
228.99	233.73																										
229.00	233.74	MP MARKER	R	229																							
229.02	233.76																										
229.20	233.94	INTRSECTN	R	DOMINION AVE																							
229.27	234.01	END SU LN	C	TWO WAY TURN										12A				2	2								
		INTRSECTN	B	COLUMBIA AVE																							

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
225.77	230.51	.03	12						
228.79	233.53			.11	12				
228.88	233.62			.09	12				
229.27	234.01					.02	12		

SR 395 MAINLINE

U.S. ROUTE - USSH COUNTY STEVENS

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----																	
		:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
		: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE TOT																	
		: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S			
233.06		237.80															8A	24A	8A		24	4	01		R1	55	R					
233.50		238.24	INTRSECTN	L		AUTO VIEW RD	CO		Y																							
233.60		238.34															4A	36A	4A		36	4	01		R1	55	R					
233.72		238.46															4A	48A	4A		48	4	01		R1	55	R					
234.00		238.74	MP MARKER	R		234																										
234.32		239.06	INTRSECTN	L		AUTO VIEW RD	CO		N																							
234.66		239.40	INTRSECTN	R		HIGHLAND LOOP RD	CO		Y																							
			INTRSECTN	L		GREENWOOD LOOP RD	CO		Y																							
235.01		239.75	MP MARKER	R		235																										
235.04		239.78															4A	36A	4A		36	4	01		R1	55	R					
235.15		239.89															8A	24A	8A		24	4	01		R1	55	R					
235.60		240.34	TRAF RCDR	B		R070 0																										
236.02		240.76	MP MARKER	R		236																										
236.09		240.83	INTRSECTN	R		PINGSTON CREEK RD	CO		N	1	1						2A	24A	2A		24	4	01		R1	55	R					
236.17		240.91															8A	24A	8A		24	4	01		R1	55	R					
237.00		241.74	MP MARKER	R		237																										
237.15		241.89	INTRSECTN	R		VANASSE RD	CO		N	1	1						2A	24A	2A		24	4	01		R1	55	R					
237.23		241.97															8A	24A	8A		24	4	01		R1	55	R					
237.79		242.53															4A	24A	4A		24	4	01		R1	55	R					
237.84		242.58	BEG SU LN	C		TWO WAY TURN	12A			1	1						4A	28A	\$\$\$C	12	40	4	01		R1	55	R					
			MISC FEATR	R		SGN ENT KETTLE FALLS																										
237.85		242.59	ENTER CITY			KETTLE FALLS				1	1						4A	28A	C	12	40	4	01	0620	R1	55	R	P				
237.99		242.73								1	1						\$\$\$C	32A	C	12	44	4	01	0620	R1	35	R	P				
238.00		242.74	MP MARKER	R		238																										
238.15		242.89	END SU LN	C		TWO WAY TURN	12A			1	1						C	44A	C	\$\$\$	44	4	01	0620	R1	35	R	P				
238.22		242.96	INTRSECTN	B		MEYERS ST		CT	SG	Y																						
238.29		243.03	BEG SU LN	C		TWO WAY TURN	12A			1	1						C	32A	C	12	44	4	01	0620	R1	35	R	P				
238.38		243.12	INTRSECTN	L		IVY AVE		CT		Y																						
238.41		243.15	END SU LN	C		TWO WAY TURN	12A			1	1						C	44A	C	\$\$\$	44	4	01	0620	R1	35	R	P				
238.45		243.19	BEG SU LN	C		TWO WAY TURN	12A			1	1						4A	24A	4A	12	36	4	01	0620	R1	35	R	P				
			INTRSECTN	L		JUNIPER ST		CT		Y																						
238.52		243.26	ENT/EXIT	R		BOISE CASCADE		PV		N																						
238.55		243.29	END SU LN	C		TWO WAY TURN	12A			1	1						4A	24A	4A	\$\$\$	24	4	01	0620	R1	35	R	P				

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
234.66		239.40	.03	12						
236.09		240.83			.03	11				
237.15		241.89			.03	11				
238.22		242.96	.04	12						
238.45		243.19	.02	12						

SR 395 MAINLINE U.S. ROUTE - USSH COUNTY STEVENS DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY				-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC							LEGAL		T	P	S							
: :LEFT/RIGHT INDICATOR				-UXING-			LFT RHT			LFT RHT			USE		TOT							SPEED		R	K	T					
: :				-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS		RDY							D		I	B	R	K	T			
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
238.57		243.31								1	1						4A	24A	4A		24	4	01	0620	R1		35	R	P		
238.66		243.40	UXING	B		BN RR	ST			1	1						8A	24A	8A		24	4	01	0620	R1		35	R	P		
			RR XING	B		BRDG NUM 395/535 NUM 59043K STRUCTURE																									
238.82		243.56	ENT FROM	L		WEIGH STATION	ST		Y																						
238.83		243.57	ENT/EXIT	R		BOISE CASCADE	PV		Y	1	1						14A	24A	8A		24	4	01	0620	R1		35	R	P		
238.88		243.62	WEIGH STA	L		NUMBER 67																									
238.93		243.67	INTRSECTN	R		LAKEVIEW DR	CT		N	1	1						3A	24A	3A		24	4	01	0620	R1		35	R	P		
238.96		243.70	LEAVE CITY	R		KETTLE FALLS				1	1						3A	24A	3A		24	4	01	\$\$\$\$	R1		35	R	\$		
			EXIT TO	L		WEIGH STATION	ST		Y																						
238.98		243.72	MISC FEATR	L		SGN ENT KETTLE FALLS																									
239.00		243.74	MP MARKER	R		239																									
239.01		243.75								1	1						8A	24A	8A		24	4	01		R1		35	R			
239.04		243.78								1	1						7A	24A	7A		24	4	01		R1		40	R			
239.11		243.85	WYE CONN	R		SR 25	ST		Y																						
239.14		243.88	INTRSECTN	B		SR 25	ST		Y																						
239.16		243.90	WYE CONN	L		SR 25	ST		Y																						
239.28		244.02								1	1						5A	24A	5A		24	4	01		R1		40	R			
239.40		244.14								1	1						5A	24A	5A		24	4	01		R1		55	R			
239.62		244.36								1	1						5A	24A	16A		24	4	01		R1		55	R			
239.74		244.48								1	1						5A	24A	5A		24	4	01		R1		55	R			
239.95		244.69	BEG SU LN	L		CLIMBING		12A		1	1						2A	24A	5A	12	36	4	01		R1		55	R			
240.01		244.75	MP MARKER	R		240																									
240.51		245.25	INTRSECTN	R		PINE BLUFF RD	CO		N																						
241.00		245.74	MP MARKER	R		241																									
241.02		245.76	ENT/EXIT	L		GENERATING STATION	PV		Y																						
			INTRSECTN	R		FUMI CIRCLE RD	CO		Y																						
241.24		245.98	END SU LN	L		CLIMBING		12A		1	1						2A	24A	5A	\$\$\$	24	4	01		R1		55	R			
			INTRSECTN	L		PEACHCREST RD	CO		Y																						
241.26		246.00	INTRSECTN	R		ST PAUL'S MISSION RD	CO		Y																						
241.33		246.07	RR XING	B		NUM 59324U STRUCTURE				1	1						\$\$C	24A	\$\$C		24	4	01		R1		55	R			
			BEG BRIDGE	B		BN RR	ST																								
						BRDG NUM 395/542																									
241.38		246.12	END BRIDGE	B		BN RR				1	1						6A	23A	7A		23	4	01		R1		55	R			

INTERSECTION DETAIL				-----TURN LANES-----				-----ACCELERATION LANES-----			
				L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
				LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD	LGT WD
238.82		243.56						.09	12		
238.96		243.70								.07	12
239.14		243.88		.04	12		.04	12			
241.02		245.76		.04	11						

SR 395 SPUR U.S. ROUTE - USSH COUNTY SPOKANE DOT DISTRICT 6
 NSC

		-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----												
		:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC														
		: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT														
		: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY														
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A SE	CITY NBR	ST FC	SPEED D	T IB	P R	S K	T	
162.03	0.00	BEG ROUTE		NSC				1 1	10P	36P	10P	70S	DE	10P	36P	10P		72	1	02		U1				60	R
				FREYA ST TO SR 395																							
				CONTROL SECTION 3211																							
162.20	0.17	MISC FEATR	R	GORE (Q116251S)																							
162.28	0.25	MISC FEATR	L	GORE (R116244S)																							
162.41	0.38							1 3	10P	36P	10P	70S	BE	10P	36P	10P		72	1	02		U1				60	R
162.44	0.41	OFF RAMP	L	FREYA ST																							
162.49	0.46	BEG BRIDGE	I	LINCOLN RD				1 3	\$W	56P	\$W	500	\$	\$W	56P	\$W		112	1	02		U1				60	R
				BRDG NUM 395/420E																							
		BEG BRIDGE	D	LINCOLN RD																							
				BRDG NUM 395/420W																							
162.51	0.48	END BRIDGE	I	LINCOLN RD				1 3	10P	36P	10P	70S	BE	10P	36P	10P		72	1	02		U1				60	R
		END BRIDGE	D	LINCOLN RD																							
		ON RAMP	R	FREYA ST																							
162.58	0.55							1 3	10P	36P	10P	70S	DE	10P	36P	10P		72	1	02		U1				60	R
162.89	0.86							1 3	10P	36P	10P	70S	BE	10P	36P	10P		72	1	02		U1				60	R
162.95	0.92	BEG BRIDGE	D	GERLACH RD				2 3	\$W	56P	\$W	70S	BE	10P	36P	10P		92	1	02		U1				60	R
				BRDG NUM 395/425W																							
162.96	0.93	BEG BRIDGE	I	GERLACH RD				2 3	W	56P	W	500	\$	\$W	56P	\$W		112	1	02		U1				60	R
				BRDG NUM 395/425E																							
162.97	0.94	END BRIDGE	D	GERLACH RD				2 3	10P	36P	10P	70S	BE	W	56P	W		92	1	02		U1				60	R
162.98	0.95	END BRIDGE	I	GERLACH RD				2 3	10P	36P	10P	70S	BE	10P	36P	10P		72	1	02		U1				60	R
163.00	0.97	MP MARKER	B	163																							
163.01	0.98	BEG SU LN	R	CLIMBING		12P		2 3	10P	36P	10P	70S	BE	10P	36P	10P	12	84	1	02		U1				60	R
163.06	1.03							2 3	10P	36P	10P	70S	DE	10P	36P	10P	12	84	1	02		U1				60	R
163.32	1.29	MED XING	C	OFFICIAL																							
163.38	1.35							2 3	10P	36P	10P	70S	BE	10P	36P	10P	12	84	1	02		U1				60	R
163.44	1.41							3 3	10P	36P	10P	70S	BE	10P	36P	10P	12	84	1	02		U1				60	R
163.48	1.45	BEG BRIDGE	D	FAIRVIEW RD				3 3	\$W	56P	\$W	70S	BE	10P	36P	10P	12	104	1	02		U1				60	R
				BRDG NUM 395/430W																							
163.49	1.46	BEG BRIDGE	I	FAIRVIEW RD				3 3	W	56P	W	500	\$	\$W	56P	\$W	12	124	1	02		U1				60	R
				BRDG NUM 395/430E																							
163.51	1.48	END BRIDGE	D	FAIRVIEW RD				3 3	10P	36P	10P	70S	BE	W	56P	W	12	104	1	02		U1				60	R
163.52	1.49	END BRIDGE	I	FAIRVIEW RD				3 3	10P	36P	10P	70S	BE	10P	36P	10P	12	84	1	02		U1				60	R
163.57	1.54							3 3	10P	36P	10P	70S	DE	10P	36P	10P	12	84	1	02		U1				60	R
163.70	1.67	ON RAMP	L	PARKSMITH DR																							
163.78	1.75	END SU LN	R	CLIMBING		12P		3 3	10P	36P	10P	70S	DE	10P	36P	10P	\$\$\$	72	1	02		U1				60	R
163.86	1.83							3 3	10P	36P	\$\$\$	70A	UP	\$\$\$	36P	10P		72	1	02		U1				60	R
163.98	1.95	TRAF RCDR	B	R114 0																							
163.99	1.96	MISC FEATR	L	GORE (S116370S)																							
164.00	1.97	MP MARKER	B	164																							
164.03	2.00	OFF RAMP	R	PARKSMITH DR																							
164.08	2.05							3 3	10P	36P	10P	70S	BE	10P	36P	10P		72	1	02		U1				60	R

SR 902 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----																													
		:DIRECTION TO INVENTORY				-BRIDGE		DECREAS/DIV			INCRS/UNDI			SPC		-----CLASSIFICATIONS----															
		: :LEFT/RIGHT INDICATOR				-UXING-		NBR		LFT	RHT		LFT	RHT		USE	TOT	MTCE		CITY	ST	LEGAL		T	P	S					
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T	
0.00	0.00		BEG ROUTE			MAIN ROUTE				1	1						C	26P	C		26	1	01		R3		45	L	*		
			BEG CTLSEC			SR 90 TO MEDICAL LAKE																									
			BEG ST	I		CONTROL SECTION 3235																									
			BEG BRIDGE	B		SR 90																									
						BRDG NUM 902/001																									
0.05	0.05		END BRIDGE	B		SR 90				1	1						2B	22B	2B		22	1	01		R3		45	L	*		
0.11	0.11		ON RAMP	R		SR 90																									
			OFF RAMP	L		SR 90																									
0.14	0.14		INTRSECTN	R		CLEAR LAKE RD																									
0.80	0.80		INTRSECTN	R		BLUE HERON RD																									
0.90	0.90		INTRSECTN	L		WOLFE RD																									
1.01	1.01		MP MARKER	R		1																									
1.48	1.48		INTRSECTN	L		MALLOY PRAIRIE RD																									
1.99	1.99		MP MARKER	R		2																									
2.46	2.46		INTRSECTN	L		MEDICAL LK-TYLER RD																									
2.66	2.66		INTRSECTN	L		MEDICAL LAKE TYLER RD																									
3.01	3.01		INTRSECTN	L		W WASHINGTON RD																									
3.03	3.03		MP MARKER	R		3																									
3.85	3.85		ENTER CITY			MEDICAL LAKE				1	1						2A	22A	2A		22	1	01	0755	R3		45	L	P	*	
3.86	3.86		INTRSECTN	R		CLEAR LAKE RD																									
3.91	3.91		INTRSECTN	L		MORHARDT RD																									
4.01	4.01		INTRSECTN	L		MASON DR																									
4.05	4.05		MP MARKER	R		4				1	1						3G	22A	2A		22	1	01	0755	R3		30	L	P	*	
			MISC FEATR	R		SGN ENT MEDICAL LAKE																									
4.06	4.06		END ST	I		SALNAVE RD				1	1						1G	22A	2A		22	1	01	0755	R3		30	L	P	*	
			BEG ST	I		MEDICAL LAKE-TYLER RD																									
			INTRSECTN	R		SIMPSON LOOP																									
4.10	4.10		INTRSECTN	L		CIRCLE DR												1G	22A	2A		22	1	01	0755	R3		30	R	P	*
4.17	4.17		INTRSECTN	R		DENTON RD																									
4.21	4.21		INTRSECTN	R		SIMPSON LOOP																									
4.25	4.25		INTRSECTN	L		MORHARDT RD																									
4.32	4.32									1	1							3G	22A	2A		22	1	01	0755	R3		30	R	P	*
4.85	4.85		INTRSECTN	L		FANCHER CONNECTION																									
5.02	5.02		MP MARKER	R		5																									
5.04	5.04		INTRSECTN	L		FANCHER RD												1G	22A	2A		22	1	01	0755	R2		30	R	P	*
5.17	5.17		INTRSECTN	L		BOAT LAUNCH PARKING																									
5.61	5.61		END ST	I		MEDICAL LAKE-TYLER RD																									
			BEG ST	I		LAFEVRE ST																									
			INTRSECTN	L		JEFFERSON ST																									
5.73	5.73		INTRSECTN	L		CALIFORNIA ST																									
5.87	5.87		MISC FEATR	R		BUS PULLOUT																									
5.88	5.88		INTRSECTN	L		IDAHO ST												10G	22A	2A		22	1	01	0755	R2		30	R	B	*

SR 902 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

				-----WIDTH AND SURFACE INFORMATION-----												-----CLASSIFICATIONS-----																
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC																				
		: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT		LFT	RHT	USE	TOT																			
		: :		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S										
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T		
5.90	5.90		INTRSECTN	R		CAMPBELL ST	CT	Y	1	1							10G	22A	2A		22	1	01	0755	R2		30	R	B	*		
5.95	5.95		INTRSECTN	L		MILLER ST	CT	Y																								
5.97	5.97		INTRSECTN	R		HERB ST	CT	Y																								
6.03	6.03		MP MARKER	R		6																										
			INTRSECTN	L		HANCOCK ST	CT	Y																								
6.04	6.04		INTRSECTN	R		GRACE ST	CT	Y	1	1							\$\$C	60A	\$\$C		60	1	01	0755	R2		30	R	B	*		
6.09	6.09		INTRSECTN	B		LAKE ST	CT	Y																								
6.16	6.16		INTRSECTN	R		LADD ST	CT	Y																								
			INTRSECTN	L		FIRST ST	CT	Y																								
6.22	6.22		INTRSECTN	R		SPENCE ST	CT	Y	1	1							10G	40A	C		40	1	01	0755	R2		30	R	B	*		
			INTRSECTN	L		SECOND ST	CT	Y																								
6.27	6.27									1	1						2A	22A	1A		22	1	01	0755	R2		30	R	B	*		
6.29	6.29		INTRSECTN	R		BARKER ST	CT	Y	1	1							2A	40A	\$\$C		40	1	01	0755	R2		30	R	B	*		
6.31	6.31		INTRSECTN	L		THIRD ST	CT	Y																								
6.37	6.37		INTRSECTN	L		FOURTH ST	CT	Y	1	1							1A	40A	C		40	1	01	0755	R2		30	R	R	*		
6.46	6.46		INTRSECTN	L		JAMES ST	CT	Y	1	1							1A	22A	2A		22	1	01	0755	R2		30	R	P	*		
6.55	6.55		WYE CONN	R		SR 902	ST	Y																								
6.56	6.56		END ST	I		LAFEVRE ST				1	1						4A	24A	4A		24	1	01	0755	R2		30	R	P	*		
			BEG ST	I		MEDICAL LAKE RD																										
			INTRSECTN	L		LEFEVRE ST	CT	SS	Y																							
			INTRSECTN	L		BROOKS RD	CT	SS	Y																							
6.58	6.58		WYE CONN	R		SR 902	ST	Y																								
6.83	6.83		RR XING	B		NUM 66331W GRADE																										
6.89	6.89		INTRSECTN	L		STANLEY ST	CT	Y																								
6.94	6.94		INTRSECTN	R		STANLEY ST	CT	Y																								
6.99	6.99		INTRSECTN	L		GRAHAM RD	CT	Y																								
7.00	7.00		MP MARKER	R		7																										
7.16	7.16									1	1						4A	24A	4A		24	1	01	0755	R2		55	R	P	*		
7.21	7.21		LEAVE CITY			MEDICAL LAKE				1	1						4A	24A	4A		24	1	01	\$\$\$\$	R2		55	R	\$	\$		
			END ST	I		MEDICAL LAKE RD																										
7.22	7.22		INTRSECTN	L		GRAHAM RD	CO	Y																								
7.26	7.26		MISC FEATR	L		SGN ENT MEDICAL LAKE																										
7.52	7.52		INTRSECTN	B		KEENE RD	CO	Y																								
7.88	7.88		INTRSECTN	L		BARTHOLOMEW RD	CO	Y																								
8.00	8.00		MP MARKER	R		8																										
9.00	9.00		MP MARKER	R		9																										
9.23	9.23		INTRSECTN	B		WELCOME RD	CO	N																								

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	LGT	WD	LGT	WD	LGT	WD	LGT	WD
6.55	6.55			.03	14				

SR 902 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----															
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCRS/UNDI			SPC																	
			: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																	
			: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																	
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S		
9.25		9.25															4A	24A	4A		24	1	01		R2	55	R				
9.39		9.39	BEG SU LN	L		WEAVING/SPEED CHANGE 12A											4A	24A	4A	12	36	1	01		R2	55	R				
9.41		9.41	BEG SU LN	R		WEAVING/SPEED CHANGE 12A											4A	24A	4A	24	48	1	01		R2	55	R				
9.49		9.49	RR XING	B		NUM 066331W GRADE																									
9.59		9.59	END SU LN	L		WEAVING/SPEED CHANGE 12A											4A	24A	4A	12	36	1	01		R2	55	R				
9.60		9.60	END SU LN	R		WEAVING/SPEED CHANGE 12A											4A	24A	4A	\$\$\$	24	1	01		R2	55	R				
10.00		10.00	MP MARKER	R		10																									
10.10		10.10	INTRSECTN	L		HALLET RD	CO			N																					
10.27		10.27	INTRSECTN	B		CRAIG RD	CO			Y																					
11.00		11.00	MP MARKER	R		11																									
11.95		11.95															4A	24A	4A		24	1	01		R2	35	R				
12.00		12.00	MP MARKER	R		12																									
12.02		12.02															6A	24A	6A		24	1	01		R2	35	R				
12.13		12.13	INTRSECTN	L		HAYFORD RD	CO			Y																					
			INTRSECTN	R		WHITE RD	CO			Y																					
12.16		12.16															6A	24A	6A		24	1	01		U2	35	R				
12.17		12.17	OFF RAMP	R		SR 90	ST			Y																					
			ON RAMP	L		SR 90	ST			Y																					
12.32		12.32	BEG BRIDGE	B		SR 90	ST			1	1						\$\$W	27P	\$\$W		27	1	01		U2	35	R				
						BRDG NUM 902/010																									
12.36		12.36	END BRIDGE	B		SR 90																									
			END CTLSEC			CONTROL SECTION 3235																									
			END ROUTE																												

INTERSECTION DETAIL

		-----TURN LANES-----				-----ACCELERATION LANES-----			
		L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
10.27	10.27	.03	12					.04	12

SR 904 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

		-----WIDTH AND SURFACE INFORMATION-----														-----CLASSIFICATIONS----											
		:DIRECTION TO INVENTORY		-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC															
		: :LEFT/RIGHT INDICATOR		-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT															
		: :		-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S					
SRMP	B ARM	FEATURE	D LR	DESCRIPTION	OW	TC	L	D I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T
11.44	11.44							1	1					C 48A	C	12	60	1	01	0200	U2	35	R	P	*		
11.45	11.45							1	1					C 32A	C	12	44	1	01	0200	U2	35	R	P	*		
11.49	11.49	INTRSECTN	B	PINE ST	CT		Y																				
11.61	11.61	INTRSECTN	L	VINE ST	CT		Y																				
11.68	11.68	INTRSECTN	R	COLUMBIA ST	CT		Y	1	1					C 48A	C	12	60	1	01	0200	U2	35	R	P	*		
11.70	11.70							2	2					C 48A	C	12	60	1	01	0200	U2	35	R	P	*		
11.73	11.73	INTRSECTN	L	MARY ST	CT		Y																				
11.77	11.77	INTRSECTN	R	ANDRUS RD	CT		Y																				
11.82	11.82	INTRSECTN	L	2ND ST	CT		Y																				
11.87	11.87	END ST	I	1ST ST				2	2					C 63A	C	\$\$\$	63	1	01	0200	U2	35	R	P	*		
		END SU LN	C	TWO WAY TURN		12A																					
		BEG ST	I	FIRST ST																							
11.88	11.88	INTRSECTN	L	CLAY ST	CT		Y																				
11.93	11.93	END ST	I	FIRST ST				2	2					C 63A	C		63	1	01	0200	U2	35	R	P	\$		
		INTRSECTN	R	CHENEY-SPOKANE RD	CT		SG Y																				
		INTRSECTN	L	4TH ST	CT		SG Y																				
11.96	11.96	BEG SU LN	C	TWO WAY TURN		12A		2	2					C 51A	C	12	63	1	01	0200	U2	35	R	P			
12.00	12.00	MP MARKER	R	12																							
12.02	12.02	MISC FEATR	L	SGN ENT CHENEY																							
12.09	12.09	INTRSECTN	L	COLLEGE HILL ST	CT		Y																				
12.16	12.16							2	2					C 51A	C	12	63	1	01	0200	U2	35	R	B			
12.22	12.22							2	2					C 51A	C	12	63	1	01	0200	U2	45	R	B			
12.28	12.28	INTRSECTN	L	SIMPSON PKWY	CT		Y																				
12.33	12.33	END SU LN	C	TWO WAY TURN		12A		2	2					C 63A	C	\$\$\$	63	1	01	0200	U2	45	R	B			
12.38	12.38	ENT/EXIT	L	SHOPPING CENTER	PV		Y																				
12.44	12.44	WYE CONN	L	BETZ RD	CT		Y																				
12.45	12.45	RR XING	B	NUM 66317B GRADE																							
12.50	12.50	LEAVE CITY		CHENEY				2	2					C 63A	C		63	1	01	\$\$\$\$	U2	45	R	\$			
12.51	12.51	INTRSECTN	B	BETZ RD	CO		SG Y	2	2					C 63A	10A		63	1	01		U2	45	R				
12.55	12.55	WYE CONN	L	BETZ RD	CO		Y																				
12.63	12.63							1	2					10A	36A	10A	36	1	01		U2	45	R				
12.68	12.68							1	1					10A	24A	10A	24	1	01		U2	45	R				
12.75	12.75							1	1					10A	24A	10A	24	1	01		U2	55	R				
12.92	12.92	MISC FEATR	R	BUS PULLOUT																							

INTERSECTION DETAIL		-----TURN LANES-----				-----ACCELERATION LANES-----			
SRMP	B ARM	L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
		LGT	WD	LGT	WD	LGT	WD	LGT	WD
11.93	11.93	.03	12						
12.38	12.38	.03	12						
12.44	12.44					.07	12		
12.51	12.51	.03	12						
12.55	12.55					.03	12		

SR 904 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----															-----CLASSIFICATIONS-----																
			:DIRECTION TO INVENTORY		-BRIDGE			DECREAS/DIV			INCREAS/UNDI			SPC																				
			: :LEFT/RIGHT INDICATOR		-UXING-			LFT RHT			LFT RHT			USE TOT																				
			: :		-XROAD-			SHD RDY SHD			SHD RDY SHD			LNS RDY																				
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	CITY	ST	SPEED	T	P	S					
12.93		12.93															10A	24A	10A			24	1	01		U2			55	R				
12.94		12.94	INTRSECTN	L		PARADISE RD	CO		Y																									
12.96		12.96															10A	24A	10A			24	1	01		R2			55	R				
13.00		13.00	MP MARKER	R		13																												
13.99		13.99	MP MARKER	R		14																												
14.05		14.05	INTRSECTN	B		JENSEN RD	CO		Y																									
14.83		14.83	INTRSECTN	L		PAGE RD	CO		N																									
14.99		14.99	MP MARKER	R		15																												
15.24		15.24	BEG SU LN	C		TWO WAY TURN	12A			1	1					4A	24A	4A	12	36	1	01		R2				55	R					
15.28		15.28	INTRSECTN	L		MEADOW LAKE RD	CO		Y																									
15.39		15.39	INTRSECTN	R		PURVIS RD	CO		Y																									
15.73		15.73	INTRSECTN	R		OLD PSH 11	CO		Y																									
15.75		15.75	INTRSECTN	R		GARFIELD RD	CO		Y																									
16.00		16.00	MP MARKER	R		16				1	1					4A	24A	4A	12	36	1	01		R2				40	R					
16.04		16.04	MISC FEATR	R		SGN ENT FOUR LAKES																												
16.09		16.09	END SU LN	C		TWO WAY TURN	12A			1	1					4A	24A	4A	\$\$\$	24	1	01		R2				40	R					
16.15		16.15	INTRSECTN	L		RING ST	CO		N																									
16.16		16.16	BEG SU LN	C		TWO WAY TURN	12A			1	1					4A	24A	4A	12	36	1	01		R2				40	R					
16.28		16.28	INTRSECTN	B		6TH AVE	CO		Y																									
16.45		16.45	END SU LN	C		TWO WAY TURN	12A			1	1					4A	24A	4A	\$\$\$	24	1	01		R2				40	R					
16.50		16.50	INTRSECTN	L		3RD AVE	CO		Y																									
16.51		16.51	BEG SU LN	C		TWO WAY TURN	12A			1	1					4A	24A	4A	12	36	1	01		R2				40	R					
16.63		16.63	INTRSECTN	B		FIRST ST	CO		Y																									
16.71		16.71	INTRSECTN	R		MELVILLE RD	CO		Y	1	1					10A	24A	10A	12	36	1	01		R2				40	R					
			ENT/EXIT	L		BUSINESS	PV		Y																									
16.74		16.74	END SU LN	C		TWO WAY TURN	12A			1	1	8A	12A		12A	CU	\$\$\$	12A	8A	\$\$\$	24	1	01		R2			40	R					
16.81		16.81	OFF RAMP	R		SR 90	ST		Y																									
			ON RAMP	L		SR 90	ST		Y																									
16.87		16.87								1	1	\$\$\$	\$\$\$		\$\$\$\$	\$\$	10A	24A	10A			24	1	01		R2			40	R				
16.90		16.90	BEG BRIDGE B			SR 90	ST			1	1					\$\$C	30P	\$\$C			30	1	01		R2			40	R					
						BRDG NUM 904/010																												
16.96		16.96	END BRIDGE B			SR 90																												
			END CTLSEC			CONTROL SECTION 3237																												

INTERSECTION DETAIL			-----TURN LANES-----				-----ACCELERATION LANES-----			
			L NEAR	R NEAR	L FAR	R FAR	LEFT--	L-CNTR	R-CNTR	RIGHT-
SRMP	B	ARM	LGT	WD	LGT	WD	LGT	WD	LGT	WD
12.94		12.94	.03	12						
14.05		14.05	.04	12		.04	12			
16.15		16.15	.03	12						
16.50		16.50	.03	12			.02	12	.03	12
16.71		16.71					.02	12		

SR 904 MAINLINE

STATE ROUTE - SRSH

COUNTY SPOKANE

DOT DISTRICT 6

			-----WIDTH AND SURFACE INFORMATION-----													-----CLASSIFICATIONS-----														
:DIRECTION TO INVENTORY			-BRIDGE		DECREAS/DIV			INCREAS/UNDI			SPC							LEGAL												
: :LEFT/RIGHT INDICATOR			-UXING-		NBR	LFT	RHT	LFT	RHT	USE	TOT						S													
: :			-XROAD-		LNS	SHD	RDY	SHD	MEDIAN-	SHD	RDY	SHD	LNS	RDY	MTCE	CITY	ST	SPEED	T	P	S									
SRMP	B	ARM	FEATURE	D	LR	DESCRIPTION	OW	TC	L	D	I	W/S	W/S	W/S	WD/S	BR	W/S	W/S	W/S	WID	WID	A	SE	NBR	FC	D	IB	R	K	T

16.96 16.96 END ROUTE