

# Contents

---

<b>Chapter 1</b>	<b>Design Policy .....</b>	<b>1-1</b>
1-1	Introduction.....	1-1
1-2	Responsibility.....	1-1
1-3	Hydraulic Reports .....	1-3
1-3.1	Hydraulic Report Types .....	1-4
1-3.2	Preparing a Hydraulic Report .....	1-6
1-3.3	Hydraulic Report Submittal and Archiving.....	1-7
1-3.4	Hydraulic Report Revisions and Supplements .....	1-8
1-3.5	Hydraulic Reports and Design-Build Projects .....	1-9
1-3.6	Developers and Utility Agreements .....	1-9
1-3.7	Downstream Analysis.....	1-9
1-3.8	Existing Stormwater Drainage Conveyance System.....	1-11
1-4	Storm Frequency Policy and Software/Design Tools.....	1-12
1-5	Hydraulic Report Review Schedule.....	1-13
1-5.1	Milestones and Scheduling.....	1-13
<b>Chapter 2</b>	<b>Hydrology .....</b>	<b>2-1</b>
2-1	Introduction.....	2-1
2-2	Selecting a Method.....	2-2
2-3	Drainage Basin.....	2-5
2-3.1	Site Basins.....	2-5
2-4	Cold Climate Considerations .....	2-5
2-4.1	Calculating Snowmelt.....	2-5
2-4.2	Additional Considerations .....	2-6
2-5	Rational Method.....	2-6
2-5.1	General .....	2-6
2-5.2	Runoff Coefficients.....	2-7
2-5.3	Time of Concentration .....	2-9
2-5.4	Rainfall Intensity .....	2-11
2-6	Single-Event Hydrograph Method: Santa Barbara Urban Hydrograph .....	2-14
2-6.1	Design Storm Hyetograph.....	2-14
2-6.2	Runoff Parameters .....	2-15
2-7	Continuous-Simulation Hydrologic Model (Western Washington Only) .....	2-18

2-7.1	Modeling Requirements.....	2-19
2-8	Published Flow Records.....	2-23
2-9	USGS Regression Equations .....	2-24
2-10	Existing Hydrologic Studies .....	2-25
2-11	Examples.....	2-25
2-12	Appendices.....	2-26

<b>Chapter 3</b>	<b>Culvert Design .....</b>	<b>3-1</b>
3-1	Introduction.....	3-1
3-2	Culvert Design Documentation .....	3-1
3-2.1	Hydraulic Reports .....	3-1
3-2.2	Required Field Data.....	3-2
3-2.3	Engineering Analysis.....	3-3
3-3	Hydraulic Design of Culverts.....	3-4
3-3.1	Culvert Design Considerations.....	3-5
3-3.2	Allowable Headwater .....	3-7
3-3.3	Tailwater Conditions.....	3-10
3-3.4	Flow Type .....	3-11
3-3.5	Velocities in Culverts: General .....	3-11
3-3.6	Culvert Hydraulic Calculations Form .....	3-11
3-3.7	Computer Programs.....	3-12
3-3.8	Example.....	3-12
3-4	Culvert End Treatments.....	3-12
3-4.1	Projecting Ends.....	3-12
3-4.2	Mitered End Sections .....	3-13
3-4.3	Flared End Sections .....	3-14
3-4.4	Headwalls and Wing Walls.....	3-14
3-4.5	Wing Walls and Aprons .....	3-15
3-4.6	Improved Inlets.....	3-16
3-4.7	Energy Dissipators .....	3-17
3-4.8	Culvert Debris.....	3-18
3-5	Miscellaneous Culvert Design Considerations.....	3-18
3-5.1	Multiple Culvert Openings .....	3-19
3-5.2	Camber.....	3-19
3-5.3	Horizontal and Vertical Angle Points .....	3-19
3-5.4	Upstream Ponding .....	3-20
3-5.5	Miscellaneous Design Considerations: Siphons.....	3-20

<b>Chapter 4</b>	<b>Open-Channel Flow .....</b>	<b>4-1</b>
4-1	Introduction.....	4-1
4-2	Determining Channel Flow Rates .....	4-2
4-2.1	Field Slope Measurements .....	4-3
4-3	Roadside Ditch Design Criteria .....	4-7
4-4	Critical Depth.....	4-8
4-5	Manning's Roughness Coefficients (n).....	4-8
4-6	Riverbank Stabilization.....	4-11
4-6.1	Streambank Protection .....	4-11
4-6.2	Riprap for Bank Stabilization.....	4-12
4-6.3	Channel Stabilization .....	4-16
<b>Chapter 5</b>	<b>Drainage of Highway Pavements.....</b>	<b>5-1</b>
5-1	Introduction.....	5-1
5-2	Hydrology .....	5-2
5-3	Highway Drainage .....	5-2
5-3.1	Bridge Deck and Downstream End Drainage.....	5-2
5-3.2	Slotted Drains and Trench Systems .....	5-3
5-3.3	Drop Inlets.....	5-3
5-4	Gutter Flow and Inlet Spacing.....	5-3
5-4.1	Capacity of Inlets on a Continuous Grade .....	5-5
5-4.2	Capacity of Inlets at Sag Locations.....	5-6
5-5	Drainage Structures.....	5-10
5-5.1	Inlet Structure Types .....	5-11
5-5.2	Grate Types .....	5-13
5-6	Scupper Barrier.....	5-18
5-7	Hydroplaning and Hydrodynamic Drag.....	5-19
<b>Chapter 6</b>	<b>Storm Sewer.....</b>	<b>6-1</b>
6-1	Introduction.....	6-1
6-2	Design Criteria.....	6-3
6-3	Data for Hydraulic Reports.....	6-6
6-4	Storm Sewer Design: Manual Calculations.....	6-6
6-5	Storm Sewer Design: Computer Analysis .....	6-6
6-6	Hydraulic Grade Line.....	6-6

6-7 Drywells ..... 6-8  
6-8 Pipe Materials for Storm Sewers ..... 6-8  
6-9 Subsurface Drainage ..... 6-9

**Chapter 7 Water Crossings ..... 7-1**

7-1 Introduction..... 7-1  
7-2 Existing Conditions ..... 7-2  
    7-2.1 Reference Reach ..... 7-3  
    7-2.2 Bankfull Width..... 7-6  
    7-2.3 Watershed and Land Cover ..... 7-7  
    7-2.4 Geology and Soils..... 7-8  
    7-2.5 Fluvial Geomorphology..... 7-8  
    7-2.6 Flood Risk Assessment ..... 7-19  
    7-2.7 Hydrology ..... 7-21  
7-3 Hydraulic Analysis..... 7-21  
7-4 Design..... 7-22  
    7-4.1 Constraints ..... 7-23  
    7-4.2 Channel Alignment..... 7-23  
    7-4.3 Channel Cross Section ..... 7-24  
    7-4.4 Hydraulic Opening ..... 7-25  
    7-4.5 Vertical Clearance ..... 7-31  
    7-4.6 Buried Structures ..... 7-33  
    7-4.7 Sediment ..... 7-34  
    7-4.8 Total Scour..... 7-37  
    7-4.9 Lateral Migration for Water-Crossing Structures..... 7-37  
    7-4.10 Channel Complexity..... 7-39  
    7-4.11 Scour Countermeasures..... 7-50  
    7-4.12 Landscaping/Planting ..... 7-51  
    7-4.13 Determining Crossing Design Methodology for Documentation  
            ..... 7-52  
7-5 Other Design Methods ..... 7-52  
    7-5.0 No-Slope Design ..... 7-52  
    7-5.1 Fish Passage Improvement Structures..... 7-53  
7-6 Structure-Free Zone..... 7-53  
7-7 Temporary Stream Diversions..... 7-54  
7-8 Monitoring..... 7-54  
7-9 Performance Management ..... 7-55

7-10 Additional Resources..... 7-56  
 7-11 Appendices..... 7-57

**Chapter 8 Pipe Classifications and Materials..... 8-1**

8-1 Introduction..... 8-1  
 8-2 Pipe Classifications ..... 8-2  
     8-2.1 Drain Pipe ..... 8-2  
     8-2.2 Underdrain Pipe..... 8-2  
     8-2.3 Culvert Pipe..... 8-2  
     8-2.4 Storm Sewer Pipe..... 8-8  
     8-2.5 Sanitary Sewer Pipe..... 8-8  
 8-3 Pipe Materials ..... 8-8  
     8-3.1 Concrete Pipe ..... 8-9  
     8-3.2 Metal Pipe: General ..... 8-10  
     8-3.3 Thermoplastic Pipe: General..... 8-13  
 8-4 Pipe Corrosion Zones and Pipe Alternative Selection..... 8-16  
     8-4.1 Corrosion Zone I..... 8-17  
     8-4.2 Corrosion Zone II..... 8-17  
     8-4.3 Corrosion Zone III ..... 8-18  
 8-5 Corrosion ..... 8-25  
     8-5.1 pH ..... 8-25  
     8-5.2 Resistivity..... 8-26  
     8-5.3 Corrosion Control Methods..... 8-26  
 8-6 Abrasion..... 8-27  
 8-7 Pipe Joints ..... 8-28  
 8-8 Pipe Anchors..... 8-29  
     8-8.1 Thrust Blocks ..... 8-29  
 8-9 Pipe Rehabilitation: Trenchless Technology..... 8-30  
     8-9.1 Trenchless Techniques for Pipe Rehabilitation..... 8-32  
 8-10 Pipe Design ..... 8-33  
     8-10.1 Categories of Structural Materials: Rigid or Flexible ..... 8-33  
     8-10.2 Structural Behavior of Flexible Pipes ..... 8-33  
     8-10.3 Structural Behavior of Rigid Pipes ..... 8-34  
     8-10.4 Foundations, Bedding, and Backfill..... 8-35  
 8-11 Abandoned Pipe Guidelines..... 8-36  
 8-12 Structural Analysis and Fill Height Tables..... 8-36

8-12.1	Pipe Cover .....	8-36
8-12.2	Shallow Cover Installation.....	8-37
8-12.3	Fill Height Tables.....	8-37

**Chapter 9 Highway Rest Areas ..... 9-1**

**Chapter 10 Woody Material in the Riparian Zone ..... 10-1**

10-1	Introduction.....	10-1
10-1.1	Purpose and Need.....	10-2
10-1.2	Guidance for Emergency Large Woody Material Placement.....	10-2
10-1.3	Design Oversight.....	10-2
10-2	Design Process .....	10-3
10-3	Reach Assessments .....	10-4
10-4	Recreational Waters Safety Assessment .....	10-6
10-5	Project Objectives.....	10-7
10-6	General Design Criteria.....	10-8
10-6.1	Design Life.....	10-8
10-6.2	Wood Selection .....	10-9
10-6.3	Design Flow.....	10-12
10-6.4	Placement .....	10-13
10-6.5	Stability and Anchoring.....	10-14
10-6.6	Scour.....	10-17
10-6.7	FEMA Floodplain and Floodways .....	10-18
10-6.8	Recreational Safety.....	10-18
10-7	Project-Specific Design Criteria .....	10-19
10-7.1	Bridge Scour and Bank Stabilization.....	10-19
10-7.2	Stream Habitat Restoration .....	10-20
10-7.3	Habitat Design Process.....	10-22
10-8	Mobile Woody Material.....	10-30
10-8.1	Design Criteria .....	10-32
10-8.2	Design Flows for MWM .....	10-32
10-9	Small Woody Material and Slash .....	10-32
10-9.1	Benefits of Using SWM/Slash.....	10-33
10-9.2	Design of SWM/Slash.....	10-33
10-10	Inspection and Maintenance.....	10-33
10-11	Appendices .....	10-34

**Glossary and Sources..... G-1**  
    Abbreviations ..... G-1  
    Main Glossary of Terms ..... G-5  
    Sources ..... G-16

# Figures

---

<b>CHAPTER 1</b>	<b>DESIGN POLICY</b>	
Figure 1-1	Hydraulic Design Process.....	1-8
<b>Chapter 2</b>	<b>Hydrology</b>	
Figure 2-1	Extended Precipitation Time Series Regions.....	2-21
Figure 2-2 Regions	Precipitation Station Selection outside Extended Precipitation Time Series .....	2-22
Figure 2-3	Rational Formula Example.....	2-26
<b>Chapter 3</b>	<b>Culvert Design</b>	
Figure 3-1	Headwater and Tailwater Diagram .....	3-8
Figure 3-2	Roadway Overtopping .....	3-9
Figure 3-3	Typical Bottomless Culvert.....	3-10
Figure 3-4	Projecting End.....	3-13
Figure 3-5	Beveled End Section.....	3-14
Figure 3-6	Headwall .....	3-15
Figure 3-7	Modified Wing Wall for Circular Pipe.....	3-16
Figure 3-8	Riprap-Protected Outlet.....	3-17
Figure 3-9	Camber under High Fills .....	3-19
Figure 3-10	Culvert Angle Point .....	3-20
Figure 3-11	Typical Twin-Barrel Inverted Siphon .....	3-21
<b>Chapter 4</b>	<b>Open-Channel Flow</b>	
Figure 4-1	Field Slope Measurement of Uniform Flow Channels Plan View .....	4-3
Figure 4-2	Field Slope Measurement of Uniform Flow Channels Section View.....	4-4
Figure 4-3	Field Slope Measurement of Non-Uniform Flow Channels Plan View.....	4-4
Figure 4-4	Field Slope Measurement of Non-Uniform Flow Channels Section View .....	4-4



Figure 4-5	Field Slope Measurement of Uniform Flow Channels Profile View .....	4-5
Figure 4-6	Field Slope Measurement of Non-Uniform Flow Channels Profile View.....	4-6
Figure 4-7	Drainage Ditch Detail.....	4-7
Figure 4-8	Typical Cross Section of Riprap Bank Protection Installation.....	4-15

**Chapter 5                    Drainage of Highway Pavements**

Figure 5-1	Sag Analysis.....	5-7
Figure 5-2	Grate Inlet Type 1 Structure.....	5-11
Figure 5-3	Grate Inlet Type 2 Structure.....	5-12
Figure 5-4	Rectangular Vaned Grate and Rectangular Bi-Directional Vaned Grate .....	5-14
Figure 5-5	Section and Isometric View Combination Inlet Frame, Hood, and Vaned Grate.....	5-15
Figure 5-6	Grates A and B.....	5-16
Figure 5-7	Frame and Vaned Grates for Installation on Grate Inlet.....	5-16
Figure 5-8	Circular Grate.....	5-17
Figure 5-9	Herringbone Pattern .....	5-17

**Chapter 6                    Storm Sewer**

Figure 6-1	Storm Sewer Configurations.....	6-2
------------	---------------------------------	-----

**Chapter 7                    Water Crossings**

Figure 7-1	Reference Reach Determination.....	7-7-6
Figure 7-2	WSDOT Lateral Migration Risk Assessment Process.....	7-7-11
Figure 7-3	Idealized Knickpoint Evolution (Mount 1995) .....	7-7-18
Figure 7-4	.....	7-7-19
Figure 7-5	Final Design Cross Section.....	7-7-25
Figure 7-6	Minimum Structure Width .....	7-7-26
Figure 7-7	Minimum Hydraulic Opening.....	7-7-26

Figure 7-8	Formation of an Armor Layer .....	7-7-36
Figure 7-9	Total Scour Components without Potential of Lateral Migration.....	7-7-38
Figure 7-10	Total Scour Components with Potential of Lateral Migration.....	7-7-39
Figure 7-11	Meander Bar Detail (See <i>Plans Preparation Manual</i> ) .....	7-7-41
Figure 7-12	Typical Stream Morphologies Suitable for Meander Bar Application.....	7-7-42
Figure 7-13	Range of Slopes Suitable for Meander Bar Application .....	7-7-43
Figure 7-14	Meander Bar Spacing Detail .....	7-7-45
Figure 7-15	Forced Bar vs. Free Bar Threshold.....	7-7-45
Figure 7-16	Typical Point Bar Formation in Meandering Streams.....	7-7-48
Figure 7-17	Example Velocity Maps.....	7-7-49
Figure 7-18	Scour Countermeasure Design with Deep Foundation and Calculated Abutment Scour Greater than 0.....	7-7-51
Figure 7-19	Scour Countermeasure Design with Deep Foundation and Calculated Abutment Scour of 0 .....	7-7-51
Figure 7-20	WSDOT's Performance Management Process.....	7-7-56

**Chapter 8                    Pipe Classifications and Materials**

Figure 8-1	Typical Soil Pressure Surrounding a Pipe Arch.....	8-4
Figure 8-2	Concrete Thrust Beams Used as Longitudinal Stiffeners .....	8-5
Figure 8-3	Typical Corrugation Section.....	8-11
Figure 8-4	Typical Spiral Rib Section .....	8-12
Figure 8-5	Typical Profile Wall PVC Cross Sections.....	8-16
Figure 8-6	Washington State Corrosion Zones .....	8-19
Figure 8-7	Corrosion Zone I: Flow Chart of Acceptable Pipe Alternatives and Protective Treatments .....	8-20
Figure 8-8	Corrosion Zone I: Acceptable Pipe Alternatives and Protective Treatments...	8-21
Figure 8-9	Corrosion Zone II: Flow Chart of Acceptable Pipe Alternatives and Protective	

Treatments .....	8-22
Figure 8-10 Corrosion Zone II: Acceptable Pipe Alternatives and Protective Treatments..	8-23
Figure 8-11 Corrosion Zone III: Flow Chart of Acceptable Pipe Alternatives and Protective Treatments .....	8-24
Figure 8-12 Corrosion Zone III: Acceptable Pipe Alternatives and Protective Treatments.	8-25
Figure 8-13 Deflection of Flexible Pipes .....	8-34
Figure 8-14 Zones of Tension and Compression in Rigid Pipes .....	8-35

**Chapter 10 Woody Material in the Riparian Zone**

Figure 10-1 LWM Design Process .....	10-4
Figure 10-2 Property Damage Risk Matrix .....	10-6
Figure 10-3 Design Flow Risks Occurring during Project Life .....	10-13
Figure 10-4 Habitat Benefits of LWM in Low-Energy Environments .....	10-27
Figure 10-5 Example of Small Channel Complex Log Grade Control .....	10-28
Figure 10-6 Example of Grade-Control Wood Used in Conjunction with Rock .....	10-29
Figure 10-7 Example of Large Channel Wood Grade Control .....	10-30
Figure 10-8 Ratio of MWM Initiator Log Length to Culvert Diameter .....	10-31

## Tables

---

<b>CHAPTER 1</b>	<b>DESIGN POLICY</b>	
Table 1-1	Hydraulic Report Documentation.....	1-5
Table 1-2	Design Reference.....	1-13
Table 1-3	Hydraulic Report Review Schedule.....	1-15
<b>Chapter 2</b>	<b>Hydrology</b>	
Table 2-1	Methods for Estimating Runoff Rates and Volumes.....	2-4
Table 2-2	Runoff Coefficients for the Rational Method: 10-Year Return Frequency.....	2-9
Table 2-3	Ground Cover Coefficients .....	2-11
Table 2-4	Inches to Rainfall Coefficients.....	2-13
Table 2-5	Total Five-Day Antecedent Rainfall .....	2-17
Table 2-6	Relationship between NRCS Hydrologic Soil Group and MGSFlood Soil Group.....	2-23
<b>Chapter 3</b>	<b>Culvert Design</b>	
Table 3-1	Field Data Requirements for Hydraulic Reports and Specialty Reports.....	3-3
Table 3-2	Information for the Hydraulics and Specialty Reports for New Culverts and for Extending/Replacing Existing Culverts.....	3-4
Table 3-3	Outlet Protection Material Size .....	3-18
<b>Chapter 5</b>	<b>Drainage of Highway Pavements</b>	
Table 5-1	Design Frequency and Allowable Spread .....	5-5
Table 5-2	Properties of Grate Inlets.....	5-18
<b>Chapter 6</b>	<b>Storm Sewer</b>	
Table 6-1	Minimum Storm Sewer Slopes .....	6-4

**Chapter 7 Water Crossings**

Table 7-1 Flood Event for Hydraulic Design Elements..... 7-22

Table 7-2 100-Year Design Freeboard Requirements on Buried Structures..... 7-32

**Chapter 8 Pipe Classifications and Materials**

Table 8-1 Pipe Abrasion Levels ..... 8-28

Table 8-2 Concrete Pipe ..... 8-38

Table 8-3 Concrete Pipe for Shallow Cover Installations ..... 8-38

Table 8-4 Corrugated Steel Pipe: 2 $\frac{3}{8}$  in.  $\times$   $\frac{1}{2}$  in. Corrugations—AASHTO M 36 ..... 8-39

Table 8-5 Corrugated Steel Pipe: 3 in.  $\times$  1 in. Corrugations—AASHTO M 36..... 8-39

Table 8-6 Corrugated Steel Pipe: 5 in.  $\times$  1 in. Corrugations—AASHTO M 36..... 8-40

Table 8-7 Corrugated Steel Structural Plate Circular Pipe: 6 in.  $\times$  2 in. Corrugations..... 8-41

Table 8-8 Corrugated Steel Pipe Arch: 2 $\frac{3}{8}$  in.  $\times$   $\frac{1}{2}$  in. Corrugations—AASHTO M 36..... 8-41

Table 8-9 Corrugated Steel Pipe Arch: 3 in.  $\times$  1 in. Corrugations—AASHTO M 36 ..... 8-42

Table 8-10 Corrugated Steel Structural Plate Pipe Arch: 6 in.  $\times$  2 in. Corrugations..... 8-43

Table 8-11 Aluminum Pipe: 2 $\frac{3}{8}$  in.  $\times$   $\frac{1}{2}$  in. Corrugations—AASHTO M 196 ..... 8-44

Table 8-12 Aluminum Pipe: 3 in.  $\times$  1 in. Corrugations—AASHTO M 196..... 8-44

Table 8-13 Aluminum Structural Plate: 9 in.  $\times$  2 in. Corrugations with Galvanized Steel Bolts .  
..... 8-45

Table 8-14 Aluminum Pipe Arch: 2 $\frac{3}{8}$  in.  $\times$   $\frac{1}{2}$  in. Corrugations—AASHTO M 196..... 8-45

Table 8-15 Aluminum Pipe Arch: 3 in.  $\times$  1 in. Corrugations—AASHTO M 196 ..... 8-46

Table 8-16 Aluminum Structural Plate Pipe Arch: 9 in.  $\times$  2 $\frac{3}{8}$  in. Corrugations,  $\frac{1}{4}$  in. Steel  
Bolts, 4 Bolts/Corrugation ..... 8-46

Table 8-17 Steel and Aluminized Steel Spiral Rib Pipe:  $\frac{3}{4} \times 1 \times 11\frac{1}{2}$  in. or  $\frac{3}{4} \times \frac{3}{4} \times 7\frac{1}{2}$  in.  
Corrugations—AASHTO M 36..... 8-47

Table 8-18 Aluminum Alloy Spiral Rib Pipe:  $\frac{3}{4} \times 1 \times 11\frac{1}{2}$  in. or  $\frac{3}{4} \times \frac{3}{4} \times 7\frac{1}{2}$  in. Corrugations—  
AASHTO M 196 ..... 8-48

Table 8-19 Thermoplastic and Ductile-Iron Pipe ..... 8-48

<b>Chapter 10</b>	<b>Woody Material in the Riparian Zone</b>	
Table 10-1	Physical Characteristics of Woods Found in the Pacific Northwest .....	<a href="#">10-11</a>
Table 10-2	Large Wood Target Metrics.....	<a href="#">10-24</a>