

Appendix Z tabulates the elevations (referenced to NAVD 88 and to MLLW) of all of the vehicle transfer span bridge seats located at the nineteen terminals and the Eagle Harbor Maintenance Facility. The photos show the locations of the points from which the bridge seat elevations and horizontal and vertical datums were established. The elevations tabulated in [Exhibit 340-3](#) correspond to each terminal's Slip 1 (or Main Slip) bridge seat.

Ferry Terminals 2013

[Anacortes](#)

[Bainbridge Island](#)

[Bremerton](#)

[Clinton](#)

[Coupeville](#)

[Eagle Harbor](#)

[Edmonds](#)

[Fauntleroy](#)

[Friday Harbor](#)

[Kingston](#)

[Lopez](#)

[Mukilteo](#)

[Orcas](#)

[Point Defiance](#)

[Port Townsend](#)

[Seattle](#)

[Shaw](#)

[Southworth](#)

[Tahlequah](#)

[Vashon](#)

# Anacortes

SLIP A1



NAVD 88  
ORTHO: 4.977 (M) 16.33 (FT)

MLLW: 5.144 (M) 16.88 (FT)



SLIP A2





NAVD 88  
ORTHO: 4.869 (M) 15.97(FT)

MLLW: 5.036 (M) 16.52 (FT)

### Bainbridge Island

SLIP 1	
	
NAVD 88 ORTHO: 4.831 (M) 15.85 (FT)	MLLW: 5.596 (M) 18.36 (FT)

SLIP 2	
	
NAVD 88 ORTHO: 4.835 (M) 15.86 (FT)	MLLW: 5.600 (M) 18.37 (FT)

# Bremerton

## BREMS 1



NAVD 88  
 ORTHO: 4.537 (M) 14.89 (FT)

MLLW: 5.299 (M) 17.39 (FT)



## BREMS 2





NAVD 88  
 ORTHO: 4.337 (M) 14.23 (FT)

MLLW: 5.099 (M) 16.73 (FT)

**Clinton**

<b>SLIP C1</b>	
	
NAVD 88 ORTHO: 4.725 (M) 15.50 (FT)	MLLW: 5.350 (M) 17.55 (FT)

<b>SLIP C2</b>	
	
NAVD 88 ORTHO: 4.747 (M) 15.57 (FT)	MLLW: 5.372 (M) 17.62 (FT)

# Coupeville

## SLIP KEY 1



NAVD 88  
ORTHO: 3.984 (M) 13.07 (FT)

MLLW: 4.324 (M) 14.19 (FT)

# Eagle Harbor

## SLIP B



NAVD 88  
 ORTHO: 4.305 (M) 14.12 (FT)

MLLW: 5.072 (M) 16.64 (FT)

## SLIP E





NAVD 88  
 ORTHO: 3.765 (M) 12.35 (FT)

MLLW: 4.532 (M) 14.87 (FT)

### Edmonds

SLIP ED 1	
	
NAVD 88 ORTHO: 4.483 (M) 14.71 (FT)	MLLW: 5.108 (M) 16.76 (FT)

### Fauntleroy

SLIP A1	
	
NAVD 88 ORTHO: 4.030 (M) 13.22 (FT)	MLLW: 4.771 (M) 15.65 (FT)



# Friday Harbor

## SLIP 01



NAVD 88  
ORTHO: 5.010 (M) 16.44 (FT)

MLLW: 5.159 (M) 16.93 (FT)

# Kingston

## SLIP 1



NAVD 88  
ORTHO: 4.877 (M) 16.00 (FT)

MLLW: 5.502 (M) 18.05 (FT)



## SLIP 2





NAVD 88  
ORTHO: 4.688(M) 15.38 (FT)

MLLW: 5.313 (M) 17.43 (FT)



### Lopez

SLIP 01	
	
NAVD 88 ORTHO: 5.531 (M) 18.15 (FT)	MLLW: 5.692 (M) 18.67 (FT)



### Mukilteo

SLIP M1	
	
NAVD 88 ORTHO: 4.672 (M) 15.33 (FT)	MLLW: 5.299 (M) 17.39 (FT)



### Orcas



SLIP 01	
	
NAVD 88 ORTHO: 5.596 (M) 18.36 (FT)	MLLW: 5.772 (M) 18.94 (FT)

### Point Defiance



SLIP PD 1	
	
NAVD 88 ORTHO: 4.933 (M) 16.18 (FT)	MLLW: 5.691 (M) 18.67 (FT)

### Port Townsend



SLIP 1A	
	
NAVD 88 ORTHO: 4.710 (M) 15.45 (FT)	MLLW: 5.048 (M) 16.56 (FT)

SLIP 2	
	
NAVD 88 ORTHO: 4.717 (M) 15.48 (FT)	MLLW: 5.055 (M) 16.58 (FT)



Seattle

<b>SLIP C1</b>	
	
NAVD 88 ORTHO: 4.973 (M) 16.32 (FT)	MLLW: 5.684 (M) 18.65 (FT)



<b>SLIP C2</b>	
	
NAVD 88 ORTHO: 4.936 (M) 16.19 (FT)	MLLW: 5.647 (M) 18.53 (FT)

<b>SLIP C3</b>	
	
NAVD 88 ORTHO: 4.962 (M) 16.28 (FT)	MLLW: 5.673 (M) 18.61 (FT)

### Shaw

SLIP S1A	
	
NAVD 88 ORTHO: 3.760 (M) 12.34 (FT)	MLLW: 3.921 (M) 12.86 (FT)

### Southworth

SLIP SW1	
	
NAVD 88 ORTHO: 4.919 (M) 16.14 (FT)	MLLW: 5.686 (M) 18.65 (FT)

# Tahlequah

SLIP TLQ1







NAVD 88  
ORTHO: 4.646 (M) 15.24 (FT)

MLLW: 5.404 (M) 17.73 (FT)



# Vashon

SLIP V 1	
	
NAVD 88 ORTHO: 5.054 (M) 16.58 (FT)	MLLW: 5.826 (M) 19.11 (FT)

SLIP V 2	
	
NAVD 88 ORTHO: 4.993 (M) 16.38 (FT)	MLLW: 5.765 (M) 18.91 (FT)

